SUBJECT INDEX, VOLUME 62, 1969*

Abate against: *Aedes* sp., 568
body lice, 198
cutworms, 31
Diabrotica, 1173
midges, 39
mosquitoes, 368
Platynota, 1280
stored-product moths, 1036
Abies grandis and *A. concolor* control, 1106
Abnormality in insects, 622
Absorption of DDT in resistant codling moths, 857
AC-24055 and stored-product insects, 102
AC-43064 against: cotton pests, 1318
cutworms, 31
AC-47031 against: cotton pests, 1318
cutworms, 31
spider mites, 14
AC-47470 against: cotton pests, 1318
cutworms, 31
Diabrotica, 1173
European corn borer, 1150
green peach aphid, 1150
AC-47548 against cutworms, 31
AC-47772 against cutworms, 31
AC-69049 against mites, 977
Acaralate against spider mites, 1401
Acaricides, against spider mites, 1400
residue persistence used in control by, 975
to control two-spotted spider mites, 732, 939
Acarina, 13, 145, 235, 283, 443, 728, 732, 834, 872, 939, 1154, 1262, 1405, 1503
Acarus siro, 767, 837
Aceratagallia californica, 273
sanguinolenta, 273
spp., 273
Achaearanea index, 1011
Acheta pennsylvanicus, 1437
Acleris variana, 528, 1050
Acrosternum hilare, 424, 629
Aculops pelekassi, 1230
Aculus schlechtendali, 74
Acyrthosiphon pisum, 273, 678, 776, 1228, 1423, 1521
Adelges piceae, 250
Adjuvants and residual activity of dichlorvos and mevinphos, 1347
Advanced Study Institute on Toxicity of Pesticides notice, 1184
Aedes aegypti, 1, 10, 96, 455, 493, 567, 786, 982, 1417
caspius, 350
control by larvicides in flowing water, 365
melanimon, 365
nigromaculis, 365
sp., 567
Agallia sp., 1433
Agasicles n. sp., determination of host specificity, 996
Agathis ninanae (?), 669
Agrotis ipsilon, 101
orthogonia, 30, 1053
Akton, against midges, 40
candidate molluscicide, 1395
Alabama argillacea, 263, 432, 449
Alarm, temperature, for rearing rooms, 274
Aldicarb against: cotton pests, 1318
leaf roller, 1352
lesser peach tree borer, 1447
poplar petiole gall aphid, 1519
wireworms, 1062
Aldrin, relation to plasticizers, 763
Aldrin toxicity: to *Culex*, 441
Hylemya platura, 428
Aldrin against: cricket nymphs, 1438
cutworms, 32
Diabrotica, 1173
house fly, 389, 1176
mosquitoes, 1512
Rhipidothrips brunneus, 950
Rhopalosiphum padi, 950
seed-corn maggot, 957
Sphenophorus venatus confluens, 950
termites, 758
wireworms, 712
Aldrin + DDT against boll weevil, 36
Aldrin-epoxidase activity in corn earworm and house fly, 723
Aldrin + heptachlor against house fly, 389
Aldrin + isodrin against house fly, 389
Aldrin + isodrin + heptachlor against house fly, 389
Aleurothrixus floccosus, 1154
Alfalfa, alfalfa weevil in spring-seeded, 1421
carbofuran persistence on, 953
pea aphid increase on, 1521
residual life of Imidan on alfalfa, 720
seedlings, isolating, 66
spotted alfalfa aphid behavior on, 474
Thimet residues on, 952
Alfalfa leafcutting bee, susceptibility, 189
Alfalfa looper parasitization, 1078
Alfalfa weevil, adopted procedures for research, 250
Alfatox against, 953
apholate against, 122
Bathyplectes spp. parasites of, 1225
bionomics, 1233
buildup of parasite, 1517
control, 1197, 1500
egg-laying in weeds, 1226
evaluation of control insecticides, 746
golden-eye lacewing preference for, 1228
in spring-seeded alfalfa, 1421
lethal low temperature for, 464
oviposition, 1525
sampling larval populations, 556
screening alfalfa seedlings for isolating, 66
second generation, 509
Alfatox against alfalfa weevil, 953
Aliolus curculionis, 454
Aliphatic amines: against *Culex pipiens quinquefasciatus* and *Anopheles albimanus*, 171
ovicidal for yellow-fever mosquito, 981
Allethrin against house fly, 1176
Alligatorweed flea beetle, determination of host specificity, 996
Almond moth nutrition, 301
Aluminum phosphide against rice weevils and Angoumois grain moths, 715
Amblymerus sp., 1436
Amblyomma americanum, 934
Amblyseius hibisci, 1216
sp., 196
American cockroach, starvation responses, 1465
American elm treated with Bidrin, 640
American foulbrood selection, 896
Amphimalon majalis, 8, 1179
Amphipyra, 1388
Amphorophora rubi, 776
Anagasta kuehniella, 448, 1036, 1258
Analges sp., 196
Anaphes ovijentatus, biology and rearing, 501
Anaphothrips sp., 1433
Anarsia lineatella, 305
Anaspis sp., 1435
Anastrepha ludens, 53, 511, 742, 1238, 1255
Ancylis comptana fragariae, 1157
Ancyrosoma leucogrammes, 1434
Angoumois grain moth, aluminum phosphide against, 715
Animal systemic insecticides, evaluation, 1968, 934
Anisolabis annulipes, 1011
Anopheles albimanus, aliphatic amines against, 171
coustani, 350
multicolor, 350
pharoensis, chemosterilization, 233
pharoensis, eradication by sterile-

* Compiled by Gladys O. Visel

SUBJECT INDEX, VOLUME 62, 1969*

Abate against: *Aedes* sp., 568
body lice, 198
cutworms, 31
Diabrotica, 1173
midges, 39
mosquitoes, 368
Platynota, 1280
stored-product moths, 1036
Abies grandis and *A. concolor* control, 1106
Abnormality in insects, 622
Absorption of DDT in resistant codling moths, 857
AC-24055 and stored-product insects, 102
AC-43064 against: cotton pests, 1318
cutworms, 31
AC-47031 against: cotton pests, 1318
cutworms, 31
spider mites, 14
AC-47470 against: cotton pests, 1318
cutworms, 31
Diabrotica, 1173
European corn borer, 1150
green peach aphid, 1150
AC-47548 against cutworms, 31
AC-47772 against cutworms, 31
AC-69049 against mites, 977
Acaralate against spider mites, 1401
Acaricides, against spider mites, 1400
residue persistence used in control by, 975
to control two-spotted spider mites, 732, 939
Acarina, 13, 145, 235, 283, 443, 728, 732, 834, 872, 939, 1154, 1262, 1405, 1503
Acarus siro, 767, 837
Aceratagallia californica, 273
sanguinolenta, 273
spp., 273
Achaearanea index, 1011
Acheta pennsylvanicus, 1437
Acleris variana, 528, 1050
Acrosternum hilare, 424, 629
Aculops pelekassi, 1230
Aculus schlechtendali, 74
Acyrthosiphon pisum, 273, 678, 776, 1228, 1423, 1521
Adelges piceae, 250
Adjuvants and residual activity of dichlorvos and mevinphos, 1347
Advanced Study Institute on Toxicity of Pesticides notice, 1184
Aedes aegypti, 1, 10, 96, 455, 493, 567, 786, 982, 1417
caspius, 350
control by larvicides in flowing water, 365
melanimon, 365
nigromaculis, 365
sp., 567
Agallia sp., 1433
Agasicles n. sp., determination of host specificity, 996
Agathis ninanae (?), 669
Agrotis ipsilon, 101
orthogonia, 30, 1053
Akton, against midges, 40
candidate molluscicide, 1395
Alabama argillacea, 263, 432, 449
Alarm, temperature, for rearing rooms, 274
Aldicarb against: cotton pests, 1318
leaf roller, 1352
lesser peach tree borer, 1447
poplar petiole gall aphid, 1519
wireworms, 1062
Aldrin, relation to plasticizers, 763
Aldrin toxicity: to *Culex*, 441
Hylemya platura, 428
Aldrin against: cricket nymphs, 1438
cutworms, 32
Diabrotica, 1173
house fly, 389, 1176
mosquitoes, 1512
Rhipidothrips brunneus, 950
Rhopalosiphum padi, 950
seed-corn maggot, 957
Sphenophorus venatus confluens, 950
termites, 758
wireworms, 712
Aldrin + DDT against boll weevil, 36
Aldrin-epoxidase activity in corn earworm and house fly, 723
Aldrin + heptachlor against house fly, 389
Aldrin + isodrin against house fly, 389
Aldrin + isodrin + heptachlor against house fly, 389
Aleurothrixus floccosus, 1154
Alfalfa, alfalfa weevil in spring-seeded, 1421
carbofuran persistence on, 953
pea aphid increase on, 1521
residual life of Imidan on alfalfa, 720
seedlings, isolating, 66
spotted alfalfa aphid behavior on, 474
Thimet residues on, 952
Alfalfa leafcutting bee, susceptibility, 189
Alfalfa looper parasitization, 1078
Alfalfa weevil, adopted procedures for research, 250
Alfatox against, 953
apholate against, 122
Bathyplectes spp. parasites of, 1225
bionomics, 1233
buildup of parasite, 1517
control, 1197, 1500
egg-laying in weeds, 1226
evaluation of control insecticides, 746
golden-eye lacewing preference for, 1228
in spring-seeded alfalfa, 1421
lethal low temperature for, 464
oviposition, 1525
sampling larval populations, 556
screening alfalfa seedlings for isolating, 66
second generation, 509
Alfatox against alfalfa weevil, 953
Aliolus curculionis, 454
Aliphatic amines: against *Culex pipiens quinquefasciatus* and *Anopheles albimanus*, 171
ovicidal for yellow-fever mosquito, 981
Allethrin against house fly, 1176
Alligatorweed flea beetle, determination of host specificity, 996
Almond moth nutrition, 301
Aluminum phosphide against rice weevils and Angoumois grain moths, 715
Amblymerus sp., 1436
Amblyomma americanum, 934
Amblyseius hibisci, 1216
sp., 196
American cockroach, starvation responses, 1465
American elm treated with Bidrin, 640
American foulbrood selection, 896
Amphimalon majalis, 8, 1179
Amphipyra, 1388
Amphorophora rubi, 776
Anagasta kuehniella, 448, 1036, 1258
Analges sp., 196
Anaphes ovijentatus, biology and rearing, 501
Anaphothrips sp., 1433
Anarsia lineatella, 305
Anaspis sp., 1435
Anastrepha ludens, 53, 511, 742, 1238, 1255
Ancylis comptana fragariae, 1157
Ancyrosoma leucogrammes, 1434
Angoumois grain moth, aluminum phosphide against, 715
Animal systemic insecticides, evaluation, 1968, 934
Anisolabis annulipes, 1011
Anopheles albimanus, aliphatic amines against, 171
coustani, 350
multicolor, 350
pharoensis, chemosterilization, 233
pharoensis, eradication by sterile-

* Compiled by Gladys O. Visel

male technique using Cobalt-60, 348
quadrimaculatus, 97, 852
Anoplura, 198, 568
Anthaxia sp., 1434
Antheraea polyphemus, 724, 1244
Anthocorids, cage for predaceous, 1242
Anthomyiidae, 1077
Anthonomus eugenii, 257
grandis, 35, 71, 89, 147, 154, 161, 165, 175, 239, 244, 370, 419, 448, 467, 558, 571, 583, 596, 604, 821, 824, 854, 862, 889, 916, 943, 1122, 1144, 1204, 1249, 1250, 1402, 1408
g. thurberiae, 1402, 1408
Anthramycin methyl ether, chemosterilant effect, 902
Anthrenus flavipes, 623, 937
Anticholinesterase insecticides, prediction of activity, 801
Ants, and house fly control, 248
in sugarcane fields, insecticide effect on, 948
Aonidiella aurantii, 443, 958, 1057
Apanteles fumiferanae, 310
sp., 1435
yukutatensis, 1079
Aphaereta pallipes, 1235
Aphelinus mali, 85
Aphid (s), laboratory rearing, 261
on red clover, 273
relationship to lettuce mosaic virus, 1109
Aphid control on: fruit and nut trees, 498
Scotch pine, 60
Aphidius smithi, influence on pea aphid, 678
Aphidoletes sp., 227
Aphis craccivora, 1433
fabae, 1450
gossypii, 968, 1230
pomi, 85, 107, 499
sp., 196, 1111
spiraecola, 443
Apholate, and insect sterilant experiments, 1372
Apholate against: alfalfa weevil, 122
boll weevil, 1145, 1206
house fly, 327
little house fly, 25
southern corn rootworm, 1285
two-spotted spider mite, 394, 507
Apholate-resistant house flies, 334
Aphthona sp., 1434
Aphytis holoxanthus control of Florida red scale with, 954
spp., 1057
Apion sp., 1435
Apis mellifera, 189, 251, 319, 493, 813, 815, 865, 886, 896, 1183, 1185, 1193, 1370
Apparatus for removing overwintering rice water weevils, 752
Apple (s), cage for mirids and anthocorids on, 1242
control of European red mite on, 1405
integrated control on, 74
mite control on, 779
Apple maggot, bloating disease of, 850
continuous rearing, 748
control with bird tanglefoot traps, 945
lure, 1076
rearing larvae on artificial medium, 1028
soil temperature and, 1310
Apple orchard (s), codling moth control in, 1331
European red mite control in, 1119
treatment reduction by light traps of codling moth in, 733
Applicator for granular insecticides, 246
Archips argyrospilus, 951, 1351
Arthropod (s), absorption and metabolism of fenthion in, 727
in cattle egret diet, 736
Arthropod parasites: control by Gardona, 1003
on starling, 195
Artificial, insemination of honey bees, 1370
lighting to reduce *Heliothis* spp. populations, 1138
Arzama densa and water hyacinth, 142
Asaphes sp., 227
Asca sp., 196
Ascorbic acid failure against boll weevil, 583
Aspidiotus perniciosus, 107
Aster yellows transmission by *Elymana* and *Macrosteles*, 883
Atherigona indica, 480
varia soccata, 480
Athetis nr. *claripalpis*, 1435
Atomoscelis onustus, 1433
Attagenus megatoma, 507, 623, 868
Attractants for: *Aedes aegypti*, 786
Japanese beetle, 516
sugarbeet root maggot, 910
yellow jackets, 1245
Aulacophora foveicollis, feeding, 512
Aulocara elliotti, 329
Australian bush fly, *Heterotylenchus* spp. parasitizing, 520
Autographa biloba, 1078
californica, 1078
Automated, repellency assay system, 10, 200
sexing of pupae, 272
Autoplusa egena, 1078
Autoradiography, photographic films for insect, 1242
Avocado brown mite, biological control, 1216
Azinphosethyl, toxicity to *Culex*, 441
Azinphosmethyl, residues on sugarcane, 505
Azinphosmethyl toxicity to: *Culex*, 441
pink bollworm moths, 1124
Azinphosmethyl against: alfalfa weevil, 1501
aphids, 499
bollworm, 71
cabbage looper, 1014
cutworms, 32
Fiorinia scale, 1449
fruit-tree leaf roller, 952, 1352
Megachile rotundata, 191
mites, 75
pink bollworm, 684
Platynota, 1280
sugarcane borer, 246
sunflower moth, 1444
white apple leafhopper, 1352
Aziridine and insect sterilant experiments, 1372
Azodrin, candidate molluscicide, 1394
homologues, 1130
Azodrin against: alfalfa weevil, 747, 1500
balsam twig aphid, 1108
bollworm, 71
cabbage looper, 799
corn earworm, 1513
cotton insects, 572, 1318
cottonwood leaf beetle, 265
house fly, 1130
loopers, 1343
mites, 780, 977
pink bollworm, 685
spider mites, 14, 732
sugarcane insects, 246, 505
sunflower moth, 1445
Azothoate against cutworms, 31
Azo derivatives, formation, 411

B-9627, evaluation, 934
Bacillus larvae, 896
thuringiensis, 387, 901, 1276
thuringiensis, and *B. popilliae*, treatment of corn rootworm with, 756
Bacillus thuringiensis against: fall webworm, 566
loopers, 1343
pink bollworms, 994
Platynota, 1280
Bag (s), as cages for potted plant insects, 524
for dispensing sex pheromone of cabbage looper, 517
light-trap, for insect collecting, 735
Bait, and insecticide combinations for Japanese beetle, 738
sprays against Mexican fruit fly, 1255
Baiting, yellow jacket control by, 1192
Baldratiola sp., 1436
Balsam twig aphid control, 1106
Banol against: cutworms, 31
house flies, 88
wireworms, 712
Basudin, persistence in soil, 1339
Bathyplectes anurus, 210, 1225
contracta, 1225
curculionis, 210, 1225
curculionis, buildup, 1517
spp., 1225
spp., alfalfa weevil parasite, 1225
Battery-operated light traps, 575
Bay 9017, metabolism in calves, 929
Bay 25141 against: cotton pests, 1318
sugarbeet root maggot, 1084
Bay 37289, candidate molluscicide, 1395
Bay 37289 against: cabbage looper, 1014
cricket nymphs, 1438
cutworms, 31, 1442
Diabrotica, 1173
seed-corn maggot, 958
sugarbeet root maggot, 1084
wireworms, 714, 1061, 1066
Bay 37341, candidate molluscicide, 1395
Bay 37342 against body lice, 198

Bay 37344 (see also Mesurol)
Bay 37344, against large milkweed bug, 612
  candidate molluscicide, 1394
Bay 38156 against cutworms, 31
Bay 38799, candidate molluscicide, 1394
Bay 39007 (see also Baygon)
Bay 39007 against: alfalfa weevil, 747
  Rhipidothrips brunneus, 950
  Rhopalosiphum padi, 950
  Sphenophorus venatus confluens, 950
Bay 41831 (see also Fenitrothion)
Bay 41831, toxicity to *Culex*, 441
Bay 41831 against: cotton insects, 572
  cutworms, 31
  stored-product moths, 1036
Bay 49854, candidate molluscicide, 1394
Bay 58733 against mites, 780
Bay 62862, candidate molluscicide, 1394
Bay 62863, candidate molluscicide, 1394
  evaluation, 934
Bay 64995, evaluation, 934
Bay 65258, candidate molluscicide, 1395
  evaluation, 934
Bay 68138, candidate molluscicide, 1395
Bay 75546, candidate molluscicide, 1395
Bay 77488, candidate molluscicide, 1395
Bay 77488 against: cabbage looper, 1014
  Oryzaephilus mercator, 113
  seed-corn maggot, 958
  stored-product insects, 112, 1036
  Tribolium confusum, 113
  Trogoderma parabile, 113
  wireworms, 714
Bay 78182, candidate molluscicide, 1395
Bay 78182 against: cabbage looper, 1014
  cutworms, 31
  midges, 40
  Oryzaephilus mercator, 113
  seed-corn maggot, 958
  stored-product insects, 112, 1036
  Tribolium confusum, 113
  Trogoderma parabile, 113
Bay 78537, candidate molluscicide, 1394
Bay 79845, candidate molluscicide, 1395
Bay 85032, candidate molluscicide, 1394
Bay 88991, candidate molluscicide, 1394
Bay 91273, candidate molluscicide, 1395
Bay 93820, candidate molluscicide, 1395
Baygon (see also Bay 39007)
Baygon, candidate molluscicide, 1394
  metabolism in house flies, 483
Baygon against: balsam twig aphid, 1108
  cockroaches, 568
  cotton pests, 1318
  cottonwood leaf beetle, 265
  cutworms, 31
  Diabrotica, 1173
  Fiorinia scale, 1449
  German cockroach, 262, 319
  honey bee, 319
  house flies, 88, 319, 1177
  large milkweed bug, 612
  lesser peach tree borer, 1447
Bayluscide, candidate molluscicide, 1394
Baytex against alfalfa weevil, 747
Bean plants, carbaryl metabolites in, 49
Beet western yellows in sugarbeets, 307
Behavior (see Methods)
Benzene hexachloride on bovine coat, 1
Benzilate acaricide behavior on soybean, 618
1,4-benzoxazinones in dent corn, 214
Bermudagrass resistance to phytotoxemia, 1189
BHC, against stem borer, 480
  gamma, for cowpea pest control, 901
Bidrin, American elm treated with, 640
  candidate molluscicide, 1394
Bidrin against: cottonwood leaf beetle, 265
  cutworms, 31
  LMV, 1110
  spider mites, 14
Bidrin-treated male Indian-meal moths' behavioral response to female sex pheromone, 1117
Billbug, biology, 808
Binapacryl, against mites, 78, 1160
  inactivation by gamma radiation, 1509
Bioassay of: pathogens, 1227
  tobacco leaves, 1313
Biochemistry of OP-resistance in two-spotted spider mite, 205
Biological activity of soils, persistence, 1437
  interaction between plasticizers and insecticides, 761
  investigations of smaller European elm bark beetle, 1381
  note on *Saniosulus nudus*, 729
Biological control: agents of sugarcane borer, 1008
  of avocado brown mite, 1216
  of Egyptian alfalfa weevil, 209
Biology of: *Anaphes ovijentatus*, 501
  billbug, 808
  Bracon kirkpatricki, 448
  Bracon mellitor, 889
  Dibrachys cavus, 1225
  Euxoa tristicula, 1053
  European corn borer, 1071
  face fly, 255
  horn fly, 1362
  Neoschongastia americana, 872
  phantom hemlock looper, 1046
  plum curculio, 1222
  smaller European elm bark beetle, 640
  two-spotted spider mite, effect of chemosterilants on, 393
  winter tick, 235
Bionomics of: alfalfa weevil, 1233
  green fruitworms, 1388
Biotic factors in crucifer aphid outbreaks, 223
Biotrol against: cabbage looper, 799
  corn insects, 1032
  fall webworm, 566
Biotrol + Virus HZ against corn insects, 1032
Bird tanglefoot traps and apple maggot control, 945
Birlane, persistence in soil, 1339
Birlane against: cabbage looper, 1014
  seed-corn maggot, 958
Bitterbush, *Malacosoma* on, 1511
Black blow fly, monocoitic behavior in, 634
Black carpet beetle, effect of oils on larvae, 507
  larval fumigation with paradichlorobenzene, 747
Black-headed budworm development, 1050
Blacklight lamps, and tobacco insects, 1378
  moths attraction, 58
Blacklight traps (see Methods, Traps)
Blatta orientalis, 277, 1164
Blattella germanica, 262, 277, 318, 493, 567, 623, 846, 1164, 1502
Bloating disease of apple maggot, 850
Blueberry, 815, pollination, 1353
Body lice, control, 198
  resistance to malathion, 569
Boll weevil, ascorbic acid failure against 583
  Bracon parasite of, 889
  chemosterilants, 1144
  development, 244, 1402
  diapause, 596
  fate of phosphorus amide application to, 821
  insecticide impingement on, 1122
  life history, 964
  light influence on diapause, 854
  longevity and fecundity, 1408
  marking with dyes, 943
  mechanical sampler for estimating, 1250
  overwintered, responses, 419
  oviposition, 604
  physiological changes, 239
  responses to sex pheromone, 161
  squaring ended to indicate stopping treatments for control, 35
  sterilization, 1204, 1372
  winter survival, 147
Boll weevil attraction to: cotton plants, 165
  traps, 154
Boll weevil control by: *Bracon kirkpatricki*, 448
  red dye, 370
  spray droplets, 916
Boll weevil control: mechanically, 862
  of overwintered, 558
Bollworm, cage studies on predators, 1486
  control by spray droplets, 916
  lipid fractions, 1397
  plant feeding stimulants for, 98
  rearing larvae, 959
  response to endrin, 616
  ultrasound for control, 1322
Boron chemosterilants against: house fly, 1472
  screw-worm flies, 375
Bovine, coat, benzene hexachloride activity on, 1
  feces moisture content influence, 41
Boydaia sturni, 197
Brachynema cinctum, 1433
  triguttatum, 1433
Brachyrhinus cribricollis control on ornamentals, 941
Bracon kirkpatricki, biology, 448
  mellitor, 449
  mellitor, biology, 889
  sp., 767
Brahman breeding factor and horn fly, 56

Brain ATPases of German cockroach, 1502
Brevicoryne brassicae, 226, 1113
Brevipalpus obovatus, 1401
phoenicis, 1230
Bromolysergic acid diethylamide in lepidoterous studies, 386
Bromophos, demethylation, 1043
Bromophos against: cutworms, 32
stored-product insects, 130
Brown dog tick, Dursban against, 719
human parasitism by, 710
Bruchidius seminarius var. *pusillus*, 1434
Bruelia nebulosa, 196
Bryobia praetiosa, 197
Bubulcus ibis, arthropods in diet, 736
Budworm, naled against, 310
Zectran against, 310
Buffalograss, *Surattha indentella* distribution on, 750
Building surfaces, lindane and methoxychlor toxicity on, 1101
Buildup of alfalfa weevil parasite, 1517
Bulan, toxicity to cotton insects, 432
Bunch grass, apparatus for removing rice water weevils from, 752
Burial effect of grape root borer, 1507
Burning weeds to suppress aphids, 307
BUX against: *Diabrotica*, 1173
northern corn rootworm, 1034
Bux 10 against earthworms, 963

C (for C numbers see under Ciba)
Cabbage looper, attraction of synthetic sex pheromone to, 117
bag for dispensing sex pheromone of, 517
contact toxicity of insecticides, 1013
control, 798, 916
Lannate against, 799
parasitization, 1078
Voria ruralis development on, 69
Cadra cautella, 301, 937, 1036
figulilella, 1036
Cages(s), bags as, for potted plants, 524
field, life history of boll weevil in, 964
modification of temperature by, 1019
studies on predators of bollworm in cotton, 1486
Cage for: predaceous mirids and anthocorids, 1242
sunflower moth emergence, 1235
Calco Oil Red N-1700 dye for measuring boll weevil ingestion, 370
California red scale, enemies, 1057
pheromone production by, 958
UC-21149 against, 443
Calliphoridae, 1077
Callipterinae sp., 196
Calves, metabolism of Bay 9017 in, 929
Campoletis perdistinctus, 17
sp., 1079, 1435
websteri, 1079
Campoplex sp., 1436
Captan against mites, 77
Carbamate application for cotton pest control, 1316
Carbaryl, candidate molluscicide, 1394
metabolites, 49
Carbaryl against: alfalfa weevil, 89, 1501
aphids, 499
Brachyrhinus cribricollis, 942
confused flour beetle, 89
corn insects, 1032
cutworms, 33
Diabrotica, 1173
Drosophila melanogaster, 89
European chafers, 8
fall webworm, 566
house flies, 87
Japanese beetle, 8, 739
juniper webworm, 24
large milkweed bug, 612
Megachile rotundata, 191
Mexican bean beetle, 406
mites, 76
northern fowl mite, 48, 1246
pink bollworm, 684
Platynota, 1280
slugs, 1277
stable fly, 89
stem borer, 480
sugarbeet root maggot, 1086
sunflower moth, 1444
wireworms, 1062
Carbaryl toxicity to: *Culex*, 441
pink bollworm moths, 1124
Carbaryl + molasses against corn insects, 1032
Carbaryl + piperonyl butoxide against body lice, 199
Carbofuran (see also NIA 10242)
candidate molluscicide, 1394
codling moth control with, 356
effect on western spotted cucumber beetle, 1231
evaluation, 934
persistence on alfalfa, 953
rice water weevil control with, 1024
Carbofuran against: alfalfa weevil, 747, 1501
aphids, 498
cabbage looper, 799, 1014
Cinara pinea, 62
corn insects, 1032, 1513
cotton pests, 1318
cottonwood leaf beetle, 265
cricket nymphs, 1438
Diabrotica, 1173
earthworms, 963
Eulachnus agilis, 61
European corn borer, 1150
fruit-tree leaf roller, 952
green peach aphid, 1150
large milkweed bug, 612
loopers, 1344
midges, 40
mites, 977
mosquitoes, 1512
needle midge, 1099
northern corn rootworm, 1035
pear rust mite, 1159
poplar petiole gall aphid, 1519
seed-corn maggot, 958
sugarbeet root maggot, 1086
sugarcane borer, 246
wireworms, 714, 1062, 1066
Carbon dioxide effect on confused flour beetle and granary weevil, 904
Carbophenothion, toxicity to *Culex*, 441
Carbophenothion against: cutworms, 32
Diabrotica, 1173
pear rust mite, 1159
Platynota, 1280
Cardiochiles nigriceps, 17
Carmine mite, *Lycopersicon* and *Solanum* resistant to, 834
Carpocapsa pomonella, 62, 74, 305, 356, 493, 733, 857, 1237
Carrot seed, lygus-bug feeding on, 504
Carton for tephritid pupae shipment, 730
Carzol against pear rust mite, 1159
Cas elbeli, 196
Cassida nr. *inquinata*, 1434
nobilis, 1434
sp., 1434
Cat, collars, dichlorvos impregnated, 1503
flea control with dichlorvos-impregnated collars, 1246
Catolaccus aeneoviridis, 1225
ater, 1436
Cattle, horn fly control on, 56, 1515
egret, arthropods in diet, 736
grub problem, 652
Ceratitis capitata, 5, 539, 663, 962, 967
cucurbitae, 970
Ceratocapsus pumilus, 1242
Cereal leaf beetle, and X-ray, 543
impact of larvae on oats, 699
oat yield reduced by, 298
quantity of insecticide influence on, 508
resistance of small grains to, 360
Trichogramma sp. parasitizing, 1157
Chaetocnema sp., 1434
Chaetogaedia monticola, 1079
Charips brassicae, 227
Cheiropachus colon, 1384
Chemical (see Methods)
Chemosterilant, action on large milkweed bug, 1326
effect of anthramycin methyl ether, 902
feeder for insects, 646
for pink bollworm, 650
technique, reliability, 136
Chemosterilization of: *Anopheles pharoensis*, 233
house flies, 690
southern corn rootworm, 1285
two-spotted spider mite, 393, 400, 415, 506
Chevron (see also RE)
Chevron, evaluation, 934
Chigger control, on turkeys, 181
Chilo partellus, chemical control of, 478
simplex, 448
suppressalis, 448
zonellus, 478
Chilocorus bipustulatus, 1057
Chilosia albicornis, 249
Chinaberry leaves, extract as repellent and toxicant, 708
Chironomus sp., 38
Chlaenius pusillus, 1011
Chlordane, candidate molluscicide, 1394

European chafer susceptibility to, 1179
Chlordane against: *Brachyrhinus cribricollis*, 942
brown dog ticks, 719
cutworms, 32
Diabrotica, 1173
seed-corn maggot, 958
sugarbeet root maggot, 1086
termites, 758
Chlorinated hydrocarbons, resistance in *Culex*, 440
Chlorobenzilate, against spider mites, 732, 1401
on soybean, 619
toxicity to cotton insects, 432
Chlorophanus voluptificus, 1435
Chloropropylate, on soybean, 619
Chloropropylate against: cotton insects, 433
two-spotted spider mite, 732
Chlorphenamidine in two-spotted spider mite, 44
Choristonerus fumiferana, 493, 916, 1307
occidentalis, 528
occidentalis, hibernating larvae, 139
occidentalis, Zectran and naled against, 310
Chorizagrotis auxiliaris, 1053
Chroantha ornatula, 1433
Chromaphis juglandicola, 499
Chrysanthemum, resistance to *Liriomyza munda*, 458
Chrysomela scripta, 265
Chrysomphalus anoidum, 954
Chrysopa, 1140
carnea, 1191, 1237, 1486
carnea, artificial diet for, 256
carnea, for *Heliothis* control, 177
nigricornis, 1237
oculata, 1228
spp., 227, 1011
terpenyl acetate bait for, 1237
Chrysoteuchia topiaria, 1345
Ciba, photodecomposition, 344
Ciba C-768, evaluation, 934
Ciba C-776, evaluation, 934
Ciba C-2428, evaluation, 934
Ciba C-8874 against cutworms, 31
Ciba C-8874 against loopers, 1343
Ciba C-9491, residue control of fall armyworm and corn earworm, 1468
Ciba C-9491 against: cabbage looper, 799
corn insects, 1032
stored-product moths, 1036
Ciba C-10015 against: cutworms, 31
Diabrotica, 1173
Cidial activity compared with malathion and lindane for stored-product insects, 1258
Cimex lectularius, 727
Cinara abieticola, 249
pinea, control on Scotch pine, 60
watsoni, 436
Ciodrin, against horn fly, 1386
candidate molluscicide, 1394
Circulifer opacipennis, 1433
tenellus, 29
Citrus, enemies of California red scale on, 1057
groves, Mexican fruit fly control in, 53
Citrus red mite, DO-14 against, 531
red mite suppression with noninclusion virus, 1154
red mite, UC-21149 against, 443
thrips, UC-21149 against, 443
CL (see AC)
Clearing face fly puparia, 1412
Cleonus (*Menecleonus*) *anxius*, 1434
(*Temnorhinus*) *mendicus*, 1435
spp., 1434
Clubiona abotti, 1011
Cobalt-60, eradication of *Anopheles pharoensis* by sterile-male technique, 348
Cochliomyia hominivorex, 136, 259, 275, 289, 375, 635, 767
macellaria, 934, 966, 1289
Cockroach population changes, 1164
Cockroaches on military base, 277
Codling moth, absorption and metabolism of DDT in resistant, 857
artificial sex pheromones for, 243
isolation of sex pheromone, 62
treatment reduction with light traps, 733
Codling moth control by: carbofuran, 356
sterilized moths, 1331
Coleomegilla maculata, 1314
Coleophora sp., 1435
Coleoptera, 8, 147, 154, 161, 165, 169, 183, 209, 220, 239, 244, 257, 314, 360, 363, 370, 419, 448, 467, 512, 513, 514, 516, 528, 541, 556, 558, 583, 585, 596, 604, 738, 740, 745, 752, 756, 808, 821, 855, 862, 943, 950, 964, 996, 1033, 1039, 1065, 1144, 1157, 1169, 1186, 1204, 1216, 1222, 1225, 1249, 1250, 1285, 1360, 1372, 1381, 1402, 1408, 1421, 1489, 1491, 1500, 1506, 1511, 1512, 1525
Coleosoma acutiventer, 1011
Colladonus geminatus, 273
montanus, 273
montanus and *C. geminatus*, transmission of Western X-disease virus by, 1147
Collars, dichlorvos-impregnated, control of cat fleas with, 1246, 1503
Collection (s), date effect on sweetclover weevil feeding, 169
from blacklight lamp traps, 100
Color, attractant for sugarbeet root maggot, 910
preference of cotton thrips, 591
Combination of irradiation and chemosterilants, 1204
Common cattle grub, timing of adult activity, 652
transplantation of larvae into horses, 503
Compound 4072 against wireworms, 1061
Compounds affecting house fly fertility, 522
Concepts of Pest Management, conference, 1224
Confining insects to leaf surfaces, 1227
Confused flour beetle, carbon dioxide and, 904
genetic plasticity of stored-product insects relative to, 470
reproducing capacity, 357
thiotepa against, 585
Coniocleonus excoriatus, 1435
Conoderus falli, 314, 712
rudis, 1011
vespertinus, 712, 728, 1011
Conorhynchus sp., 1435
Conotrachelus nenuphar, 438, 1222
Contact toxicity of insecticides to cabbage loopers, 1014
Container for photoperiodism study, 269
Contarinia pseudotsugae, 1098
spp., control, 1098
Control (see Methods)
Copidosoma truncatellum, 1079
Copium teucrii, 1434
Coptodisca spp., 667
Corcyra cephalonica, 448
Cordillacris crenulata pima, 329
Corn, control of sugarcane borer in, 245
forage, OP insecticide persistence in, 1282
insects, Lannate against, 1032
residues of VCS-506 in forage, 1458
resistance to larger rice weevil, 352
stalks, southwestern corn borer survival in, 1016
stunt virus, *Graminella nigrifrons* vector, 126
Systena frontalis in roots, 1232
Corn earworm, attraction to blacklight radiations, 58
chinaberry leaves as repellent to larvae, 708
competition and survival, 734
control by Ciba C-9491, 1468
control on corn, 1031, 1513
damage, 986
DDT-dehydrochlorinase and aldrin-epoxidase activity in, 723
distribution, 606
infestation in strawberries, 947
Corn rootworm, treatment with *Bacillus*, 756
Cotton, ascorbic acid failure against boll weevil in, 583
Bacillus thuringiensis against pink bollworm on, 994
boll weevil chemosterilants on, 1144
boll weevil development on squares, 244
cage studies on predators of bollworm in, 1486
habits of thrips associated with, 591
pest (s) control on, 1316
pests, integrated control against, 173
pesticide spray for, 571
regulator of pests, 1291
resistance to *Heliothis* spp., 588
strawberry spider mite damage to, 192
temperatures at leaf surface, 1519
treated with insecticides against spider mites, 13
two-spotted spider mite control on, 732
Cotton, control of: boll weevil in squares, 862
Heliothis on, 177

Cotton fields, estimating temperatures and heat flux in, 823
Heliothis spp. reduced by artificial lighting, 1138
Cotton fleahopper, host plants, 1126
vacuum sampler for populations, 525
Cotton insects, DDT against, 1249
methyl parathion against, 1249
toxaphene against, 1249
toxicity of diphenyl aliphatics to, 432
Cotton leafworm, role of *Hampea* sp. in migration, 263
Cotton plant, boll weevil attraction to, 165
physiological changes, 239
Cottonseed oil bait, boll weevils marked with dyes fed in, 943
Cottonwood, insects attacking, 667
leaf beetle control, 265
Coumaphos, against sheep bot fly, 675
residues in milk, 1481
Cowpea, integrated control of pest complex on, 900
CP 47114 against corn earworm, 1513
CP 47114 + methyl parathion against corn earworm, 1513
Crambe introductions to aphids, 697
Crambus mutabilis, 510, 706
pascuellus floridus, 1345
teterrellus, 510
trisectus, 510, 705
trisectus, development, 703
Cresol of an OP insecticide, 1282
Crocidosema plebeiana, 448
Croesia semipurpurana, population trends, 1054
Crop host preference of greenbug biotype, 1241
Crucifer aphid outbreaks, biotic factors in, 223
Cryptolestes ferrugineus, 130, 1102
susceptibility to hydron phosphide, 363
pusillus, 937
turcicus, 102
turcicus, susceptibility to hydrogen phosphide, 363
Cryptophagus sp., 1434
CSMA oil-spray tests, 567
Ctenicera pruinina, 1506
Cyrtoptyx sp., 1434
Ctenocephalides felis, 1246
Cucurbaticin, *Aulacophora* feeding on, 512
Culex fatigans, 171, 440, 455, 977
pipiens, 350
pipiens quinquefasciatus, 319, 455, 977, 1153, 1243, 1455, 1511
p. quinquefasciatus, aliphatic amines against, 171
p. quinquefasciatus, resistance to chlorinated hydrocarbons, 440
poicilipes, 350
univittatus, 350
Culicoides variipennis, larval medium for colonized, 1483
Cultivation and eye gnat emergence, 312
Curculio caryae, 722, 1239
Cutworms, toxicological studies on, 1441
Cycloderes sp., 1435
Cyclodiene-insecticide resistance, genetics, 427
Cyphoderus, 1269
Cyrtoptyx lichtensteini, 1434

Dactynotus spp., 1111
Dacus cucurbitae, 5, 539, 663, 730, 962, 967, 970
dorsalis, 4, 539, 663, 730, 970
tryoni, 767
Damage (see Methods)
Daphnia magna, mass rearing of, 725
Dark-sided cutworm, control, 1441
Dasanit, candidate molluscicide, 1395
persistence in soil, 1339
Dasanit against: cabbage looper, 1014
cricket nymphs, 1438
cutworms, 31
Diabrotica, 1173
earthworms, 963
European corn borer, 1150
green peach aphid, 1150
mosquitoes, 1512
northern corn rootworm, 1034
seed-corn maggot, 958
wireworms, 714, 1061
Dattinia sp., 1436
DBP, toxicity to cotton insects, 432
DCBA, toxicity to cotton insects, 432
DDA, toxicity to cotton insects, 432
DDE, and codling moths, 858
relation to plasticizers, 763
toxicity to cotton insects, 432
DDT, absorption and metabolism in resistant codling moths, 857
candidate molluscicide, 1394
diffusion in house fly, 988
inactivation by gamma radiation, 1509
mixture against wireworms, 1066
relation to plasticizers, 763
resistance in German cockroach, 846
susceptibility of fruit flies to, 663
toxicological interaction with plasticizers, 761
DDT against: aphids, 500
cabbage looper, 1014
corn insects, 1032, 1472, 1513
cotton insects, 1249
cricket nymphs, 1438
dark-sided cutworm, 1442
Empoasca elongata, 116
European chafers, 8
fall webworm, 566
fruit-tree leaf roller, 952, 1352
house fly, 1176
Japanese beetles, 8
Megachile rotundata, 191
Platynota, 1280
seed-corn maggot, 958
stored-product insects, 130
white apple leafhopper, 1352
DDT toxicity to: cotton insects, 432
Culex, 441
Hylemya platura, 428
pink bollworm moths, 1124
DDT + azinphosmethyl against cabbage looper, 799
DDT-dehydrochlorinase activity in corn earworm and house fly, 723
DDT + malathion against LMV, 1110
DDT + methyl parathion against: corn earworm, 1513
cotton insects, 1249
DDT + parathion against: corn insects, 1032
mites, 75
DDT + toxaphene against cabbage looper, 799
Degradation of: insecticides by gamma radiation, 1509
malathion in grain sorghum, 1161
Demethylation of bromophos, 1043
Demeton, candidate molluscicide, 1395
Demeton against: European red mite, 1120
LMV, 1110
mites, 77
poplar petiole gall aphid, 1519
Demodectic mites in mammalian eyelids, 942
Demodex spp., 942
Dendroctonus monticolae, 518
ponderosae, 518, 631
pseudotsugae, 782
valens, 518
Dendrosoter protuberans, 1384
Dent corn, 1,4-benzoxazinones in, 214
DEPTA, role of from parathion, 408
Deraeocoris brevis, 85
nebulosus, 1242
nitenatus, 1242
Dermacentor albipictus, 235
Dermanyssus gallinae, 196
Dermatophagoides (Sturnophagoides) bakeri, 196
Deroceras laeve, 1394
reticulatum, 1277, 1394
Determining insecticide impingement on boll weevil, 1122
deutero-DDT, toxicity to cotton insects, 432
Deuterosminthurus repandus, 196
Development of boll weevil, 244, 1402
DFDT, toxicity to cotton insects, 432
Diabrotica, LANDRIN against, 1173
Lannate against, 1173
longicornis, 541, 579, 757, 1033, 1172, 1232
spp., 1173
undecimpunctata howardi, 757, 1285, 1314
u. undecimpunctata, 1231
virgifera, 286, 541, 579, 757, 1097, 1232, 1375
toxicity of insecticides to, 1172
Diacrisia virginica, 101
Diaeretia rapae, 227
Dialeurodes citri, 1230
Diapause (see Methods)
Diaphnidia pellucida, 1242
Diatraea grandiosella, 1016
saccharlis, 245, 620, 1008
Diazinon, candidate molluscicide, 1395
effect of disking on tobacco wireworm, 728
ovicidal efficiency of, 875
persistence in soil, 1340

sensitivity in western corn rootworm, 1097
toxicity to *Hylemya platura*, 428
Diazinon against: alfalfa weevil, 1501
cabbage looper, 1014
cockroach, 567
cotton pests, 1318
cricket nymphs, 1438
cutworms, 32
Diabrotica, 1173
earthworms, 963
flies, 1289
fruit-tree leaf roller, 1352
Great Basin wireworm, 1507
house fly, 1176
juniper webworm, 24
mites, 77
northern corn rootworm, 1034
pear rust mite, 1159
Platynota, 1280
poplar petiole gall aphid, 1519
Rhipidothrips brunneus, 950
Rhopalosiphum padi, 950
seed-corn maggot, 958
Sphenophorus venatus confluens, 950
stored-product moths, 1037
sugarbeet root maggot, 1086
sunflower moth, 1445
white apple leafhopper, 1352
wireworms, 714, 1062, 1066
Diazinon dust, control of oriental rat flea with, 656
Diazinon residues: in sunflower seeds, 462
on field corn, 832
Diazinon-treated rice plots, tungro virus treated, 772
Diazinon-C^{14}, metabolism, 286
Diazinon + carbaryl against corn insects, 1032
Diazinon + DDT against corn insects, 1032
Dibrachoides druso, 210
on Egyptian alfalfa weevil, 1320
dynastes, 1320
Dibrachys cavus, biology, 1225
Dicapthon against stored-product moths, 1037
Dichlorvos, adjuvants and residual activity of, 1347
candidate molluscicide, 1394
cat flea control with impregnated collars, 1246, 1503
strips fumigant for insects and mites, 1230
toxicity to *Culex*, 441
Dichlorvos against: flies, 1289
Japanese beetle, 739
stored-product moths, 1037
Dichomeris marginella, 23
Dicofol against: cotton insects, 433
mites, 78, 732, 780
two-spotted spider mite, 940
Dictyophara sp., 1433
Dieldrin, candidate molluscicide, 1394
European chafer susceptibility to, 1179
Japanese beetle susceptibility to, 1179
relation to plasticizers, 763
toxicity to *Culex*, 441
toxicological interaction with plasticizers, 761
Dieldrin against: cricket nymphs, 1438
cutworms, 32
seed-corn maggot, 958
termites, 758
Diffusion of DDT in house fly, 988
Diet (see Methods)
Dikraneura carneola, 273
Dilan, toxicity to cotton insects, 432
Dimethoate, as ovicide, 877
candidate molluscicide, 1395
Dimethoate against: balsam twig aphid, 1108
cutworms, 32
European red mite, 1120
fall webworm, 566
Fiorinia scale, 1449
flies, 1289
juniper webworm, 24
LMV, 1110
needle midge, 1099
pear rust mite, 1160
poplar petiole gall aphid, 1519
stem borer, 482
Dimethyl sulfoxide effects on activity of miticides and insecticides, 403
Dimetilan, against house flies, 88
candidate molluscicide, 1394
toxicity to *Culex*, 441
Dimetilan + RO 5-1557 against house flies, 88
Dinitrocresol against mites, 78
Dinocap against mites, 78
Dinoseb against slugs, 1277
Dioryctria spp., 735
Dioxane, attractant for yellow-fever mosquitoes, 786
Dioxaspiro derivatives, attractants for yellow-fever mosquitoes, 786
Dioxathion against wireworms, 714
Diparopsis castanea, 448
Diptera, 4, 53, 69, 136, 255, 259, 275, 276, 279, 375, 458, 511, 522, 536, 539, 634, 652, 663, 669, 730, 765, 792, 818, 851, 907, 910, 940, 962, 966, 967, 1083, 1098, 1135, 1175, 1238, 1255, 1310, 1362, 1386, 1412, 1417, 1455, 1462, 1472, 1481, 1483, 1515
Disinsectization of transport vehicles, 8
Disking, effect on diazinon and parathion against tobacco wireworm, 728
Dispersal, and distribution of winter-released screw-worm flies, 259
of pecan weevil, 1239
Distribution (see Methods)
Disulfoton, candidate molluscicide, 1395
toxicity to *Culex*, 441
Disulfoton against: *Cinara pinea*, 62
cotton pests, 1318
cottonwood leaf beetle, 265
Diabrotica, 1173
earthworms, 963
Eulachnus agilis, 61
poplar petiole gall aphid, 1519
Rhipidothrips brunneus, 950
Rhopalosiphum padi, 950
seed-corn maggot, 958
Sphenophorus venatus confluens, 950
sugarbeet root maggot, 1086
tumid spider mite, 405
wireworms, 714, 1066
Dition against cutworms, 31
DO-14 against citrus red mite, 531
Dodecyl alcohol and insect abnormality, 622
Dodine against: mites, 77
pear rust mite, 1159
DOHDT, toxicity to cotton insects, 432
Dolichopididae, 1077
Doru aculeatum, 1011
Douglas-fir, hibernating larvae of western budworm on, 139
needle midge control on, 1098
phantom hemlock looper on, 1046
Dowco 217, against *Aedes* sp., 568
knockdown activity of, 567
Drasterius scutellatus, 1011
Drepanopterna femoratum, 329
Drinking water and corn borer oviposition, 1366
Drione against: European chafers, 8
Japanese beetles, 8
Drosophila, 1505
anthramycin methyl ether effect in, 902
melanogaster, 87, 761, 1509
melanogaster, mating and reproduction of irradiated, 818
DT, toxicity to cotton insects, 432
duPont 1335, evaluation, 934
duPont 1642, candidate molluscicide, 1394
duPont 1642 against: cabbage looper, 799, 1014
corn insects, 1032
loopers, 1343
Platynota, 1280
Dursban, candidate molluscicide, 1395
residues from turkeys, 181
Dursban against: *Aedes* sp., 568
alfalfa weevil, 747
brown dog tick, 719
cabbage looper, 1014
cockroaches, 567
corn insects, 1032
cricket nymphs, 1438
cutworms, 31, 1442
Diabrotica, 1173
earthworms, 963
loopers, 1343
midges, 39
mosquitoes, 368, 1512
Platynota, 1280
seed-corn maggot, 958
stored-product moths, 1036
sunflower moth, 1445
wireworms, 714
Dust (see Methods)
Dyes, fed in cottonseed oil bait, 943
marking, retention, 966
Dyfonate, candidate molluscicide, 1395
persistence in soil, 1339
Dyfonate against: cutworms, 31
Great Basin wireworm, 1507
house fly, 1176
northern corn rootworm, 1034
wireworms, 714, 1061, 1066
Dysaphis plantaginea, 107, 499

Ear mites, dichlorvos-impregnated cat collars ineffective against, 1503
Earias insulana, 448

Earthworm mortality in tobacco field, 963
EC and ULV malathion, 89
Ecology of *Euxoa tristicula*, 1053
Egg (s), laying by alfalfa weevil, 1226
  incubating chambers for, 253
  parasites, incubating chambers for, 253
Egyptian alfalfa weevil, biological control, 209
  Dibrachoides on, 1320
Egyptian cotton and *Tetranychus telarius*, 1304
Elymana virescens, aster yellows transmission by, 883
Emblethis vicarius, 1433
Empoasca elongata, 115
Endosulfan, candidate molluscicide, 1394
  inactivation by gamma radiation, 1509
  residues in sunflower seeds, 462
  toxicity to *Culex*, 441
Endosulfan against: aphids, 499
  cabbage looper, 1014
  cutworms, 32
  fruit-tree leaf roller, 952, 1352
  lesser peach tree borer, 1447
  LMV, 1110
  Mexican bean beetle, 406
  mites, 79
  pear rust mite, 1160
  needle midge, 1099
  Platynota, 1280
  sunflower moth, 1444
  white apple leafhopper, 1352
Endrin, response of bollworms to, 616
  toxicity to *Culex*, 441
Endrin against: boll weevil, 36
  cabbage looper, 1014
  cutworms, 32
  loopers, 1344
  stem borer, 480
  sugarcane insects, 505
Enemies of California red scale, 1057
Engistus boops, 1433
  exsanguis, 1433
English grain aphid, malathion and parathion toxicity to, 1190
  performance on artificial diet, 254
Enoclerus ichneumoneus, 1385
  nigripes var. *dubius*, 1381
ENT-50990 against large milkweed bug, 1328
ENT-50991 against large milkweed bug, 1328
Entomobyra, 1269
Entomological Review, notice, 242
Eotetranychus clitus, 1401
EP-316, candidate molluscicide, 1394
EP-333 against mites, 780
EP-334, candidate molluscicide, 1394
Eperigone tridentata, 1011
Ephestia elutella, 937, 1036
Epilachna varivestis, 404, 1347
Epiplagiops littoralis, 744
Epitremerus pyri, 1158
Epitrix hirtipennis, 17, 513, 1274, 1314
EPN, toxicity to *Culex*, 441
EPN against: *Diabrotica*, 1173
  midges, 40
Eremochrysa sp., 1237
Eretmocera medinella, 1435
  nomadica, 1435
Erias insulana, 1262
Eriosoma lanigerum, 85
Errata, 57, 605
ESA page charge grant policy, 529
Estigmene acrea, 319, 432, 1291
Ethion against: aphids, 500
  cutworms, 32
  Fiorinia scale, 1449
  fruit-tree leaf roller, 952
  Japanese beetle, 739
  mites, 78, 732
  pear rust mite, 1159
  sugarbeet root maggot, 1086
Ethion-oil 92 + DDT against fruit-tree leaf roller, 952
Ethion oil 92 + DDT + DDT-parathion against fruit-tree leaf roller, 952
Ethion-oil 92+DDT-parathion against fruit-tree leaf roller, 952
Ethion-oil 92+TDE against fruit-tree leaf roller, 952
Ethyl parathion against alfalfa weevil, 1501
Ethylene dibromide, against wireworms, 1066
  and ethylene chlorobromide against grapefruit rot, 1238
  fumigation chambers, sorption reduction in, 742
  mushroom mite susceptibility to, 145
Ethyneura, 1277
Etiella zinckennela, 448
Eucelatoria armigera, 1079
  parasite of *Heliothis* spp., 907
Eulachnus agilis control on Scotch pine, 60
European chafer, insecticidal dusts against, 8
  susceptibility to chlordane and dieldrin, 1179
European corn borer, dent corn resistance to, 214
  oviposition and drinking water, 1366
  seasonal history, 1071
European corn borer control: on peppers, 1150
  field corn, 832
European foulbrood disease, control, 813
European pine shoot moth, recognition of mated females on, 527
European red mite, control, 107, 779, 1119
  oil sprays for, 94, 1405
Eurosta solidaginis, 449
Eurydema ornatum, 1434
Eurythraeus sp., 1436
Eurytoma curculionum, 1434
Euscelidius variegatus, new leafhopper vector, 1147
Eutetranychus banksi, 1230
Euxoa messoria, 1441
  ochrogaster, 1053
  tristicula, biology, 1053
Euzophora sp., 1435
Evaluation of: animal systemic insecticides, 1968, 934
  insecticides to control alfalfa weevil, 1500
Exitianus exitiosus, 273
Eye gnat, cultivation and emergence, 312
Eyelids of mammalian hosts, mites in, 942

Face fly, biology, 255
  clearing puparia, 1412
  mating habits, 551
  nematode parasites of, 792
  origin of parasite of, 520
  oviposition and development, 41
  sterility in, 1462
Fall armyworm, chinaberry leaves as repellent to larvae, 708
  competition and survival, 734
Fall armyworm control: by Ciba C-9491, 1468
  on corn, 1031
Fall webworm, tests against, 565
Fannia canicularis, 25
  pusio, 1495
  spp., 1289
Fecundity of boll weevil, 1408
Feeding (see Methods)
Feltia subterranea, 800
Fenitrothion (see also Bay 41831)
Fenitrothion, against house fly, 1176
  toxicity to *Culex*, 441
Fenthion, absorption and metabolism in arthropods, 727
  candidate molluscicide, 1395
  metabolism of by southern house mosquito, 977
  toxicity to *Culex*, 441
Fenthion against: cutworms, 32
  horn fly, 1515
  juniper webworm, 24
  midges, 39
  mosquitoes, 368
  sheep bot fly, 675
  stored-product moths, 1037
Ferbam against pear rust mite, 1160
Fermetanate against pear rust mite, 1160
Field (see Methods)
Fig protectant, evaluation of malathion as, 754
Filatima spp., 667
Fiorinia externa, control on hemlock, 1449
  life cycle, 1221
Fire ant and striped earwig relationship, 686
Fisons NC-5016 against two-spotted spider mite, 732
Flight, mill, recording, 782
  of cotton thrips, 591
FLIT MLO against mosquito, 455
Florida red scale control, 954
Fluorescent spray droplets, 912
Fly, control by propyl thiopyrophosphate, 1494
  production and refuse disposal, 1288
Fometanate, candidate molluscicide, 1394
Food habits of imported fire ant, 1268

Forest tent caterpillar rearing on artificial diet, 270
Forficula sp., 796
Formothion against cutworms, 32
Frankliniella exigua, 591
fusca, 591
tritici, 591
Fraser fir, insects infesting, 249
Frecon against slugs, 1277
Frick trap, pink bollworm catches by, 1514
Fruit insect control with M-2060, 107
Fruit tree (s), aphid control on, 498
leaf roller, control, 951, 1351
Fundal, candidate molluscicide, 1394

G (see Geigy G)
Galecron, candidate molluscicide, 1394
Galecron against mites, 732, 977, 1401
Galleria pomonella, 386, 448, 814
Gamma-irradiated: codling moths, releases, 795
confused flour beetle, reproducing capacity, 357
Gamma radiation, and insecticide toxicity, 1124
degradation of insecticides by, 1509
effect on malathion deposits, 829
of fruit flies, 539
on tobacco budworm, 289, 293, 296
Gamma rays for boll weevil sterilization, 1204
Garden symphylan, starvation and, 338
Gardona, as mothproofer, 868
candidate molluscicide, 1394
Gardona residues in: hens, 1003
milk, 1481
Gardona against: *Brachyrhinus cribricollis*, 942
corn insects, 1032, 1513
fall webworm, 566
juniper webworm, 24
lesser peach tree borer, 1447
mites, 780
Platynota, 1281
stored-product moths, 1036
Gardona + methyl parathion against corn earworm, 1513
GC-6506, candidate molluscicide, 1394
GC-6506 against: cabbage looper, 799
corn earworm, 1513
corn insects, 1032
Diabrotica, 1173
loopers, 1343
wireworms, 714
GC-6593, toxicity to cotton insects, 432
GC-9160 against wireworms, 714
Geigy G-24163, toxicity to cotton insects, 432
Geigy GS (see GS)
Gelechia sp., 1435
Gelis sp., 1225
Genetics of cyclodiene-insecticide resistance, 427
Genite 923 against pear rust mite, 1159
Geocoris, 1140
pallens, 1486
punctipes, 501
sp., 1319
German cockroach, Baygon against, 262
brain ATPases, 1502
DDT resistance in, 846
Glypta fumiferanae, 310
Gnathotrichus retusus, 519
Gnorimoschema sp., 1435
Goeldichironomus holoprassinus, 38
Golden-eye lacewing, preferences of larvae, 1228
Gossypol effect on bollworm, pink bollworm, and tobacco budworm, 643
Grain mite, feeding and reproduction, 837
irradiation of, 767
Grain sorghum, degradation of malathion in, 1161
Graminella nigrifrons, host plant suitability to, 126
Granary weevil, carbon dioxide and, 904
Grape root borer, burial effect, 1507
Grapefruit, ethylenes to reduce rot, 1238
Graphognathus spp., 1512
Grapholitha molesta, 879, 1237
Grass forage, OP insecticide persistence in, 1282
Grasshopper, rainfall effects on, 329
Great Basin wireworm control, 1506
Green fruitworms, bionomics and life history, 1388
Green peach aphid, burning weeds to suppress, 307
control on peppers, 1150
crambe introductions to, 697
Nicotiana species resistant to, 1115
preference, 28
reproductive capacity, 593
resistance of *Nicotiana* to, 1115, 1357
transmission of potato Virus Y, 1088
Green stink bug, and photoperiodism, 629
yeast-spot disease from, 424
Greenbug biotype, and sorghum, 776
crop host preference of biotype, 1241
hosts, 521
plant resistance to, 1271
resistance in rye, 1368
Greenhouse (see Methods)
Ground sprayer, ULV, 570
GS-12968 against body lice, 198
GS-13005, candidate molluscicide, 1395
GS-13005 against: fruit-tree leaf roller, 952
lesser peach tree borer, 1447
spider mites, 1401
sunflower moth, 1444
two-spotted spider mite, 732
wireworms, 714
GS-13798, candidate molluscicide, 1394
GS-13798, evaluation, 934
GS-19851, on soybean, 619
GS-19851 against mites, 732, 780, 977, 1401
Guthion against alfalfa weevil, 747
Gymnetron tetrum, 1435
Gypsonoma haimbachiana, 265
Habrocytus sp., 210
Habronattus coronatus, 1011
Hadrotettix trifasciatus, 329
Haemaphysalis leporispalustris, 197
Haematobia irritans, 56, 279, 738, 936, 1234, 1362, 1386, 1412, 1481, 1515
Haematopinus eurysternus, 342
Halogeton fulvobasella, 1436
glomeratus, 1432
sativus, mites associated with, 1432
sp., 1435
Hampea sp. role in cotton leafworm migration, 263
Haplothrips spp., 1432
Harpalus sp., 1011
Harrisina americana, 101
Hatching of sod webworm eggs, 1344
Heat, effects on virus, 925
extraction for potato tuberworm recovery, 271
flux, estimating in cotton fields, 823
Helicopter applied methoxychlor against bark beetles, 1039
Heliothis, control by *Chrysopa carnea*, 177
phloxiphaga, 908, 1141
Heliothis spp., 561, 959, 1249
artificial lighting to reduce populations, 1138
Eucelatoria armigera parasite of, 907
heat effects on virus of, 925
integrated control against, 173
Microplitis croceipes parasite of, 1141
resistance in cotton, 588
Heliothis virescens, 16, 99, 173, 177, 289, 293, 296, 432, 558, 643, 734, 765, 907, 959, 1141, 1249, 1274, 1291, 1379, 1397
zea, 58, 36, 71, 89, 99, 173, 177, 253, 432, 558, 571, 588, 606, 616, 643, 708, 724, 734, 757, 765, 907, 916, 948, 959, 986, 1031, 1227, 1249, 1291, 1322, 1378, 1397, 1468, 1486, 1513
Hemel against little house fly, 25
Hemiptera, 424, 443, 501, 525, 628, 678, 954, 1190, 1237, 1271, 1326, 1368, 1423, 1450, 1519, 1521
Hemitarsonemus latus, 1230
Hempa, effects on face fly sterility, 1462
metabolism, 1417
Hempa against: boll weevil, 1145
house fly, 327
large milkweed bug, 1328
little house fly, 25
Hens, Gardona residues in, 1003
northern fowl mite control on, 47
propyl thiopyrophosphate for, 1494
Heptachlor, metabolism, 1334
relation to plasticizers, 763
striped earwig response to, 686
Heptachlor against: cutworms, 32
Diabrotica, 1173
house fly, 389
Rhipidothrips brunneus, 950
Rhopalosiphum padi, 950
Sphenophorus venatus confluens, 950
termites, 758
Heptachlor epoxide, relation to plasticizers, 763

Heptyl butyrate yellow jacket attractant, 1245
Hercules 9007, candidate molluscicide, 1394
Hercules 13462, evaluation, 934
Herc 14503, against alfalfa weevil, 747
candidate molluscicide, 1395
Hercules 18526, candidate molluscicide, 1395
Hermetia illucens, 1290
Heterographis fulvobasella, 1432
Heteroptera, 1190
Heterotylenchus aberrans, 792
autumnalis, 520, 792, 1463
sp., 793
spp. parasitizing the Australian bush fly, 520
Hickory shuckworm, stimulation of moths, 1244
Hippelates bishoppi, 313
dissidens, 313
pusio, 313
spp., cultivation and emergence, 312
Hippodamia, 1140
convergens, 227, 1191
Hispella atra, 1434
Hoechst 2911 against sugarbeet root maggot, 1084
Holly oak appearance, 114
Homalodisca lacerta, 501
Homeosoma electellum, 264, 462, 1235, 1444
Homoptera, 126, 254, 307, 475, 521, 697, 946, 958, 968, 970, 1000, 1106, 1115, 1189, 1449
Honey bee, American foulbrood resistance in, 896
artificial insemination of, 1370
European foulbrood disease control in, 813
Nosema control in, 886
performance of artificially inseminated queens, 251
photoelectrical counting of, 1183
pollen gathering reduced, 865
suppression of flight, 1185
syringe for insemination, 1504
Hormisca fulvobasella, 1436
tatianae, 1436
Horn fly, biology, 1362
Brahman breeding factor and, 56
control by aerial applications of ULV insecticides, 1515
parasitoids associated with, 1234
study of feeding habits, 279
ULV residues in milk used to control, 1481
wax bars to control, 1386
Horogenes sp., 1436
Horses, transplantation of cattle grub larvae into, 503
Host, plant suitability to *Graminella nigrifrons*, 126
specificity determination of alligatorweed flea beetle, 996
House fly, ants and control, 248
apholate-resistant, 334
Azodrin homologues and toxicity to, 1130
Baygon metabolism in, 483
boron as chemosterilant of, 1472
carbon monoxide-sensitive cytochrome characteristic, 388
chemosterilizing, 324, 690
competitive mating test, 276
compounds affecting fertility, 522
DDT diffusion in, 989
DDT-dehydrochlorinase and aldrin-epoxidase activity in, 723
monocoitic behavior in, 634
oxidases, 1174
response to fluorescent lamps, 536
toxicity of ouabain to, 944
House fly metabolism of: hempa by, 1417
S^{35}-parathion in, 408
House fly pupae: as poultry food, 938
separator, 949
House sparrow and tobacco hornworm larvae, 956
Human parasitism by brown dog tick, 710
Humble oil against European red mites, 1120
Hyadaphis pseudobrassicae, 227, 697
Hyaliodes harti, 1242
vitripennis, 1242
Hyalophora cecropia, 945
Hyalopterus atriplicis, 1113
pruni, 499
Hydrated lime, candidate molluscicide, 1394
Hydrocyanic acid, effect of CO_2 on, 904
Hydrogen phosphide, susceptibility of *Cryptolestes* to, 363
Hydrotaea spp., 793
Hydroxy urea against little house fly, 25
Hylemya antiqua, 427, 792
brassicae, 427, 1437
florilega, 427
liturata, 427
platura, 427, 793, 957
seneciella, 1135
spp., 963
Hylobius pales, 250, 383, 436, 1491
pinicola, 250
Hymenomycetes and mites, 837
Hymenoptera, 189, 448, 501, 672, 678, 813, 865, 886, 889, 954, 1141, 1183, 1185, 1225, 1245, 1268, 1291, 1320, 1370, 1504
Hypera brunneipennis, 209, 1321
postica, 66, 87, 122, 250, 464, 520, 556, 720, 746, 953, 1197, 1225, 1226, 1228, 1233, 1282, 1320, 1421, 1500, 1517, 1525
Hyperaspis polita, 1436
Hyphantria cunea, 565
Hypoaspis sp., 196
Hypoderma bovis, 653, 1387
lineatum, 503, 653, 1387
spp., 652, 934
Hyposoter exiguae, 1079
Hyssoplus johannseni, 311
Hysteropterum euryproctum, 1433
melanophleps, 1433

Imidan, residual life on alfalfa, 720
toxicity to *Culex*, 441
Imidan against: alfalfa weevil, 953, 1500
house fly, 1176
Japanese beetle, 739
mites, 75
pear rust mite, 1159
4-imidazolin-2-one against little house fly, 25
Imported fire ant, food habits, 1268
Inazuma dorsalis, 772
Incisitermes minor, 623
Indian-meal moth, male behavioral response to female sex pheromone, 1117
Infestation of peaches by *Rhagoletis*, 940
Inheritance of OP-resistance in two-spotted spider mite, 205
Insect reproduction inhibitors, 1006
Insecticide (s) (see Methods)
Integrated control: against *Heliothis* spp., 173
of pest complex on cowpea, 900
on apple, 74
to reduce tobacco pests, 1274
Ips confusus, 1202
Irish juniper, webworm control on, 23
Irradiation (see Methods)
Ischyronota brisouti, 1434
sp., 1434
Isobenzan against cutworms, 32
Isodrin, against house fly, 389
toxicity to *Culex*, 441
Isodrin + heptachlor against house fly, 389
Isolan, candidate molluscicide, 1394
house fly resistance to, 1417
toxicity to *Culex*, 441
Isolan against: cabbage looper, 89
Diabrotica, 1173
earworm, moth, and house fly larvae, 724
house flies, 87
Isolan + RO 5-1557 against house flies, 88
Isosafrole against house flies, 88

Japanese beetle, artificial diet for, 964
attractants for, 516
combinations against, 738
feeding larvae, 514
insecticidal dusts against, 8
susceptibility to chlordane and dieldrin, 1179
Juniper webworm, control, 23

Kepone against wireworms, 714
Kethoxal against little house fly, 25
Kochia scoparia, 1436
Kraft paper, gamma radiation effect on malathion deposits on, 829

L-561 against cutworms, 31
Labidura riparia, 686

Lamprodema maurum, 1433
Lamps, fluorescent, house fly response to, 536
winged bean aphid responses to colored, 1450
LANDRIN against *Diabrotica*, 1173
Lannate, candidate molluscicide, 1394
Lannate against: cabbage looper, 799
corn insects, 1032, 1513
Diabrotica, 1173
large milkweed bug, 613
wireworms, 714
Lannate + methyl parathion, against corn earworm, 1513
Large milkweed bug, chemosterilant action on, 1326
Lannate against, 613
Matacil against, 612
Metepa against, 1328
Larger rice weevil, corn resistance to, 352
Larinus sp., 1435
Larval, instar determination of *Malacosoma californicum fragile*, 1511
medium for colonized *Culicoides variipennis*, 1483
Larvicides against midges, 37
Laspeyresia caryana, 1244
pomonella, 795, 1331
Lathyrus odoratus, 1424
Leafhopper, golden-eye lacewing preference for, 1228
on red clover, 273
Leafhopper-planthopper populations, 772
Leaf surfaces, confining insects to, 1227
Lemons, California red scale reared on, 958
Lepidoptera, 21, 30, 58, 62, 98, 117, 139, 142, 173, 214, 243, 263, 478, 502, 515, 517, 527, 588, 606, 643, 650, 667, 708, 734, 741, 750, 789, 795, 875, 879, 925, 956, 959, 961, 994, 1036, 1046, 1050, 1053, 1054, 1068, 1078, 1244, 1249, 1279, 1322, 1343, 1344, 1351, 1366, 1388, 1397, 1427, 1441, 1444, 1447, 1468, 1486, 1507, 1513, 1514, 1520
Lepidopterous, larvae, bromolysergic acid diethylamide studies in, 386
pests of cotton, regulator of, 1291
Leptotrachelus dorsalis, 1011
Lespesia archippivora, 907
temperature effect on, 765
Lespesia sp., 1079
Lesser peach tree borer, control with insecticides, 1447
sex attraction and mating, 789
Lethal low temperature for alfalfa weevil, 464
Lettuce mosaic virus, aphid relationship to, 1109
Life cycle of *Fiorinia externa*, 1221
Life history of: boll weevil, 964
green fruitworms, 1388
Light, effect on sweetclover weevil feeding, 169
influence on boll weevil diapause, 854
Lima bean, resistance to *Liriomyza munda*, 458
Lime surfur against mites, 77
Limonius canus, 1065
spp., 1065
spp., sampling for, 183
Limothrips cerealium, 592
Lindane, compared with cidial activity against stored-product insects, 1258
relation to plasticizers, 763
Lindane against: body lice, 199
needle midge, 1099
seed-corn maggot, 958
stem borer, 480
stored-product insects, 130
Lindane toxicity, on building surfaces, 1101
to *Culex*, 441
Lipid content: and tolerance, 1397
of *Odontopus calceatus*, 1360
Liriomyza munda, temperature effect on plant resistance to, 458
Lissorhoptrus oryzophilus, 740, 752, 1024, 1511
Listroderes costirostris obliquus, 743
Lithocolletis spp., 672
Lithophane laticinerea, life history, 1388
Little house fly baits and chemosterilants, 25
Lixus brevirostris, 1434
scabricollis, 1434
sp., 1434
Loblolly pine seedlings, phorate in, 436
Log ponds, mosquito control in, 1152
Longevity of boll weevil, 1408
Lovozal against mites, 780, 977
Lucilia cuprina, 272
Lumbricus terrestris, mortality in tobacco field, 963
Lure for apple maggot, 1076
Lycopersicon spp. resistant to mites, 834
Lycosa helluo, 1011
Lydella stabulans grisescens, 1150
Lygus gemellatus, 1433
hesperus, 504
hesperus, new parasite of, 501
Lygus-bug feeding on carrot seed, 504
Lysiphlebus testaceipes, 1241

M-2060 against: European red mite, 107
fruit flies, 107
Macrocentrus ancylivorus, 669, 1157
Macroporus sp., 1433
Macropsis sp., 1433
Macrosiphum avenae, 254, 1191
euphorbiae, 1088, 1109
geranicola, 1237
Macrosteles fascifrons, 273
aster yellows transmission by, 883
Madremyia saundersii, 1079
Maintaining *Odoiporus longicollis*, 528
Malacosoma californicum fragile, larval instar determination, 1511
disstria, 270, 877
pluviale, 875
Malaria mosquito, P^{32}-labeling, 851
Malathion, as ovicide, 877
compared with cidial activity against stored-product insects, 1258
degradation in grain sorghum, 1161
droplet size effect on persistence, 89
evaluation as fig protectant, 754
gamma radiation effect on deposits, 829
inactivation by gamma radiation, 1509
protectant for stored walnuts, 305
Malathion against: alfalfa weevil, 1501
body lice, 199, 568
bollworm, 71
fall webworm, 566
horn fly, 1515
house fly, 1176
Japanese beetle, 739
juniper webworm, 24
Mexican bean beetle, 406
midges, 39
Oryzaephilus mercator, 113
Platynota, 1280
stored-product insects, 130, 1037
sunflower moth, 1445
Tribolium confusum, 113
Trogoderma parabile, 113
Malathion residues in: milk, 1481
sunflower seeds, 462
Malathion susceptibility of: flour beetles to, 470
fruit flies to, 663
Malathion toxicity to: *Culex*, 441
grain aphid predators, 1190
Malathion + DDT against boll weevil, 1123
Malathion + methoxychlor against: alfalfa weevil, 747, 1501
Fiorinia scale, 1449
Mammalian hosts, demodectic mites in eyelids, 942
Manduca quinquemaculata, 1378
sexta, 58, 607, 1068, 1378, 1427
Maneb against pear rust mite, 1160
Mango, Mexican fruit fly control in, 53
Manipulating insects, vacuum probe for, 267
Maretin against sheep bot fly, 675
Marking boll weevils with dyes, 943
Mass (see Methods)
Matacil, candidate molluscicidae, 1394
Matacil against: cutworms, 31
house flies, 88
large milkweed bug, 612
lesser peach tree borer, 1447
loopers, 1343
Platynota, 1280
Mating, and reproduction of irradiated *Drosophila*, 818
behavior of plum curculio, 438
habits of face fly, 551
of lesser peach tree borer, 789
tests for house flies, 276
MCA-600 against wireworms, 714
Measuring phytophagous larvae, 259
Mecarbam against cutworms, 1732
Mechanical: control of boll weevil, 862
sampler for boll weevil estimates, 1250
Mechanism for controlling insecticide delivery, 519
Mediterranean fruit fly, differentiation of pupae, 970
estimating populations, 4
rearing medium, 967
sugar and thirst needs of, 539
susceptibility to malathion and DDT, 663
trapping with synthetic lures, 962
Medium for smaller European elm bark beetle, 1166
Megachile rotundata, 189

Melanagromyza schineri, 671
Melandrya connectens, 249
Melanoplus cuneatus, 329
sanguinipes, 329
Melilotus infesta, 1169
officinalis, 1169
Melon aphid, transmitter of Tristeza virus, 968, 1237
Melon fly, differentiation of pupae, 970
estimating populations, 4
sugar and thirst needs of, 539
susceptibility to malathion and DDT, 663
trapping with synthetic lures, 962
Menacanthus mutabilis, 196
Menazon, evaluation, 934
Meridic diet and rearing technique for pales weevil larvae, 1491
Mesochorus sp., 1436
Mesogramma marginata, 227
Messa populifoliella, 674
Mestranol against little house fly, 25
Mesurol (see also Bay 37344)
Mesurol against: cutworms, 31
German cockroach, 319
honey bee, 319
house flies, 88, 319
large milkweed bug, 612
Metabolism of: Bay 9017 in calves, 929
Baygon in house flies, 483
DDT in resistant codling moths, 857
Diazinon-C^{14}, 286
fenthion by southern house mosquito, 977
Hempa by house flies, 1417
heptachlor, 1334
S^{35}-parathion in house flies, 1417
Metabolites of carbaryl, 49
Metaldehyde, candidate molluscicide, 1394
Metasyrphus americanus, 227
Meteorologically related research, tower for, 149
Meteorus leviventris, 1079
Metepa, chemosterilant for pink bollworm, 650
cross resistance of house fly to, 335
effects on face fly sterility, 1462
Metepa against: house fly, 327
large milkweed bug, 1328
little house fly, 25
Methanol against screw-worm flies, 138
Methods: abscission of cotton, boll weevil, 244
absorption and metabolism of fenthion in arthropods, 727
Methods, acaricide: DO-14 as, 531
photodecomposition, 345
Methods: action of chemosterilants on large milkweed bug, 1327
Methods, activity of: anticholinesterase insecticides, 802
UC-21149 against citrus mites, 443
Methods: anholocyclic strain of aphid, migration, 946
aphid outbreaks, biotic factors in, 223
apholate effects on alfalfa weevil, 122
application of sprays, 840, 844
artificial sex pheromones for codling moth, 243
assimilation and retention of P^{32}-labeled mosquitoes, 852
ATPase activity levels in German cockroach, 1502
attractants, sex, in sod webworms, 705
attraction of synthetic sex pheromone to cabbage looper, 117
Methods, attractiveness of: boll weevils to cotton plants, 166
lures to apple maggot, 1076
Methods: baits and chemosterilants against little house fly, 25
bark- and wood-infesting insects, 249
Methods, behavior, monocoitic, in house fly, 634
Methods, behavior of: benzilate acaricides on soybean, 618
Bidrin-treated Indian-meal moths, 1117
plum curculio, mating, 438
spotted alfalfa aphid, 474
tobacco budworm, 17
Methods: behavioral responses of winged bean aphids to lamps, 1450
biochemical characteristics of microsomal cyclodiene epoxidase system, 388
Methods, biological: activity of miticides and insecticides, 404
effects of starvation on garden symphylan, 339
factors re boll weevil to sex pheromone, 161
information about lesser peach tree borer, 789
Methods: boll weevil crosses for compatibility to cotton, 1408
braconid parasite of *Heliothis* spp., 1141
caged cockroaches and population changes, 1164
carbamate insecticide synergism, 87
catches of house flies in lighted traps, 536
Methods, changes in: development of cotton plant and boll weevil, 239
screw-worm fly susceptibility to chemosterilant, 275
Methods: chemical attractants, evaluating, 1202
chemical control of: Great Basin wireworm, 1506
stem borer, 478
sunflower moth, 1445
Methods: chemical evaluation for slug control, 1277
chemicals required to treat laboratory animals, 1522
Methods, chemosterilants: against boll weevils, 1145
effect on mites, 393, 394, 395, 396, 397, 400, 415
Methods: clarification of red and green *Tetranychus*, 1304
colonization of winter tick, 235
color effect on horn fly, 56
competition and survival among insects, 734
constituents of cotton plant and cotton pests, 643
Methods, control: agents of sugarcane borer, 1008
biological, of Egyptian alfalfa weevil, 209
biological, of avocado brown mite, 1216
by acaricides, 975
insecticidal, of European elm bark beetle, 1381
integrated (see Integrated control)
preventive, of alfalfa weevil, 1198
winter, by M-2060, 107
Methods, control of: alfalfa weevil, 746, 1197, 1500
aphids on trees, 61, 499
apple maggot with tanglefoot traps, 945
arthropod parasites by Gardona, 1003
balsam twig aphid, 1106
body lice, sleeve tests, 198
Methods, control of boll weevil by: *Bracon kirkpatricki*, 448
red dye, 371
spray droplets, 916
boll weevil, mechanically, 862
boll weevil, overwintered, 558
boll weevil, squaring ended as treatment, 35
Methods, control of bollworm by: spray droplets, 916
ultrasound, 1323
Methods, control of: *Brachyrhinus* on ornamentals, 941
brown dog tick, 719
cabbage looper, 799, 916
cat fleas, 1246
codling moth, 356, 1331
Contarinia spp., 1098
corn earworm, 1031, 1468, 1513
cotton pests, 173, 1316
cottonwood leaf beetle, 265
cowpea pests, 901
dark-sided cutworm, 1442
Egyptian alfalfa weevil, 209
European corn borer, 832, 1150
European red mites, 94, 1119, 1406
foulbrood disease, 813
fall armyworm, 1031, 1468
Fiorinia externa, 1449
Florida red scale, 954
fruit-tree leaf roller, 951
Great Basin wireworm, 1506
green peach aphid, 1150
Heliothis spp., 174
horn fly, residues in milk from ULV sprays to control, 1481
horn fly with: Ciodrin, 1387
ULV insecticides, 1515
house fly, by chemosterilants, 325
genetic, 1174
insects on peppers, 1150
Japanese beetle by insecticides and baits, 738
juniper webworm, 23
leaf hoppers and leaf rollers, 1351
lesser peach tree borer, 1447
Limonius spp., 1065
Mexican fruit fly, 54, 1255
mites on, apple, 74, 780
mites on, strawberries, 939
mosquitoes, 233, 366, 455, 1152, 1512
Nantucket pine tip moth, 661
needle midge, 1099
northern corn rootworm, 1034
northern fowl mite, 48, 1246
Nosema in honey bees, 886
orchardgrass insects, 950
oriental rat flea, 657
pale western cutworm, 30
Panonychus ulmi with M-2060, 107
Platynota stultana, 1279
poplar petiole gall aphid, 1519
rice water weevil, 1024, 1512
sheep bot fly, 675

slugs, 1277, 1393
smaller elm bark beetle by helicopter-applied methoxychlor, 1039
southern house mosquito, 1152
Sphenophorus venatus confluens, 950
spider mites on ornamentals, 1400
stem borer on sorghum, 479
stored-product insects, 1258
striped earwigs, 686
sugarbeet root maggot, 1084
sugarcane borer on corn, 245
sunflower moth, 1445
tobacco budworm, 17
tobacco pests, 1275
two-spotted spider mite, 732, 779
water hyacinth, 142
wireworms, chemical, 712
yellow jacket, 1192

Methods: corn, seasonal history of borer on, 1072
corrective measures for refuse disposal, 1288

Methods, damage: to corn by corn earworm, 986
strawberry spider mite, 193

Methods: deleterious effects of hempa and metepa, 1463
DEPTA, production from parathion, 408
derivative of azo in peroxide system, 1229
determination of host specificity of *Agasicles* n. sp., 996
deterrent and retardant of earworm and armyworm larvae by chinaberry leaf extract, 708
detoxication of fenthion by mosquitoes, 977
development of black-headed budworm, 1050
diapause in boll weevils, 854

Methods, diet, artificial for: *Chrysopa carnea*, 256
forest tent caterpillar, 270
pepper weevils, 257

Methods, diet: effect on boll weevil, 597
English grain aphid performance on artificial, 254

Methods, diet for: almond moth, 301
Japanese beetle, artificial, 964
oriental fruit moth, 880
pales weevil larva, 1492

Methods, diet, rearing: peach tree borer on artificial, 961
sod webworms on artificial, 510

Methods: differentiation of pupae of fruit flies, 970
disease of apple maggot, 850
dispersal and distribution of winter-released screw-worm flies, 260

Methods, distribution of: corn earworm, 606
phorate in pine seedlings, 436
Surattha indentella, 750
western budworm hibernating larvae, 141

Methods, dust, diazinon, for control of oriental rat flea, 656
insecticidal, for disinsectization of vehicles, 8
metering unit, 969

Methods, effect of: anthramycin methyl ether in *Drosophila*, 903
apholate on southern corn rootworm, 1285
oils on black carpet beetle larvae, 507
treatments on tobacco, 728

Methods: effectiveness of aliphatic amines, 172
efficacy of enemies on California red scale, 1057
elimination of Bay 9017 in calves, 930

Methods, emergence: burial effect of grape root borer on, 1507
of: apple maggot and soil temperature, 1310
eye gnats, 312

Methods: establishing ragwort seed fly in U.S., 1135
establishment of *Dibrachoides* on alfalfa weevil, 1321

Methods, estimating: numbers of mountain pine beetle, 631
temperature of hibernation sites, 824

Methods, evaluation of: malathion as fig protectant, 754
midge larvicides, 37

Methods: extraction of substance inducing monocoitic behavior, 635
factors affecting appearance of holly oaks, 115
fate of phosphorus amide applied to boll weevil, 821
feeder for insects, chemosterilant, 646

Methods, feeding: *Aulacophora foveicollis*, 512
Japanese beetle larvae, 514
mites, 837
odorous house ant on photographic film, 955
propyl thiopyrophosphate to hens, 1494
southern house mosquitoes on plants, 1455
sweetclover weevil, temperature effect on, 169
rate of sweetclover weevil, 170

Methods, feeding habits of: horn fly, 279
smaller European elm bark beetle, 640

Methods: ferrous iron-hydrogen peroxide system, 1229

Methods, fertility of: confused flour beetle, 585
house fly, compounds affecting, 524

Methods: field-caged cotton, pink bollworm against, 994

Methods, field corn; diazinon-treated, 832
slug control on, 1277

Methods: field infestation of tobacco hornworm larvae, house sparrows against, 956
flight activity of honey bee, suppression, 1185
food materials ingested by imported fire ants, 1268

Methods, forage: and populations of grasshoppers, rainfall effect on, 330
corn, residues of VCS-506 in, 1458

Methods: formation of azo derivatives, 412

Methods, fumigant: against rice weevils and Angoumois grain moths, 715
and CO_2, 905

Methods: fungus-infected wood and termite trail-following substance, 600
G-strophanthin fed to house flies, 945
greenhouse studies of *Graminella nigrifrons*, 126

Methods, habits of: phantom hemlock looper, 1046
thrips, 591

Methods: histological changes in chemosterilant-treated house fly, 690
horn fly emergence from manure, 1362

Methods, host plants of: cotton fleahopper, 1126
sunflower moth, 264

Methods: hymenopterous pupal parasitoids in horn fly, 1234
incidence of tungro virus in rice plots, 772
increase rate of pea aphid on alfalfa, 1521
increased pollinator levels, effects on highbush blueberry, 815
induced atrophy and developmental abnormality, 623
infectivity of virus, heat effects on, 926
influence of UC-21149 on pea aphids, 678

Methods, insecticide (s): activity of anticholinesterase, 801
and bait combinations for Japanese beetle, 738
biological interaction and, 761
contact, against stored-product insects, 113
degradation by gamma radiation, 1509
evaluation of animal, 934
impingement on boll weevil, 1123
persistence in soils, 1339
quantity influence on cereal leaf beetle, 508
tests against fall webworm, 565
treatment of tobacco leaves, 1314

Methods, insecticide (s), control of: cotton pests, 1317
pink bollworm, 683

Methods: insecticide (s) toxicity, against loopers, 1343
to *Diabrotica*, 1173
Oncopeltus fasciatus, 612

Methods, insecticide (s) against: ants and spiders, 949
spider mites, 14

Methods, irradiation: effect on *Drosophila melanogaster*, 818
of grain mites, 767
of tobacco budworm, 291, 293, 296
therapy X-ray unit for, 721

Methods: isolation of yeast-spot organism, 425
life stages of *Lithophane laticinerea*, 1389
lighting to reduce *Heliothis* populations, 1138
lipid fractions of bollworm and tobacco budworm, 1398

Methods: mass releases of *Stethorus picipes*, 1216

Methods, mass rearing: *Daphnia magna*, 725
southern armyworm, 502
tobacco hornworm, 1068, 1427
screening for resistance of alfalfa weevil, 66

medium for colonized *Culicoides variipennis*, 1484
metabolism in western corn rootworm, 286
migration of face fly larvae, 255
monitoring for sound by stored-product insects, 937
mortality of earthworms in tobacco field, 963
mothproofer of woolen fabric, 868
movement of pecan weevil, 1239
nonresidual fumigant for insects and mites, 1230
notes on *Saniosulus nudus*, 730
overwintering of corn rootworm eggs, 541
ovicidal action of amines for mosquitoes, 982

Methods, oviposition: and development of face fly, 41
of: alfalfa weevils, 1523
boll weevil, 694
European corn borer and drinking water, 1366

Methods: ovipositional medium for bark beetle, 1166
oxidative metabolism of Baygon in house flies, 483

Methods, parasite (s) of: boll weevil, 890
flies, 793
starling, 196

Methods, parasitism: by brown dog tick, 710
budworm, incidence, 310

Methods: parasitization of cabbage and alfalfa loopers, 1078

Methods, persistence of: lindane and methoxychlor, 1101
OP insecticide in forage, 1282

Methods: pesticide application to cotton, sprayer for, 571
physiological factors and toxicity of carbamates, 319
phytotoxicity of chemosterilants on two-spotted spider mite, 506

Methods, plant: feeding stimulants, 99
growth, lygus-feeding on carrot seed effect, 504
nutrition, Mevinphos and phosphamidon influence on, 1296

Methods, population: dynamics of mosquitoes, 349
of northern corn rootworm, 579
of rice stink bug, 574

Methods: predators of bollworm, cage studies, 1486

Methods, preference of: crop hosts of greenbug, 1241
golden-eye lacewing larvae, 1228
green peach aphids for sugarbeet leaves, 28

Methods, preliminary: investigation of metepa as chemosterilant, 650
study of bionomics of alfalfa weevil, 1233

Methods: preparation of bromophos, 1043
preventing tubing in pine lumber, 758
protectant for stored walnuts, 306
protein metabolism in yellow mealworm, 221
quarantine treatment of caterpillar, 877

Methods, radiation: gamma, and insecticide toxicity, 1124
of: blacklight lamp attractive to moths, 58
cereal leaf beetle, 543
malathion deposits, 830
-sterilized moths to control codling moth, 1331
-treated sterilized fruit flies, 663

Methods: radiofrequency-treated yellow mealworm larvae, 745
reaction of crambe introductions to aphids, 697

Methods, rearing: and maintaining *Odoiporus longicollis*, 529
Anaphes ovijentatus, 501
aphids, 262
apple maggot, 748, 1028
bollworm larvae, 959
Daphnia magna, 725
forest tent caterpillar, 270
medium for fruit flies, 967
pales weevil larva, 1492
peach tree borer, 961
pepper weevils, 257
sod webworms, 510
southern armyworm, 502
tobacco budworm larvae, 959
tobacco flea beetle, 513
white-fringed beetle, 1512

Methods: recognition of greenbug biotype, 776
reducing application rates, 1180
reduction of honey bee pollen gathering, 865
regulator of lepidopterous pests, 1291
relation of ration to louse infestations, 341

Methods, relationship: between Azodrin homologues and toxicities to house flies, 1130
of aphids to lettuce mosaic virus, 1110

Methods: release of *Chrysopa carnea* against *Heliothis*, 178
reproducing capacity of confused flour beetle, 358

Methods: reproduction, and photoperiodism, 629
inhibitors, 1006
of *Drosophila melanogaster*, 819
of mites, 837
survival, development of stored-product insects, 102

Methods: reproductive capacity of green peach aphid, 593

Methods, residual: activity of dichlorvos and mevinphos, 1347
life of Imidan on alfalfa, 721

Methods: residue activity of benzene hexachloride, 1

Methods, residues of: azinphosmethyl on sugarcane, 505
Gardona in hens, 1003
insecticides, in sunflower seeds, 462
insecticides, susceptibility of alfalfa leafcutting bee to, 189

Methods, resistance in: *Culex* to chlorinated hydrocarbons, 441
seed-corn maggot, 428
two-spotted spider mite, 206

Methods, resistance of: alfalfa weevil, mass screening for, 66
American foulbrood, 896
bermudagrass to phytotoxemia, 1189
boll weevil to ascorbic acid, 583
corn to rice weevil, 352
cotton to *Heliothis*, 589
Culex to chlorinated hydrocarbons, 440
DDT in German cockroach, 846
dent corn to European corn borer, 214
greenbug in rye, 1368
house flies to apholate, 334
house flies to Isolan, 1417
mites to Pentac, 283
Nicotiana to green peach aphid, 1115, 1357
OP in two-spotted spider mite strain, 45
plants to: greenbug biotype, 1271
spider mites, 834
Liriomyza munda, 458
seed-corn maggot to aldrin, 957
spider mites, 1262

Methods, resistance to: cereal leaf beetle of small grains, 360
malathion in body lice, 569

Methods: resistant codling moths, absorption of DDT, 857

Methods, response (s) of: bollworm to endrin, 616
American cockroach, starvation effects on, 1465
overwintered boll weevil, 420
pales weevil to host attractants, 384
yellow-fever mosquitoes, 96

Methods: role of moisture in winter survival, 147
sampling, for oak leaf tier populations, 1055
history of billbug, 809

Methods, seasonal: activity of *Odontopus calceatus*, 1360
history of plum curculio, 1223
life cycle of *Fiorinia externa*, 1221

Methods: second generation of alfalfa weevil, 509
sensitivity to diazinon in western corn rootworm, 1097
sex determination of face fly, 1412
shift of emergence and calling of peach tree borer, 21
sidedress applications to control boll weevil, 558

Methods, soil: biological activity of insecticides in, 1437
evaluations and control of sugarbeet root maggot, 1084
microorganisms and heptachlor, 1334
mineral, insecticide persistence in, 1339
residues of nonpersistent insecticides in, 1060
treated for chigger control, 181
temperature and apple maggot emergence, 1310

Methods: sorghum roots, toxicity to western corn rootworm larvae, 1375
starved adult northern fowl mite survival, 1075
statistical methods in automated repellency assay system, 10

Methods: sterilization activity and screw-worm, 375

Methods, sterilization of: boll weevils, 1204, 1372
fruit flies, 664
screw-worm flies, 136

Methods: sterilizing effects of 69 compounds against house fly, 1472
stimulation of hickory shuckworm

moths, 1244
stored-grain insects, possibility of *Sitophilus montevideo* to, 1489
studies on gamma-irradiated *Acarus siro*, 768
sugarcane, borer damage and yield, 620
Methods, suppression of: aphids, 308
mites with virus, 1154
of populations by codling moths, 795
Methods, susceptibility of: *Cryptolestes* to hydrogen phosphide, 363
flour beetles to malathion, 471
mushroom mite, 145
stored-product moths to OP insecticides, 1036
Methods: tachinid parasite of *Heliothis* spp., 907
Methods, temperature (s): at cotton leaf surface, 1519
alarm for rearing rooms, 274
and spotted alfalfa aphid preference, 1000
effectiveness of paradichlorobenzene fumigation of black carpet beetle larvae, 748
development of *Crambus* under constant, 703
estimating in cotton fields, 823
lethal for alfalfa weevil, 465
low, hatching of sod webworm eggs in, 1345
modification by insect cages, 1020
requirements for *Voria ruralis* development, 69
Methods, temperature effect on: boll weevil development, 1402
boll weevil diapause, 597
insemination of honey bees, 1370
Lespesia archippivora, 765
malathion degradation, 1161
plant resistance, 458
toxicity against stored-product insects, 130
Methods: Tepa-treated face fly mating habits, 551
time required for development of *Voria ruralis*, 70
Methods, timing: and evaluation of pesticides against mites, 1158
of adult cattle grub activity, 653
Methods, toxicity of: diphenyl aliphatics to cotton insects, 432
malathion and parathion to aphids, 1191
ULV sprays, humidity effects on, 71
ULV and EC malathion, 90
Zectran to wildlife, 1307
Methods: toxicological interaction between plasticizers and insecticides, 761
Methods, transmission of: aphids by potato Virus Y, 1088
aster yellows, 883
pea enation mosaic virus, 1424
Western X-disease virus by *Colladonus* spp., 1147
Methods: transmitters of tristeza virus, 968
Methods, trapping: fruit flies, 962
Mexican fruit fly, 54
Methods, traps: attraction of boll weevils to, 154
blacklight, and tobacco insects, 1379
blacklight lamp, collections from, 101
boll weevil attraction to, 154
for pecan weevil, 722
Frick, pink bollworm catches by, 1514
light, bag for insect collecting, 736
light, battery-operated, 575
light, treatment reduction with for codling moth, 733
sex-attractant baited against pink bollworm, 741
southern potato wireworm response to light, 314
Methods: treatment of corn rootworm with *Bacillus*, 756
use of recording flight mill, 782
weeds, alfalfa weevil egg-laying in, 1226
Methods, yield (s): of oats, cereal leaf beetle larvae impact on, 699
reduction of oats, 298
Methomyl against: cabbage looper, 1014
large milkweed bug, 612
loopers, 1344
Platynota, 1280
Methotrexate, cross resistance of house fly to, 335
Methoxychlor, applied by helicopter for bark beetle control, 1039
residues in milk, 1481
Methoxychlor against: alfalfa weevil, 1501
Platynota, 1280
stored-product insects, 130
Methoxychlor, toxicity on building surfaces, 1101
toxicity to: cotton insects, 432
Culex, 441
Methyl bromide, effect of CO_2 on, 904
Methyl parathion, candidate molluscicide, 1395
residues in sunflower seeds, 462
toxicity to *Culex*, 441
Methyl parathion against: bollworm, 71
corn earworm, 1513
cotton insects, 1249
loopers, 1344
midges, 40
mosquitoes, 368
sunflower moth, 1444
Methyl parathion + DDT against boll weevil, 36
Mevinphos, adjuvants and residual activity of, 1347
candidate molluscicide, 1394
plant nutrition on, 1296
Mevinphos against: cabbage looper, 799, 1014
LMV, 1110
loopers, 1344
sunflower moth, 1445
Mexican fruit fly: cause of rot in grapefruit, 1238
control by bait sprays, 1255
transfer of chemosterilant by, 511
trapping, 53
Microcephalothrips abdominalis, 592
Microctonus aethiops, 210
Microorganisms of soil and heptachlor, 1334
Microplax interruptus, 1433
Microplitis brassicae, 1079
croceipes, parasite of *Heliothis* spp., 1141
spp., 1079
Microsomal cyclodiene epoxidase studies, 388
Microtermes sp., 1433
Midge larvicides, 37
Migration of: anholocyclic strain of spotted alfalfa aphid, 946
cotton leafworm, 263
Military base, cockroaches on, 277
Milk, residues in from ULV sprays, 1481
Mindarus abietinus, 1106
MIP against house fly, German cockroach, and honey bee, 319
Mirax coptodiscae, 667
Mirex, striped earwig response to, 686
Mirids, cage for predaceous, 1242
Mites, associated with *Halogeton sativus*, 1432
control on apple, 74
Miticides, dimethyl sulfoxide effect on, 403
Mobam against: body lice, 198
Diabrotica, 1173
house flies, 88
large milkweed bug, 612
Platynota, 1280
Mobam + RO 5-1557 against house flies, 88
Mocap against: *Diabrotica*, 1173
wireworms, 714
Modification of temperature by insect cages, 1019
Moina rectirostris, 37
Moisture role in winter survival of boll weevil, 147
Molluscicides, screening, 1393
Monitor, candidate molluscicide, 1395
Monitor against: corn insects, 1032
loopers, 1343
Monochamus marmorator, 249
scutellatus, 249
Monocoitic behavior, substance inducing, 634
Morellia hortorum, 793
spp., 793
Morestan against mites, 78, 780, 977, 1120, 1159
Morton 334 against mites, 977
Mosquitoes, population dynamics of, 348
Mosquito (es), control: agents from hydrocarbons, 455
applications for rice water weevil control, 1511
in Egypt, 233
larvicides in flowing water, 365
Mountain pine beetle, infestation of *Pinus* and *Picea*, 518
radiographing, 631
MPPC against house fly, German cockroach, and honey bee, 319
Multiple regression equation, use, 801
Musca autumnalis, 41, 255, 520, 551, 1412, 1462
domestica, 87, 248, 276, 319, 324, 334, 388, 408, 432, 483, 522, 536, 567, 585, 612, 635, 690, 723, 761, 801, 910, 938, 988, 1006, 1130, 1174, 1372, 1417, 1472, 1495
domestica vicina, chemosterilizing, 324
Muscidae, 1077

Mushroom mite, feeding and reproduction, 837
susceptibility to phosphine and ethylene dibromide, 145
Mycetophilidae, 1077
Myzus persicae, 28, 226, 273, 307, 593, 697, 1088, 1109, 1151, 1274, 1356

N-2596 against: cabbage looper, 1014
seed-corn maggot, 958
N-2790 against sugarbeet root maggot, 1084
N-4446, against corn insects, 1032
candidate molluscicide, 1395
N-4543 against: cutworms, 31
mites, 977, 1159
Nabis, 1140
alternatus, 501
americoferus, 501, 1191, 1486
sp., 1319
Naled, effect on budworm incidence, 310
Naled against: cabbage looper, 799, 1014
loopers, 1344
Japanese beetle, 739
Platynota, 1280
sunflower moth, 1445
Nantucket pine tip moth control, 660
Natural products attractants for sugarbeet root maggot, 910
NC-5106 against pear rust mite, 1159
Nearctaphis bakeri, 273
Needle midge control, 1098
Negative correlated OP resistance, 44
Nellite against cotton pests, 1318
Nematode, DD-136, control of Nantucket pine tip moth by, 660
parasites of face fly and onion maggot, 792
Nematospora coryli, 424
Nematus spp., 667
Nemorilla floralis, 1436
maculosa, 1436
Neopynamin against midges, 39
Neoschongastia americana, 181
biology and importance of, 872
Nephotettix apicalis, 772
impicticeps, 772
spp., 772
Nepiera fuscifemora, 1079
Nepytia canosaria, 1046
freemani, 1046
phantasmaria, 1046
Neralsia hyalinipennis, 1235
Neuroptera, 177, 256, 1190, 1237
Neutrons for boll weevil sterilization, 1204
NIA (= Niagara)
NIA 9203 against cutworms, 31
NIA 10242 (see also Carbofuran)
NIA 10242 against cutworms, 31
NIA 10559 against cutworms, 31
NIA 10586 against cutworms, 31
Niacide M against pear rust mite, 1159
Nicotiana resistance to green peach aphid, 1115, 1360
Nilaparvata impicticeps, 772
lugens, 772
Nissol against mites, 977, 1159, 1401
Nitrate, deterrent to sweetclover weevil feeding, 1169
N,N'-tetramethylenebis (1-aziridinecarboxamide), screw-worm fly susceptibility to, 275
N,N,N',N'-Tetramethyl-*p*-piperidinophosphonic diamide, residual fate of, 821
Noninclusion virus to suppress mites, 1154
Nonpersistent insecticides: against Pacific coast wireworm, 1065
in soil, 1060
Northern corn rootworm, control, 1033
overwintering, 541
populations, 578
Northern fowl mite control, 47, 1246
survival, 1075
Nosema, control in honey bees, 886
Nosema apis, 814
Notice, of annual meeting, ESA, 906
to members, 557
Nuclear polyhedrosis virus, heat effects on, 925
Nut trees, aphid control on, 498
Nutrition of almond moth, 301
Nysius sp., 1433

Oak leaf tier, population trends, 1054
Oats, cereal leaf beetle control on, 508
impact of cereal leaf beetle larvae on, 699
yield reduced by cereal leaf beetle, 298
Obituaries:
David Homer Brannon, 1253
James Harvey Cochran, 1252
Robert Allen Cooley, 972
Chukichi Harukawa, 760
Leonard Haseman, 973
Hugh Engle Morrison, 281
Reginald Henry Painter, 759
Oris Trigue Robertson, 974
Philip Carlton Stone, 530
Don Bion Whelan, 1525
Odoiporus longicollis, maintaining, 528
Odontopus calceatus, lipid content of, 1360
Odontoscelis dorsalis, 1434
Odorous house ant feeds on photographic film, 955
Oebalus pugnax, 574
Oecanthus argentinus, 501
Oestrus ovis, 675
Oil (s), effect on black carpet beetle larvae, 507
sprays against mites, 94
Oligonychus ilicis, 1400
punicae, 1216
Omite against mites, 732, 977, 1159
Oncopeltus fasciatus, 493
insecticide toxicity to, 612
Onion maggot, nematode parasites of, 792
OP-resistance in two-spotted spider mite, 205
Ophyra leucostoma, 1290
Opius fletcheri, 970
oophilus, 970
tryoni, 970
Orange trees, UC-21149 against pests of, 443
Orchardgrass, control of insects in, 950
new pest of, 808
Orcheseila, 1269
ainsliei, 196
Orchex against mites, 780
Organophosphorus insecticides: against stored-product moths, 1036
persistence in corn and grass forage, 1282
Oriental fruit fly, differentiation of pupae, 970
estimating populations, 4
rearing medium, 967
sugar and thirst needs of, 539
susceptibility to malathion and DDT, 663
Oriental fruit moth, artificial diets for larvae, 879
Oriental rat flea control, 656
Orius, 1140
agilis, 1436
albidipennis, 1436
insidiosus, 227, 1242
sp., 1319, 1436
tristicolor, 1486
Ornamentals, *Brachyrhinus* control on, 941
spider mite control on, 1400
Ornithocheyletia dubinini, 197
Ornithonyssus sylviarum, 47, 196, 1003, 1075, 1246
Orthellia caesarion, 793
Ortho 5353 against house flies, 88
Ortho 9006 against mites, 977
Ortho-Bux against mosquitoes, 1512
Orthocladiinae sp., 196
Orthoptera, 262, 277, 1465, 1502
Orthosia, 1388
Orthotomicus caelatus, 249
latidens, 519
Oryzaephilus mercator, 102, 113, 130, 306, 754, 937
spp., 305
surinamensis, 102, 130, 1258
Ostrinia nubilalis, 101, 214, 448, 757, 832, 1071, 1150, 1366
Otitidae, 1077
Otodectes cynotis, 1503
Ouabain, toxicity to house flies, 944
Oulema melanopus, 298, 360, 543, 699, 1157
Ovicidal efficiency of parathion and diazinon, 875
Oviposition (see Methods)
Oxydemeton, candidate molluscicide, 1395
Oxydemetonmethyl against: balsam twig aphid, 1108
Brachyrhinus cribricollis, 942
Empoasca elongata, 116
LMV, 1110
mites, 77
pear rust mite, 1160
poplar petiole gall aphid, 1519
tumid spider mite, 405
two-spotted spider mite, 45
Oxygen analogue of an OP insecticide, 1282

Oxylepis sp., 1434
Oxythrips divisus, 592

P^{32}-labeling of malaria mosquitoes, 851
Pachyneuron sp., 227
Pacific coast wireworm control, 1065
Pactamycin against little house fly, 25
Page charges, 125
  grant policy, ESA, 529
Pale western cutworm control, 30
Pales weevil, diet and rearing technique for larva, 1491
  responses to host attractants, 383
Pallus sp.?, 1433
Panonychus citri, 393, 443, 531, 975, 1154, 1230
  coccineus, 419
  ulmi, 74, 94, 344, 393, 531, 618, 779, 1119, 1228, 1242, 1406
  ulmi, control with M-2060, 107
Paradichlorobenzene fumigation of black carpet beetle larvae, 747
  Paramyelois transitella, 305
Parasarcophaga argyrostoma, 1495
Parasite of vegetable weevil, new, 743
Parasitoids associated with horn fly, 1234
Paratheridula quadrimaculatus, 1011
Parathion, candidate molluscicide, 1395
  effect of disking on tobacco wireworm, 728
  inactivation by gamma radiation, 1509
  ovicidal efficiency of, 875
  role of DEPTA from, 408
  toxicity to *Culex*, 441
Parathion against: *Aedes* sp., 568
  cabbage looper, 1014
  corn insects, 1032
  cricket nymphs, 1438
  Diabrotica, 1173
  European red mite, 1120
  fruit-tree leaf roller, 952, 1352
  Great Basin wireworm, 1507
  lesser peach tree borer, 1447
  LMV, 1110
  midges, 39
  mites, 77
  poplar petiole gall aphid, 1519
  sunflower moth, 1446
  two-spotted spider mite, 45
  white apple leafhopper, 1352
  wireworms, 714, 1062, 1066
Parathion + endosulfan against cabbage looper, 799
Parathion + methyl parathion against corn insects, 1032
Parathion + toxaphene against cabbage looper, 799
Parathrene dollii, 265
Pardosa milvina, 1011
Parlatoria pergandii, 729
Parogerius sp., 1433
Passeroptas dermation, 196
Patasson sp., 210
Pathogens, bioassay of, 1227
Patrocloides montanus, 1079
  m. occidentalis, 1079
Pea aphid, golden-eye lacewing preference for, 1228
  increase on alfalfa, 1521
  populations, 678
  transmission of pea enation mosaic virus by, 1423
Pea enation mosaic virus enation, 1423
Peach tree borer, notes on, 1447
  rearing on artificial diet, 961
  shifts of emergence and calling, 21
Pear rust mite, timing and evaluation of pesticides for control, 1158
Pecan nuts, stimulation of hickory shuckworm moths by, 1244
Pecan weevil, dispersal, 1239
  trap for, 722
Pectinophora gossypiella, 432, 448, 510, 515, 643, 650, 682, 741, 824, 994, 1124, 1249, 1262, 1291, 1514, 1521
Pediasia topiaria, 1345
Pediculus humanus, 198, 568
Pegohylemyia seneciella, 1135
Pellonyssus passeri, 196
Pemphigini sp., 196
Pemphigus populitransversus, 1519
Pennsalt TD-72, evaluation, 934
Pentac resistance in mites, 283
Penthaleus sp., 197
Pepper weevils, rearing on artificial diets, 257
Peppers, European corn borer and green peach aphid control on, 1150
Peragallia sinuata, 1433
Perezia pyraustae, 1150
Periplaneta americana, 277, 493, 567, 945, 1164, 1465
  fuliginosa, 277
Periscepsia helymus, 1079
Peroxide system, symmetrical azo derivative in, 1229
Persistence of: biological activity in soils, 1437
  carbofuran on alfalfa, 953
  insecticides in mineral soils, 1338
Perthane against pear rust mite, 1159
Pesticide drift, 840, 844
Petrobia latens, 197
Petroleum hydrocarbons, mosquito control agents, 455
Petroleum oil + parathion against mites, 79
Phaenicia spp., 1289
Phaeogenes hariolus, 310
Phaeolus coccineus, 506
Phantom hemlock looper, biology, 1046
Pheidologelon affinis, 248
Phenaoccus meridionalis, 1434
Phenyl 2-propynyl ethers, insecticide synergism by, 86
Pheromone, production by California red scale, 958
Philaenus leucothalmus, 1433
  sp., 1433
Phlyctaenodes nudalis, 1436
Phorate, candidate molluscicide, 1395
  in pine seedlings, 436
  persistence in soil, 1340
Phorate against: cottonwod leaf beetle, 265
  cricket nymphs, 1438
  Diabrotica, 1173
  Great Basin wireworm, 1507
  northern corn rootworm, 1034
  poplar petiole gall aphid, 1519
  seed-corn maggot, 958
  slugs, 1277
  sugarbeet root maggot, 1086
  two-spotted spider mite, 940
  wireworms, 714, 1066
Phormia regina, 493, 635, 934, 1289
Phosalone, candidate molluscicide, 1395
Phosalone against: alfalfa weevil, 1501
  corn earworm, 1513
  fruit-tree leaf roller, 952
  mites, 977, 1160
Phosphamidon, candidate molluscicide, 1394
  plant nutrition influence on, 1296
Phosphamidon against: cutworms, 32
  European red mite, 1120
  Fiorinia scale, 1449
  mites, 77
Phosphate application to control cotton pests, 1316
Phosphine, mushroom mite susceptibility to, 145
Photoelectrical counting of honey bees, 1183
Photographic films, for insect autoradiography, 1242
  odorous house ant feeds on, 955
Photoperiodism, and green stink bug, 629
  container for study, 269
Phthorimaea operculella, 271, 820
Phygadeuon sp., 1235
Phyllocoptruta oleivora, 1230
Phyllomorpha algerica, 1433
Phyllotreta cruciferae, 226, 1434
  spp., 1434
  striolata, 226
Physiological changes in cotton plant and boll weevil, 239
Physiology of DDT resistance in German cockroach, 846
Phytophagous larvae, measuring, 259
Phytotoxemia, bermudagrass resistance to, 1189
Picea, infestation by mountain pine beetle, 518
Pine lumber, tubing prevention by termites, 757
Pink bollworm, *Bacillus thuringiensis* against, 994
  catches by Frick trap, 1514
  gamma radiation and insecticide toxicity to moths, 1124
  metepa as chemosterilant for, 650
  population suppression, 741
  production of 4th-instar larvae, 515
  timing and control, 682
Pinus, infestation by mountain pine beetle, 518
Piperonyl butoxide against house flies, 88
Pipunclidae, 1077
Pissodes fraseri, 249
  similis, 249
Plagiognatus politus, 1242
Plant, bug, golden-eye lacewing preference for, 1228
  feeding stimulants, 98
  resistance to greenbug biotype, 1270
  southern house mosquitoes feeding on, 1455
  spray oils against European red mite, 1405
Planthopper - leafhopper populations, 772

Plasticizers and insecticides, biological interaction between, 761
Platygaster sp., 1100
Platynota stultana, control, 1279
Plectodera scalator, 265
Plictran against mites, 977
Plodia interpunctella, 305, 754, 1036, 1117
Plum curculio, biology, 1222
mating behavior, 438
Plutella maculipennis, 227, 800
Pollen gathering of honey bees, reduced, 865
Pollination of blueberry, 815, 1353
Polyhedrosis virus against cabbage looper, 799
Polymerus cognatus, 1433
Polyphemus moth, DDT-dehydrochlorinase and aldrinepoxidase activity in, 723
Polyram against aphids, 499
pear rust mite, 1159
Ponera, 1269
Popillia japonica, 8, 514, 516, 738, 964, 1179
Poplar petiole gall aphid, control on turnip roots, 1519
Population, analysis of spider mite resistance, 1262
changes in cockroaches, 1164
suppression by codling moth releases, 795
trends of oak leaf tier, 1054
Porfiromycin against little house fly, 25
Porizon argentinensis, 744
parkeri, 744
spp., 744
Portable instrumented tower, 149
Potato, aphid transmission of potato Virus Y, 1088
tubers, potato tubeworm larvae recovery from, 271
tuberworm larvae, recovery, 271
Virus Y transmission by aphids, 1088
Potatoes, California red scale reared on, 958
Great Basi wireworm control on, 1506
Potted plants, bags as cages for insects on, 524
Poultry, house fly pupae as food, 938
Precipitation and temperature effects on corn rootworm eggs, 541
Prediction of insecticidal activity, 801
Preference of spotted alfalfa aphid for alfalfa plants, 1000
Preventive control of alfalfa weevil, 1197
Proctolaelaps strobus, 519
subcorticalis, 519
sylvestris, 519
Proctophyllodes sp., 196
Prodenia eridania, 502, 1347
ornithogalli, 101
praefica, 908
Prolan, toxicity to cotton insects, 432
Propyl thiopyrophosphate for laying hens, 1494
Propylure attractant for pink bollworm, 1520
Prosapia bicincta, 1189
Psammotettix spp., 273
Pseudaletia unipuncta, 101
Pseudatomoscelis seriatus, 525, 1126
Pseudeucoila sp., 1235
Pseudoperichaeta sp., 1436
Pseudoplusia includens, insecticide toxicity against, 1343
Psoloessa delicatula, 329
Psorophora confinnis, 1512
Psychodidae, 1289
Psylla piri, 107
Psylliodes punctulatus, 226
Pyralis farinalis, 1436
Pyramat, candidate molluscicide, 1394
Pyrenones 606 against loopers, 1343
Pyrethrins against fall webworm, 566
Pyrethrum against cockroaches, 568
Pyrolan, against large milkweed bug, 612
toxicity to *Culex*, 441
R-3422 against cutworms, 31
R-3828 evaluation, 934
RABON against northern fowl mite, 1246
Radiation (see Methods)
Radiofrequency electric field treatment in yellow mealworm, 220
Radiographing mountain pine beetle, 631
Radioisotopes, host specificity determination with, 996
Radio-sensitivity for yellow mealworm, 1505
Ragwort seed fly establishment, 1135
Rain and dew, simulated, toxicity effect, 71
Rainfall and grasshoppers, 329
Ration relation to short-nosed cattle louse infestations, 341
Rats, carbaryl metabolites in, 49
RE (see also Chevron)
RE-5305 against: *Diabrotica*, 1173
mosquitoes, 1512
wireworms, 714
RE-5353 against: sugarbeet root maggot, 1084
wireworms, 714
RE-5655 against: *Diabrotica*, 1173
sugarbeet root maggot, 1084
Rearing (see Methods)
Red clover, aphids and leafhoppers on, 273
Red flour beetle, genetic plasticity of stored-product insects relative to, 470
Refuse disposal and fly production, 1288
Release of gamma-irradiated codling moths, 795
Reserpine against little house fly, 25
Residue (s), in milk from ULV sprays, 1481
persistence in control by acaricides, 975
from propyl thiopyrophosphate, 1494
Residues of: Ciba C-9491, control of fall armyworm and corn earworm, 1468
nonpersistent insecticides in soil, 1060
Thimet on alfalfa, 952
VCS-506 in forage corn, 1458
Resistance (see Methods)
Respiratory environments of grain-infesting weevils, 693
Response of southern potato wireworm to light traps, 314
Reticulitermes sp., 1269
virginicus and termite trail-following substance, 599
Rhagoletis pomonella, 748, 850, 945, 1028, 1076, 1310
suavis, peach infestation by, 940
Rhipicephalus sanguineus, 710, 719
Rhipidothrips brunneus, 950
Rhopalosiphum maidis, 776, 1113
padi, control, 950
sp., 196
Rhyacionia buoliana, 527, 661
zozana, 528
Rhyzopertha dominica, 1258
Rice, plots, tungro virus in diazinon-treated, 772
staining technique for rice water weevils in, 740
stink bug populations on, 574
Rice stink bug populations, 574
Rice water weevil, apparatus for removing, 752
control with carbofuran, 1024
mosquito control by applications for control of, 1511
staining technique for eggs in rice, 740
Rice weevil, aluminum phosphide against, 715
transmission of *Salmonella* to wheat by, 1489
Risa nr. *longirostris*, 1435
RO 5-1557, 1923, 8019 against house flies, 88
RO 7-1366, 4780, 5050 against house flies, 88
Ronnell, residues in milk, 1481
Ruelene against sheep bot fly, 675
Rye, greenbug resistance in, 1368
treatment against dark-sided cutworm, 1441
S^{35}-parathion metabolism in house fly, 408
Safrole against house flies, 88
Sagaritis websteri, 1079
Salina, 1269
Salmonella montevideo, transmission in wheat, 1489
Sampling, alfalfa weevil larval populations, 556
for *Limonius* spp., 183
Saniosulus nudus, biological note on, 729
Sanninoidea exitiosa, 21, 961, 1447
Saperda calcarata, 265
Sarcophaga bullata, 623
Sarcophagidae, 1077
Scambus vesicarius euurae, 669
Scatophaga stercoraria, 793
Schering 34615, evaluation, 934

Schizaphis graminum, 521, 776, 1241, 1271, 1368
Sciocoris cursitans, 1434
Scirtothrips citri, 443
Scolytus multistriatus, 640, 1039, 1166, 1381
Scotch pine, aphid control on, 60
Scotogramma trifolii, 1435
Screening, alfalfa seedlings, 66
molluscicides, 1393
small grains for resistance, 360
Screw-worm, boron chemosterilants against, 375
Screw-worm flies, dispersal and distribution of winter released, 259
monocoitic behavior in, 634
retention of marking dyes, 966
sexual sterilization, 136
susceptibility changes to chemosterilant, 275
Scrobipalpa spp., 1435
Scutigerella immaculata, 338
Scymnus frontalis, 1436
interruptus, 1436
sp., 1319
Scymus, 1140
SD-8447 against: loopers, 1343
northern fowl mite, 47
SD-8447 + dichlorvos against northern fowl mite, 48
SD-8530 against wireworms, 714, 1066
SD-9098 against wireworms, 714, 1061
SD 9129, 11370, 11373, 11374, 11392 against house fly, 1131
SD 11319, 11097 against house fly, 1130
Seasonal history of European corn borer, 1071
Seed-corn maggot, cyclodiene-insecticide resistance in, 427
resistance to aldrin, 957
Separator for house fly pupae, 949
Sericothrips variabilis, 591
Serropalpus coxalis, 249
substriatus, 249
Sesamia cretica, 448
Sex, attractants in sod webworms, 705
attraction of lesser peach tree borer, 789
Sex pheromone, boll weevil responses to, 161
synthetic, attraction to cabbage looper, 117
Sex pheromone of: cabbage looper, bag for dispensing, 517
codling moth, 62, 243
Sexing, of pupae, automated, 272
Trogoderma, 1186
Sexual sterilization of screw-worm flies, 136
Sheep bot fly larvae, control, 675
Shell (see SD)
Short-nosed cattle louse infestations, relation of ration to, 341
Sidis nr. *tristis*, 1436
Singa variabilis, 1011
Siphona plusiae, 1079
Siphonaptera, 656
Sirex cyaneus, 249
Sitona cylindricollis, 169, 693, 1169
sp., 1435
Sitophilus granarius, 102, 905, 937, 1258
oryzae, 693, 715, 1258, 1489
zeamais, 693
zeamais, corn resistance to, 352
Sitotroga cerealella, 256, 715
Sleeve test of insecticidal powders, 198
Slug (s), chemicals for control, 1277
control by molluscicides, 1393
Small grains, screening for resistance, 360
Smaller European elm bark beetle, biology, 640, 1381
control by helicopter-applied methoxychlor, 1039
medium for, 1166
Sminthurus, 1269
Sod webworm, hatching of eggs, 1344
rearing on artificial diets, 510
sex attractants in, 705
Sodium hypochlorite-treated and untreated eggs of pink bollworm larvae, 515
Sogatella furcifera, 772
Soil (see Methods)
Solanum spp. resistant to mites, 834
Solenopsis molesta, 686
saevissima richteri, 686, 1011, 1268
Sorghum, greenbug biotype: attacking, 1241
injurious to, 776, 1271
Sorghum, roots, toxicity of western corn rootworm larvae, 1375
stem borer control on, 478
Sound, monitoring for production by stored-product insects, 937
Southern armyworm, mass rearing, 502
Southern corn rootworm, chemosterilizing, 1285
Southern house mosquito, control in log ponds, 1152
feeding on plants, 1455
fenthion metabolism by, 977
Southern potato wireworm, chemical control of, 712
response to light traps, 314
Southwestern corn borer, survival, 1016
Soybean, benzilate acaricide behavior on, 618
bionomics of alfalfa weevil on, 1233
Spalangia cameroni, 1235
nigroaenea, 1235
Spanogonicus albofasciatus, 501
Spathius canadensis, 1383
Speleognathus sturni, 197
Sphaerophoria cylindrica, 227
Sphenocratus peyerimhoffi, 1433
Sphenophorus venatus confluens, biology, 808
control, 950
Spider mite (s), acaricides to control, 1400
mortality, longevity, and fecundity on insecticide-treated cotton, 13
resistance, population analysis, 1262
Spiders in sugarcane fields, insecticide effect on, 948
Spilochalcis albifrons, 1225
Spirea aphid, UC-21149 against, 443
Spissistilus festinus, 501
Spodoptera exigua, 432, 1291
frugiperda, 646, 708, 734, 1031, 1190, 1468
Spotted alfalfa aphid, behavior, 474
migration, 946
preference for alfalfa plants, 1000
Spray applications, 840, 844
Spray droplets, size in insect control, 916, 919
tracer method of application, 912
Spray programs for fruit-tree leaf roller control, 951
Spruce budworm, control by spray droplets, 916
Squaring, ended to indicate stopping treatments for boll weevil, 35
Stagmatophora sp., 1435
Staining technique for rice water weevil eggs in rice, 740
Starling, arthropod parasites on, 195
Starvation, of garden symphylan, 338
responses of American cockroach, 1465
Stauffer (see B, N, R)
Stem borer, chemical control of, 478
Sterile-male releases of fruit flies, population estimating, 4
Sterility in face fly, 1462
Sterilization (see Methods)
Sterilized moths to control codling moth, 1331
Stethorus picipes, 85
mass release effect on mites, 1216
Stictopleurus crassicornis, 501
Stomoxys calcitrans, 87, 727, 934
Stored-grain insect control, 1101
Stored-product insects, AC-24055 and, 102
Bayer insecticides against, 112
monitoring for sound, 937
temperature effects on toxicity, 130
Stored-product moths and OP insecticides, 1036
Strawberries, corn earworm infestation in, 947
mite control on, 939
Strawberry spider mite damage, 192
Striped earwig control and relationship to fire ant, 686
Strobane + methyl parathion, 71
Strumigenys, 1269
Sturnus vulgaris, arthropod parasites on, 195
Sugarbeet, beet western yellows in, 307
green peach aphid leaf preference, 28
root maggot, attractants for, 910
Sugarcane, residues on after azinphosmethyl application, 505
Sugarcane borer, biological control agents, 1008
damage and yield, 620
insecticidal control, 245
Sulfoxide against house flies, 88
Sulfur against sugarbeet root maggot, 1086
Sumithion against body lice, 198
Sunflower moth, cage for emergence, 1235
chemical control of, 1444
new hosts, 264
Sunflower seeds, insecticide residues in, 462
Supella supellectilium, 277, 1164
Suppression of honey bee flight, 1185
Supracide against alfalfa weevil, 1500
Surattha indentella distribution on buffalograss, 750
Survival of, northern fowl mites, 1075
southwestern corn borer, 1016

Susceptibility of alfalfa leafcutting bee, 189
Sweet cherry, fruit-tree leaf roller control on, 951
Sweetclover weevil, feeding rate, 169
  nitrate as deterrent to feeding, 1169
Sweet corn, corn earworm control on, 1513
  fall armyworm and corn earworm control on, 1031
Symmetrical azo derivative in peroxide system, 1229
Synanthedon pictipes, 789, 1447
Synergism of carbamates, 86
Syringe for insemination of honey bees, 1504
Syrphidae, 1077
Syrphus rectus, 227
Systena frontalis larvae in corn roots, 1232
  hudsonias, 1232

Table to determine chemicals required to treat laboratory animals, 1522
Tachinidae, 1077
Taenioglyptes fraseri, 249
Taeniothrips sp., 591
Tanyderidae, 1077
Tanypus grodhausi, 38
Tapinoma sessile, 955
Tartan against mites, 977
TDE, relation to plasticizers, 763
  resistance in German cockroach, 846
TDE against: fruit-tree leaf roller, 952
  Platynota, 1280
TDE, toxicity to: cotton insects, 432
  Culex, 441
Telodrin, toxicity to *Culex*, 441
Telone against wireworms, 1066
Temelucha sp., 1436
Temik (see also UC-21149)
Temik, candidate molluscicide, 1394
Temik against: *Cinara pinea*, 62
  cottonwood leaf beetle, 265
  Eulachnus agilis, 61
  needle midge, 1099
  pear rust mite, 1159
Temnorhinus conicirostris, 1435
Temperature (s) (see Methods)
Tenebrio molitor, 220, 318, 493, 745, 1258
  obscurus, 937
Tepa against: house fly, 327
  large milkweed bug, 1328
  little house fly, 25
  two-spotted spider mite, 394, 506
Tepa-sterilized Mexican fruit flies, transfer of chemosterilant by, 511
Tepa-treated sterilized fruit flies, 663
Tephritidae, 1077
Termite trail-following substance, 599
Tepp, candidate molluscicide, 1395
Termites, subterranean, preventing tubing in pine lumber, 757
Terpenyl acetate bait for *Chrysopa*, 1237
Tetanops myopaeformis, 910, 1083
Tetradifon, inactivation by gamma radiation, 1509
Tetradifon against: European red mite, 1120
  two-spotted spider mite, 732, 1401
Tetranychus atlanticus, 14, 193
  bimaculatus, 205
  cinnabarinus, 14, 571, 834, 1306
  desertorum, 14
  mcdanieli, 74
  pacificus, 393
  sp., 1432
Tetranychus telarius, 205, 393, 767
  analysis of resistance, 1262
  and Egyptian cotton, 1304
Tetranychus tumidus, 14, 403, 1230
  urticae, 14, 45, 205, 283, 393, 400, 404, 415, 618, 732, 767, 779, 834, 975, 1230, 1242, 1296, 1306, 1401, 1406
Tetrastichus incertus, 210
Tetrasul against two-spotted spider mite, 732
Tettigometra costulata, 1434
TH 367 against European red mite, 1121
TH-367-1 against pear rust mite, 1159
Therevidae, 1077
Therioaphis maculata, 474, 776, 946, 1000
Thersilochus n. sp., 744
Thiabendazole against sheep bot fly, 675
Thimet residues on alfalfa, 952
Thiocron against: cutworms, 31
  poplar petiole gall aphid, 1519
Thiotepa against confused flour beetle, 585
Thiourea against little house fly, 25
Thrips, associated with cotton, 591
  tabaci, 591
Thurberia weevil, winter survival, 467
Thuricide against: corn insects, 1032
  fall webworm, 566
  juniper webworm, 24
  loopers, 1344
Thuricide + methyl parathion against corn insects, 1032
Thuricide + parathion, 1032
Thuricide 90TS against cabbage looper, 799
Thylacites irregularis, 1435
Thysanoptera, 443
Tifton nozzle tip, 526
Timing and pink bollworm control, 682
Tipulidae, 1077
Tobacco, effect of disking on performance of diazinon and parathion on, 728
  field, earthworm mortality in, 963
  green peach aphid reproductive capacity on, 593
  insects and blacklight lamps, 1378
  leaves, bioassay of, 1313
  pests, integrated control of, 1274
  rotation with rye against dark-sided cutworm, 1441
  wireworm control on, 712
Tobacco budworm, behavior and control, 16
  competition and survival, 734
  gamma radiation on, 289, 293, 296
  lipid fractions, 1397
  persistence of malathion against, 89
  plant feeding stimulants for, 98
  rearing larvae, 959
Tobacco flea beetle, rearing, 513
Tobacco hornworm, attraction to blacklight radiations, 58
  house sparrows and larvae of, 956
  mass rearing, 1427
  moth production from field-collected larvae, 1068
Tobacco wireworm, chemical control of, 712
  effect of disking of diazinon and parathion on, 728
Tomato, resistance to *Liriomyza munda*, 458
Tomocerus, 1269
Torak against alfalfa weevil, 1500
Tortricid leaf roller, control, 1279
Tower for meterological research, 149
Toxaphene against: cotton insects, 573, 1249
  cutworms, 32
  sunflower moth, 1446
Toxaphene + DDT against cotton insects, 1249
Toxaphene + DDT + methyl parathion against cotton insects, 1249
Toxaphene + methyl parathion against cotton insects, 1249
Toxicity of carbamates, 318
Toxicity of insecticides to: cabbage loopers, 1013
  Diabrotica virgifera, 1172
  loopers, 1343
  Oncopeltus fasciatus, 612
Toxicity of: lindane and methoxychlor on building surfaces, 1101
  Ouabain to house flies, 944
  propyl thiopyrophosphate to hens by feeding, 1494
Toxicological studies on cutworms, 1441
Toxicology of DDT resistance in German cockroach, 846
TPTH against wireworms, 714
Tracer method for use of fluorescent particle spray droplets, 912
Tranid against mites, 780, 977, 1159
Transmission of *Salmonella montevideo* in wheat, 1489
Transplantation of cattle grub larvae into horses, 503
Trapping, Traps (see Methods)
Tretamine against: large milkweed bug, 1328
  little house fly, 25
Trialeurodes abutilonea, 1230
Triaspis, n. sp., 744
Tribolium castaneum, 130, 470, 937
  test insect for malathion, 830
Tribolium confusum, 87, 102, 113, 130, 358, 471, 585, 623, 767, 905, 937, 1006, 1102, 1258
  spp., 305
Trichlorfon, candidate molluscicide, 1395
  toxicity to *Culex*, 441
Trichlorfon against: cutworms, 32, 1442
  horn fly, 1515
  Japanese beetle, 739
  juniper webworm, 24
  loopers, 1344
  Platynota, 1280
  stem borer, 480
  sunflower moth, 1445

Trichogramma evanescens, 1157
minutum as regulator of cotton pests, 1291
pretiosum, 1291
Trichogramma spp., 253, 1008, 1291
sp. parasitizing cereal leaf beetle, 1157
Tricholophus foveirostris, 250
Trichoplusia ni, 69, 87, 117, 227, 243, 432, 517, 798, 916, 1013, 1078, 1274, 1379
insecticide toxicity against, 1343
Trichopria sp., 1235
Triphenyltin acetate and t. chloride against little house fly, 25
Triphenyltin hydroxide against little house fly, 25
Tristeza virus, and melon aphids, 968, 1237
Trogoderma glabrum, 937, 1186
granarium, 1258
grassmani, 1186
inclusum, 1186
parabile, 102, 113, 1186
simplex, 1186
spp., 1186
sp. nr. *inclusum*, 196
sternale, 1186
Trouessartia rosteri, 196
Trypodendron lineatum, 249, 783
Tubercidin against little house fly, 25
Tungro virus transmission, 772
Turkey chigger, biology and importance of, 872
Turkeys, Dursban residues from, 181
Turnip, poplar petiole gall aphid control on roots, 1519
Turnip aphid, crambe introductions to, 697
Two-lined spittlebug, phytotoxemia caused by, 1189
Two-spotted spider mite, acaricides for control, 939
chemosterilization of, 393, 400, 415, 506
control, 732, 779
Lycopersicon and *Solanum* resistant to, 834
OP-resistance in, 205
Pentac resistance in, 283
Tychius sp., 1435
Tydeus spp., 197
Typhlocyba pomaria, 1351
Typhlodromus occidentalis, 74
Tyrophagus putrescentiae, 145, 196, 837, 1230

UC-8305 against Fiorinia scale, 1449
UC-10854, toxicity to *Culex*, 441
UC-10854 against: cotton pests, 1318
cutworms, 31
Diabrotica, 1173
wireworms, 714, 1061
UC 20047A against Fiorinia scale, 1449
UC-21149 (see also Temik)
UC-21149, influence on pea aphid, 678
UC-21149 against: boll weevil, 558
citrus pests, 443
cutworms, 31
house flies, 88
spider mites, 14
sugarbeet root maggot, 1084
wireworms, 714
UC-30044 against cutworms, 31
UC-30045, candidate molluscicide, 1394
UC-30045 against: corn insects, 1032
cutworms, 31
Diabrotica, 1173
loopers, 1343
UC-34096, candidate molluscicide, 1394
UC-34096 against: cabbage looper, 799
corn insects, 1032
mites, 977
pear rust mite, 1159
Ultra-low-volume (See ULV)
Ultrasound for bollworm control, 1322
ULV, application of insecticides by air, 1515
ground sprayer, 570
humidity effects on toxicity, 71
malathion, droplet size effect on persistence, 89
sprays, residues in milk, 1481
Tifton nozzle tip, 526
ULV-treated field corn, diazinon residues on, 832
Union Carbide (see UC)
Urocerus albicornis, 249
cressoni, 249

Vaccinium corymbosum, pollination, 815, 1353
Vachiria notalica, 1436
Vacuum, cleaner used with granular applicators, 274
probe for insect manipulation, 267
sampler, operating to sample populations of cotton fleahopper, 525
VC-3-668 against wireworms, 714
VCS-506, candidate molluscicide, 1395
residues in forage corn, 1458
VCS-506 against: alfalfa weevil, 1500
corn insects, 1032
fruit-tree leaf roller, 952
sunflower moth, 1445
Vegetable weevil parasite, new, 743
Velsicol (see also VCS-506)
Velsicol against loopers, 1343
Velsicol FCS-13, evaluation, 934
Ventocoris modestus, 1434
Vespula pensylvanica, 1192, 1245
sp., 796, 1245
Vigna unguiculata, integrated control of pest complex on, 900
Vitacea polistiformis, 1507
Volck + azinphosmethyl against fruit-tree leaf roller, 952
Volck oil + DDT against fruit-tree leaf roller, 952
Volck oil + DDT-parathion against fruit-tree leaf roller, 952
Volck oil + DDT + TDE against fruit-tree leaf roller, 952
Volck oil + endosulfan against fruit-tree leaf roller, 952
Volck oil + TDE against fruit-tree leaf roller, 952
Volck 70 oil against European red mite, 1120
Volck Supreme oil, as ovicide, 877
Volck Supreme oil against: fruit-tree leaf roller, 952
mites, 780, 1159
Voria ruralis, 1079
required development time, 69

Wagneria sp., 1436
Walnuts, malathion as protectant, 305
Water, content for yellow mealworm, 1505
hyacinth and *Arzama densa*, 142
Wax bars for horn fly control, 1386
Western budworm hibernating larvae, 139
Western corn rootworm, metabolism of diazinon in, 286
overwintering, 541
sensitivity to diazinon, 1097
toxicity of sorghum roots to, 1375
Western spotted cucumber beetle, effect of carbofuran on, 1231
Western tent caterpillar, quarantine treatment of, 875
Western X-disease virus vectors, 1147
Wheat, gamma radiation effect on malathion deposits on, 829
transmission of *Salmonella* to, 1489
White apple leafhopper, integrated control of, 1351
White-fringed beetle, rearing technique for, 1512
Wildlife, Zectran toxicity to, 1307
Winged bean aphid responses to colored lamps, 1450
Winter survival of: boll weevil, 147
thurberia weevils, 467
Winter tick, biology and colonization, 235
Wireworms, nonpersistent insecticides in soil against, 1060
parathion against, 714, 1062, 1066
phorate against, 1066
Zinophos against, 714, 1061
Woolen fabric, Gardona as mothproofer of, 868

X-ray (s), and cereal leaf beetle, 543
for beetle identification, 631
for boll weevil sterilization, 1204
therapy unit for insect irradiations, 721
Xanthippus corallipes, 329
Xenopsylla cheopis, 656

Yeast-spot disease from green stink bug, 424
Yellow-fever mosquito, aliphatic amines ovicidal for, 981
attractants for, 786
response variations, 96

Yellow jacket control by baiting, 1192
heptyl butyrate attractant for, 1245
Yellow mealworm, radiofrequency-treated, 220, 745
radio-sensitivity and water content for, 1505

Zectran, effect on budworm incidence, 310
toxicity to wildlife, 1307
Zectran against: boll weevil, 916
bollworm, 916
cabbage looper, 916, 1014
cutworms, 31
fall webworm, 566
German cockroach, 319
honey bee, 319
house fly, 319
large milkweed bug, 612
Platynota, 1280
slugs, 1277
spruce budworm, 916
Zetzellia mali, 84
Zinc sulfate against mites, 79
Zineb against pear rust mite, 1160
Zinophos, candidate molluscicide, 1395
persistence in soil, 1339
Zinophos against: cabbage looper, 1014
cottonwood leaf beetle, 265
cutworms, 31
slugs, 1277
wireworms, 714, 1061
Ziram against mites, 77, 1159

If a little dab'll do ya,



THE MODEL M IS FOR YOU!

The ISCO Model M Microapplicator will accurately dispense any quantity from 0.004 µl to 6.0 µl. Foot pedal operation permits the use of both hands to inject individual insects, eggs, or similar applications. Write for literature describing this and other ISCO instruments for biochemical research. P.S. If you need a larger dab, ask about our Model M-1 Microapplicator.

INSTRUMENTATION SPECIALTIES COMPANY, INC.

4700 SUPERIOR • LINCOLN, NEBRASKA 68504 • PHONE (402) 434-0231 • CABLE ADDRESS: ISCOLAB LINCOLN

ACTA PHYTOPATHOLOGICA ACADEMIAE SCIENTIARUM HUNGARICAE

Volume 4 **Number 1**

CONTENTS

H. OPEL, H. KEGLER UND J. RICHTER: Vorkommen und Charakterisierung von TMV-Stämmen des Kernobstes

J. RICHTER: Die Verwendung Glutaraldehyd-fixierter Erythrozyten für den serologischen Nachweis des latenten Erdbeerringfleckenvirus /Strawberry Latent Ringspot Virus/ in Pfirsich

E. KARL UND H. KLEINHEMPEL: Versuche zur Blattlaus- und Pfropfübertragung verschiedener Herkünfte des Adernbänderungsvirus der Stachel- und Johannisbeere

J. HORVÁTH: Untersuchungen über eine Virose von *Brassica napus* L.

A. SZÉCHI: Role of Cell-Wall-Degrading Enzymes in Fusarium Stalk Rot of Corn. I. In vitro Study of *Fusarium roseum* f. sp. *cerealis* var. *graminearum* and *F. moniliforme* Isolates in Liquid Cultures

J. NÉMETH, L. PAIZS and Z. KLEMENT: The Flowerstand Blight and Seed Decay of Coriander

W. HAHN: Untersuchungen zur Fäulnisabwehrreaktion der Kartoffelknolle gegenüber dem Erreger der Schwarzbeinigkeit und Knollenna3fäule, *Pectobacterium carotovorum* Jones /Waldee/

KLARA B. BALÁZS UND J. BODOR: Larvenmorphologie an Erdbeere lebender Wicklerarten

BOOK REVIEW

IN MEMORIAM: DR. JÁNOS PODHRADSZKY

• • •

ACTA PHYTOPATHOLOGICA is published at quarterly intervals, four issues making up a volume of some 400 pages a year. Size: 17 x 25 cm.

Subscription rate per volume: $16.00; £6 15s; DM 64,–

Distributors: KULTURA, Budapest 62. P.O.B. 149

AKADÉMIAI KIADÓ Publishing House of the Hungarian Academy of Sciences Budapest 502. P.O.B. 24

Journal of Economic Entomology

Published by
THE ENTOMOLOGICAL
SOCIETY OF AMERICA

Volume 62 • 1969

JOURNAL OF ECONOMIC ENTOMOLOGY

WALLACE P. MURDOCH, *Executive Secretary*

RALPH W. BUNN, *Managing Editor* R. H. NELSON, *Editorial Associate*

4603 Calvert Road, College Park, Maryland 20740

RANDALL K. LATTA, *Editor*

4603 Calvert Road, College Park, Maryland 20740

EDITORIAL BOARD

E. J. HAMBLETON, *Chairman,* Washington, D. C. (Section E, 1969)

P. A. DAHM, Ames, Iowa (Section B, 1970) FREEMAN L. MCEWEN, Guelph, Ont. (Section C, 1972)

E. J. HANSENS, New Brunswick, N. J. (Section D, 1971) M. M. BARNES, Riverside, Calif. (Section F, 1973)

A bimonthly journal devoted to the interests of economic entomology. Authors are entirely responsible for statements in the JOURNAL, whether of fact or opinion.

Subscriptions. Nonmembers in North America and U. S. Possessions–$20.00 a year; elsewhere–$21.00. Single copies $5.00. Deliveries overseas are not guaranteed and foreign mailings are made at the subscriber's risk. A single order sent to the same address for the JOURNAL OF ECONOMIC ENTOMOLOGY and the ANNALS OF THE ENTOMOLOGICAL SOCIETY OF AMERICA may be obtained for $35.00 a year in North America and U. S. Possessions; $37.00 elsewhere.

Missing numbers cannot be supplied free of charge unless notice is received within 60 days after the appearance of issues concerned. The Executive Secretary will be glad to quote prices for back numbers.

Reprints. No gratis copies are supplied. An order form and schedule of prices which will apply to orders received before the JOURNAL is printed are sent with proof. For price schedule see BULL. ENTOMOL. SOC. AMER. 14 (3): 237 (September 1968).

Business communications and matters pertaining to subscriptions and advertisements should be sent to the Executive Secretary. Changes of address must reach the office of the Executive Secretary 5 days prior to the month of issue to be effective for that month. Manuscripts and other copy for the JOURNAL should be sent to the Executive Secretary. Before preparing manuscripts for publication, authors are urged to consult the Publication Policies and Instructions for Contributors, BULL. ENTOMOL. SOC. AMER. 15 (2): 74–77 (June 1969). Reproduction of author's summaries is authorized.

Page charges are $24.00 per page, partial pages proportionately. This charge is waived for those papers of 1 printed page or less. Prompt publication of acceptable manuscripts may be secured by payment of the cost of printing and mailing ($42.00 per page). See BULL. ENTOMOL. SOC. AMER. 15 (2): 74–77 (June 1969).

METRIC CONVERSION

Contributors of papers on laboratory studies should use the metric system exclusively. Use of the metric system in reporting the results of field studies is a desirable ultimate objective. Since it is difficult to replace immediately such standard concepts as lb/acre by the units kg/hectare, yards by meters, or miles by kilometers, the following table of conversion factors is presented.

1 inch = 2.54 cm	1 ft^3 = 28.3 dm^3	1 cm = 0.394 in.	1 dm^3 = 0.0353 ft^3
1 yard = 0.914 m	1 acre = 0.405 hectares	1 m = 3.28 ft = 1.094 yards	1 hectare = 2.47 acres
1 mile = 1.61 km	1 lb/acre = 1.12 kg/hectare	1 km = 0.621 mile	1 kg/hectare = 0.89 lb/acre
1 lb = 453.6 g	1 lb/$in.^2$ (psi) = 70.3 g/cm^2	1 kg = 2.2 lb	1 g/cm^2 = 0.0142 psi
1 gal (U.S.) = 3.785 liters	1 lb/gal (U.S.) = 120 g/liter	1 liter = 0.264 gal (U.S.)	1 g/liter = 0.83 lb/100 gal (U.S.) = 1000 ppm

ENTOMOLOGICAL SOCIETY OF AMERICA

OFFICERS FOR 1969

President—C. W. Sabrosky, Washington, D. C.
President-Elect—Paul O. Ritcher, Corvallis, Oregon
Executive Secretary—Wallace P. Murdoch, College Park, Maryland

GOVERNING BOARD

C. W. Sabrosky, Washington, D. C. (1970)

P. A. Dahm, Ames, Iowa
(North Central, 1969)

H. S. Dybas, Chicago, Illinois
(A, 1969)

D. C. Earley, Los Fresnos, Texas
(Southwestern, 1970)

R. E. Hamman, Ardsley, New York
(Eastern, 1970)

H. F. Madsen, Summerland, British Columbia
(F, 1970)

W. P. Murdoch, College Park, Maryland
(Non-Voting)

B. B. Pepper, New Brunswick, New Jersey
(Past-President, 1969)

A. S. Perry, Savannah, Georgia
(B, 1969)

David Pimentel, Ithaca, New York
(C, 1970)

K. D. Quarterman, Savannah, Georgia
(D, 1971)

H. T. Reynolds, Riverside, California
(Pacific, 1971)

P. O. Ritcher, Corvallis, Oregon
(1971)

J. S. Roussel, Baton Rouge, Louisiana
(Southeastern, 1971)

J. F. Spears, Alexandria, Virginia
(E, 1971)

BRANCH OFFICERS

Chairmen

R. E. Heal—Elizabeth, New Jersey (Eastern)
A. C. Hodson—St. Paul, Minnesota (North Central)
R. E. Rieder—Yakima, Washington (Pacific)
C. M. Beckham—Experiment, Georgia (Southeastern)
N. M. Randolph—College Station, Texas (Southwestern)

Chairmen-Elect

S. G. Gesell—University Park, Pennsylvania (Eastern)
R. T. Everly—Lafayette, Indiana (North Central)
Martin Sherman—Honolulu, Hawaii (Pacific)
S. R. Morris—New Orleans, Louisiana (Southeastern)
Ted McGregor—San Antonio, Texas (Southwestern)

Secretary-Treasurers

H. T. Streu—New Brunswick, New Jersey (Eastern)
J. T. Schultz—Fargo, North Dakota (North Central)
W. W. Allen—Berkeley, California (Pacific)
L. C. Kuitert—Gainesville, Florida (Southeastern)
H. L. McMenemy, Jr.—Dallas, Texas (Southwestern)

AUTHOR INDEX TO VOLUME 62

February ..... 1–282 June ..... 531–760 October 975–1253
April ..... 283–530 August ..... 761–974 December 1254–1547

ABASA, RUBEN O.—Survival of Starved Adult Northern Fowl Mites at Different Relative Humidities 1075
ABASA, RUBEN O., and ELTON J. HANSENS—An Apholate-Resistant Strain of House Flies. I. Resistance to Other Chemosterilants and to Insecticides 334
ABDEL-MALEK, A. A., A. O. TANTAWY, and A. M. WAKID—Studies on the Eradication of *Anopheles pharoensis* by the Sterile-Male Technique Using Cobalt-60. VII. Population Dynamics of Mosquitoes in Fayoum Area, UAR 348
ABERNATHY, CHARLES O., and RICHARD THURSTON—Plant Age in Relation to the Resistance of *Nicotiana* to the Green Peach Aphid 1356
ABID, MOULOOD K., and R. L. RIDGWAY—Mortality, Longevity, and Fecundity of Spider Mites on Cotton Treated with Systemic Acaricides 13
ABOUL-NASR, A. E., see MAHMOUD HAFEZ 233
ADAMS, A. L., see G. B. HIGHTOWER 259
ADAMS, CURTIS H., WILLIAM H. CROSS, and H. C. MITCHELL—Biology of *Bracon mellitor,* a Parasite of the Boll Weevil 889
ADAMS, R. H., and JERRY H. YOUNG—Variation in the Response to Endrin of Progeny from Pairs of Bollworms 616
ADAMS, T. S., see D. R. NELSON 634
ADDY, NORTON D.—Rearing the Forest Tent Caterpillar on an Artificial Diet 270
ADKINS, THEODORE R., JR., see DOUGLAS M. GAYDON 312
ADKISSON, PERRY L., see STANLEY J. NEMEC 71
ADLER, VICTOR E.—Modified Container for Study of Photoperiodism 269
ADLER, VICTOR E., and CALVIN DANIELS—A Simplified Mechanism for Controlling Delivery of Insecticide from a Granular Distributor Drawn by a Tractor 519
AGEE, H. R., and J. C. WEBB—Ultrasound for Control of Bollworms on Cotton 1322
AGEE, H. R., see H. M. TAFT 419
AHMED, S. M., and W. R. YOUNG—Field Studies on the Chemical Control of the Stem Borer *Chilo partellus* on Hybrid Sorghum in India 478
AKESON, W. R., GARY L. BELAND, and G. R. MANGLITZ—Nitrate as a Deterrent to Feeding by the Sweetclover Weevil 1169
ALINIAZEE, M. TASKEEN, and DAVID L. LINDGREN—Effect of Carbon Dioxide on Toxicity of Hydrocyanic Acid and Methyl Bromide to Adults of the Confused Flour Beetle and Granary Weevil at Two Different Temperatures 904
ALLEN, G. E., see M. J. PEACH, III 1227
ALLEN, NORMAN, and W. S. KINARD—Production of Tobacco Hornworm Moths from Field-Collected Larvae 1068
AMMAN, GENE D.—Annotated List of Insects Infesting Bark and Wood of Fraser Fir 249
AMMAN, GENE D., and LYNN A. RASMUSSEN—Techniques for Radiographing and the Accuracy of the X-Ray Method for Identifying and Estimating Numbers of Mountain Pine Beetle 631
ANDERSON, GARY R., HAROLD G. MELANSON, and WALDEMAR KLASSEN—A Portable Temperature Alarm for Insect-Rearing Rooms 274
ANDERSON, L. D., see J. W. CAMERON 986
APPLE, E. J., see G. W. WARE 844
APPLE, JAMES W., see DENNIS L. MERRITT 298
APPLE, J. W., E. T. WALGENBACH, and W. J. KNEE—Northern Corn Rootworm Control by Granular Insecticide Application at Planting and Cultivation Time 1033
APPLEBY, J. E., see G. L. NORDIN 23
ARCHER, T. L., see G. J. PARTIDA 1186
ARCHER, T. L., see R. G. STRONG 470
ARMBRUST, EDWARD J., HARRY D. NIEMCZYK, B. C. PASS, and M. CURTIS WILSON—Standardized Procedures Adopted for Cooperative Ohio Valley States Alfalfa Weevil Research 250
ARMBRUST, EDWARD J., CLARENCE E. WHITE, and JERALD R. DEWITT—Lethal Limits of Low Temperature for the Alfalfa Weevil in Illinois 464
ARMBRUST, EDWARD J., see CLARENCE E. WHITE 509
ARMBRUST, E. J. see J. R. DEWITT 1233
ARMSTRONG, JUAN L., see IRVING FOX 1503
ARNESON, BLAYNE E., see PHILIP KASHIN 200
ASHER, W. C.—Bromolysergic Acid Diethylamide in Physiological Studies of Lepidopterous Larvae 386
ASQUITH, DEAN, see R. L. HORSBURGH 1242
ATTIAH, H., see A. GHOBRIAL 1262, 1304
AVENS, A. W., see P. C. LIPPOLD 1509

BAE, SANG HEE, and M. D. PATHAK—Common Leafhopper-Planthopper Populations and Incidence of Tungro Virus in Diazinon-Treated and Untreated Rice Plots 772
BAILEY, JACK C., FOWDEN G. MAXWELL, and JOHNIE N. JENKINS—Influence of Changes in the Cotton Plant During the Season on the Feeding, Oviposition, and Development of the Boll Weevil 239
BAKER, BRUCE H.—Larval Instar Determination of *Malacosoma californicum fragile* on Bitterbrush in Southern Utah 1511
BAKER, DONALD W., and WILLIAM F. FISHER—The Incidence of Demodectic Mites in the Eyelids of Various Mammalian Hosts 942
BAKER, STANLEY K., see ROBERT HENRY JONES 1483
BALL, HAROLD J.—Diurnal Rhythm of Sensitivity to Diazinon in Adult Western Corn Rootworms 1097
BALL, HAROLD J.—Topical Toxicity of Insecticides to *Diabrotica virgifera* Adults 1172
BALOCK, J. W., and FERNANDO LOPEZ D.—Trapping for Control of the Mexican Fruit Fly in Mango and Citrus Groves 53

BANERJEE, AMAL C.—Development of *Crambus trisectus* at Controlled Constant Temperatures in the Laboratory 703
BANERJEE, AMAL C.—Sex Attractants in Sod Webworms 705
BARIOLA, L. A., see J. R. COPPEDGE 558
BARKER, PHILIP S.—Susceptibility of the Mushroom Mite to Phosphine and Ethylene Dibromide 145
BARKER, PHILIP S.—Susceptibility of Eggs and Young Adults of *Cryptolestes ferrugineus* and *C. turcicus* to Hydrogen Phosphide 363
BARNES, D. K., B. L. NORWOOD, C. H. HANSON, R. H. RATCLIFFE, and C. C. BLICKENSTAFF—A Mass Screening Procedure for Isolating Alfalfa Seedlings with Resistance to the Alfalfa Weevil 66
BARNES, E. E., see MAX H. BASS 718, 1512
BARNES, J. R., and J. FELLIG—Synergism of Carbamate Insecticides by Phenyl 2-Propynyl Ethers 86
BARNES, J. R., J. FELLIG, and M. MITROVIC—The Chemosterilant Effect of Anthramycin Methyl Ether in *Drosophila melanogaster* 902
BARNES, M. M., M. J. WARGO, and R. E. WAGNER—Reduction of Treatments for Codling Moth in Chilean Apple Orchards by Indexing with Portable Light Traps 733
BARNES, M. M., see R. E. WAGNER 575
BARRY, B. D.—Evaluation of Chemicals for Control of Slugs on Field Corn in Ohio 1277
BARTLETT, B. R., and G. KATS—Inflated Plastic Bags as Cages for Insects on Potted Plants .. 524
BARTON, H. E., see DON C. PETERS 1232
BASS, MAX H., and E. E. BARNES—Toxicities of Antimicrobial Agents to White-Fringed Beetle Larvae and the Effectiveness of Certain of These Agents Against Microbial Growth 718
BASS, MAX H., and E. E. BARNES—A Laboratory Rearing Technique for the White-Fringed Beetle 1512
BATISTE, WILLIAM C., and ARTHUR BERLOWITZ—European Red Mite and Two-Spotted Spider Mite Control on Apples in California 779
BATTH, SURAT S.—Influence of Temperature on the Effectiveness of Paradichlorobenzene Fumigation of Black Carpet Beetle Larvae 747
BAUMHOVER, A. H., see H. KAMASAKI 730
BAY, D. E., C. W. PITTS, and GEORGE WARD—Influence of Moisture Content of Bovine Feces on Oviposition and Development of the Face Fly 41
BAYONA, ILEANA G., see IRVING FOX 1246, 1503
BEAL, RAYMOND H.—Treating Pine Lumber with Insecticide and Preservative Prevents Tubing by Subterranean Termites 757
BEARDS, GEORGE W., see WALTER E. PEAY 1083
BEAVERS, J. B., see H. TASHIRO 443
BEAVERS, J. B., see J. F. SHAW 1154
BECKHAM, C. M.—Color Preference and Flight Habits of Thrips Associated with Cotton ... 591
BEDARD, WILLIAM D., and LLOYD E. BROWNE—A Delivery-Trapping System for Evaluating Insect Chemical Attractants in Nature 1202
BELAND, GARY L., see W. R. AKESON 1169
BEN-DOV, YAIR, and DAVID ROSEN—Efficacy of Natural Enemies of the California Red Scale on Citrus in Israel 1057
BENNETT, R. B., see JOHN H. BORDEN 782
BENNETT, STELMON E., see M. CURTIS WILSON 1421
BEN SAAD, ABDULMAJEED A., and GUY W. BISHOP—Egg-Laying by the Alfalfa Weevil in Weeds 1226
BENSCHOTER, C. A., see M. MCPHAIL 1238
BERGER, R. S., see S. Y. YOUNG, III 727, 929
BERLOWITZ, ARTHUR, see WILLIAM C. BATISTE .. 779
BEROZA, MORTON, see J. A. HARDING 832
BEROZA, MORTON, see HARRY G. DAVIS 1245
BISHOP, GUY W., see ABDULMAJEED A. BEN SAAD 1226
BISWAL, L., see G. ROUT 715
BLICKENSTAFF, C. C., AND J. L. HUGGANS—Four Methods of Sampling to Measure Populations of Alfalfa Weevil Larvae 556
BLICKENSTAFF, C. C., see D. K. BARNES 66
BLISS, M., JR., see W. H. KEARBY 60
BLUMBERG, D., see U. GERSON 729
BLYTHE, JOHN L., see PAUL A. STEWART 58
BOBB, MARVIN L.—Pre-Bloom Oil Sprays for European Red Mite Control 94
BOBB, MARVIN L.—Insecticides for Control of the Lesser Peach Tree Borer with Notes on the Peach Tree Borer 1447
BOLING, J. C., see MICHAEL F. SCHUSTER 1126, 1316, 1372
BONHAM, C. D., see R. E. FYE 823, 1019, 1519
BONNER, FRANCES, see LELAND DAVIS 505
BORDEN, JOHN H., and R. B. BENNETT—A Continuously Recording Flight Mill for Investigating the Effect of Volatile Substances on the Flight of Tethered Insects 782
BOŘKOVEC, A. B., J. A. SETTEPANI, G. C. LABRECQUE, and R. L. FYE—Boron Compounds as Chemosterilants for House Flies 1472
BORKOVEC, ALEXEJ B., see JOSEPH A. SETTEPANI 375
BOŘKOVEC, A. B., see RICHARD L. FYE 522
BOŘKOVEC, ALEXEJ B., see SHEN CHIN CHANG .. 1417
BOTTRELL, D. G., see I. W. KIRK 1250
BOULANGER, L. W., G. E. STANTON, and A. L. PADULA—Continuous Rearing of the Apple Maggot 748
BOURKE, J. B., see P. C. LIPPOLD 1509
BOWEN, H. D., see W. W. HARE 969
BOWLING, C. C.—Estimation of Rice Stink Bug Populations on Rice 574
BOWMAN, M. C., and J. R. YOUNG—Persistence and Degradation of Residues of Ciba C-9491 and Their Control of Fall Armyworms and Corn Earworms 1468
BOWMAN, M. C., see J. WENDELL SNOW 606
BOWMAN, M. C., see J. R. YOUNG 646
BOWMAN, M. C., see W. W. MCMILLIAN 708
BOWMAN, M. C., see D. B. LEUCK 1282, 1458
BOYD, F. J., and H. N. PITRE—Greenhouse Studies of Host Plant Suitability to *Graminella nigrifrons*, A Vector of Corn Stunt Virus ... 126
BRADY, U. EUGENE, and LEE H. FINLEY—Behavioral Response of Bidrin®-Treated Male Indian-Meal Moths to the Female Sex Pheromone 1117
BRAMHALL, E. L., see C. B. NELSON 47
BRANSON, TERRY F., PAUL L. GUSS, and ELDON E. ORTMAN—Toxicity of Sorghum Roots to Larvae of the Western Corn Rootworm 1375
BRATKOWSKI, T. A., see K. C. PATIL 1502
BRAZZEL, J. R., see M. J. PEACH, III 1227
BREITFELD, H., see K. G. SWENSON 875

BREWER, J. W., R. C. DOBSON, and J. W. NELSON—Effects of Increased Pollinator Levels on Production of the Highbush Blueberry *Vaccinium corymbosum* ... 815
BREWER, J. W., and R. C. DOBSON—Seed Count and Berry Size in Relation to Pollinator Level and Harvest Date for the Highbush Blueberry, *Vaccinium corymbosum* ... 1353
BRIGGS, R. W., see W. KLASSEN ... 1204
BROWN, A. W. A., see D. H. C. HERNE ... 205
BROWN, GARY A., and ROBERT DAVIS—Effects of Introduced Irradiated Male Grain Mites on Population Development ... 767
BROWN, H. E., W. R. ENNS, and C. W. WINGO—Philip Carlton Stone (1911–1968) .. (Obit.) 530
BROWN, H. E., see L. H. WILLIAMS ... 1381
BROWN, LELAND R., and CLARK O. EADS—Factors Affecting the Appearance of Holly Oaks in Southern California ... 114
BROWN, LELAND R., and CLARK O. EADS—Unnamed and Little-Known Insects Attacking Cottonwood in Southern California ... 667
BROWN, LELAND R.—Odorous House Ant Feeds on Photographic Film ... 955
BROWN, R. D., D. PIMENTEL, and H. D. BYRNE—Intrinsic Rate of Increase of the Pea Aphid on Resistant and Susceptible Alfalfa ... 1521
BROWNE, LLOYD E., see WILLIAM D. BEDARD ... 1202
BRY, ROY E., JOE H. LANG, and N. M. DENNIS—Gardona as a Mothproofer of Woolen Fabric 868
BRYAN, D. E., C. G. JACKSON, and RAYMOND PATANA—Effect of Temperature on the Progeny Production and Longevity of *Lespesia archippivora* in the Laboratory ... 765
BRYAN, D. E., C. G. JACKSON, and RAYMOND PATANA—Laboratory Studies of *Microplitis croceipes*, a Braconid Parasite of *Heliothis* spp. ... 1141
BRYAN, D. E., see C. G. JACKSON ... 69, 907
BUCHANAN, ROGER S., LEONARD W. DEWHIRST, and GEORGE W. WARE—The Importance of Sheep Bot Fly Larvae and Their Control with Systemic Insecticides in Arizona ... 675
BUFFAM, PAUL E., HAROLD W. FLAKE, JR., and CHARLES J. GERMAIN—Laboratory Insecticide Tests Against the Fall Webworm ... 565
BULLOCK, H. R., see A. T. FERNANDEZ ... 173
BULLOCK, H. R., and H. T. DULMAGE—*Bacillus thuringiensis* Against Pink Bollworms on Cotton in Field Cages ... 994
BURBUTIS, PAUL P., see JOHN C. RYDER, JR. ... 1150
BURDEN, G. S., and B. J. SMITTLE—Baygon® in Field Tests Against German Cockroaches ... 262
BURDITT, A. K., JR., see R. A. SUTTON ... 1230
BURKHOLDER, W. E., see J. W. SLOMINSKI ... 507
BURGER, T. L., see H. L. MALTBY ... 1157
BURK, L. G., and P. A. STEWART—Resistance of *Nicotiana* Species to the Green Peach Aphid 1115
BURNS, EDWARD C., and JOAN B. CHAPIN—Arthropods in the Diet of the Cattle Egret, *Bubulcus ibis*, in Southern Louisiana ... 736
BURNS, E. C., see PHILIP TUGWELL ... 56
BURT, EDDIE C., E. P. LLOYD, and D. B. SMITH—Control of the Boll Weevil by Mechanically Destroying Fallen Infested Cotton Squares .. 862
BURT, E. C., see F. A. HARRIS ... 854
BURTON, R. L., see W. W. MCMILLIAN ... 708
BUTLER, G. D., JR., see C. G. JACKSON ... 69
BUTLER, L. I., see A. F. HOWLAND ... 939
BUTT, B. A., see L. M. MCDONOUGH ... 62, 243
BUTT, B. A., see LELAND D. WHITE ... 795
BYRNE, H. D., see R. D. BROWN ... 1521

CAHILL, W. P., see G. W. WARE ... 840, 844
CALKINS, C. O.—Effect of Temperature, Light, and Date of Collection on the Feeding Rate of the Sweetclover Weevil ... 169
CALKINS, C. O., and V. M. KIRK—Effect of Winter Precipitation and Temperature on Overwintering Eggs of Northern and Western Corn Rootworms ... 541
CALMAN, J. R., see G. P. GEORGHIOU ... 171
CALTAGIRONE, L. E.—Terpenyl Acetate Bait Attracts *Chrysopa* Adults ... 1237
CALVERT, C. C., R. D. MARTIN, and N. O. MORGAN—House Fly Pupae as Food for Poultry .. 938
CAMERON, J. W., L. D. ANDERSON, and H. H. SHOREY—Corn Earworm Damage to Ears with Starchy (Su_1) vs. Sugary (su_1) Kernels on Genetically Uniform Mother Plants ... 986
CANTELO, W. W., see J. WENDELL SNOW ... 606
CAPIZZI, J., see W. P. NAGEL ... 1098
CARACALLI, N., see P. DE PIETRI-TONELLI ... 107
CAREY, WALTER E., see WILLARD C. MYSER ... 543
CARRUTH, L. A., see R. C. COLLINS ... 652
CASIDA, JOHN E., see SURENDRA P. SHRIVASTAVA .. 483
CASIDA, JOHN E., see FREDERICK W. PLAPP, JR. .. 1174
CAVIN, G. E., see B. J. FIORI ... 8
CHALFANT, RICHARD B.— Toxicity of Insecticides Against Two Looper Species, *Pseudoplusia includens* and *Trichoplusia ni*, in the Laboratory ... 1343
CHALFANT, RICHARD B.—Control of the Poplar Petiole Gall Aphid on Turnip Roots ... 1519
CHAMBERS, D. L., see H. TASHIRO ... 443
CHAMBERS, D. L., see F. LÓPEZ-D. ... 1255
CHAMBERS, G. V., see D. W. MICKS ... 455
CHANG, M. T. Y., see MARTIN SHERMAN ... 1494
CHANG, SHEN CHIN, and ALEXEJ B. BOŘKOVEC—Comparative Metabolism of ^{14}C-Labeled Hempa by House Flies Susceptible or Resistant to Isolan® ... 1417
CHAPIN, JOAN B., see EDWARD C. BURNS ... 736
CHAPMAN, ANDREW J., see LLOYD W. NOBLE ... (Obit.) 974
CHENG, TIEN-HSI, see SIK-CHUNG TUNG ... 1412
CHERRY, EDWARD T., and CHARLES D. PLESS—Bioassay of Leaves from Tobacco Grown on Soil Treated with Certain Systemic Insecticides 1313
CHIANG, H. C., VERN SISSON, and DALLAS RASMUSSEN—Conversion of Results of Concentrated Samples to Density Estimates of Egg and Larval Populations of the Northern Corn Rootworm ... 578
CHIYKOWSKI, L. N., and R. C. SINHA—Comparative Efficiency of Transmission of Aster Yellows by *Elymana virescens* and *Macrosteles fascifrons* and the Relative Concentration of the Casual Agent in the Vectors ... 883
CIESLA, W. M.—Forecasting Population Trends of an Oak Leaf Tier, *Croesia semipurpurana* 1054
CLABORN, H. V., see M. C. IVEY ... 1003
CLABORN, H. V., see D. D. OEHLER ... 1481
CLANCY, D. W.—Biological Control of the Egyptian Alfalfa Weevil in California and Arizona 209
CLANCY, D. W.—A New Parasite of the Vegetable Weevil in Southern California ... 743

CLANCY, D. W.—Parasitization of Cabbage and Alfalfa Loopers in Southern California 1078
CLARK, EDGAR W., see RICHARD A. WERNER 436
CLARK, P. H., see M. M. COLE 568
CLEERE, J. S., see P. C. LIPPOLD 1509
CLEVELAND, M. L., see TIM T. Y. WONG 789
CLINE, RICHARD E., DONALD P. WILTON, and RICHARD W. FAY—Aliphatic Amines Ovicidal for the Yellow-Fever Mosquito 981
COAKLEY, JERRY M., FOWDEN G. MAXWELL, and JOHNIE N. JENKINS—Influence of Feeding, Oviposition, and Egg and Larval Development of the Boll Weevil on Abscission of Cotton Squares 244
COAN, R. M.—Vacuum Cleaner for Use with Granular Applicators in Field-Plot Work .. 274
COGBURN, ROBERT R., and PATRICK G. MAHANY—Effect of Gamma Radiation on the Insecticidal Efficiency of Malathion Deposits on Wheat and Kraft Paper 829
COLE, M. M., J. M. HIRST, J. G. MCWILLIAMS, and I. H. GILBERT—Sleeve Tests of Insecticidal Powders for Control of Body Lice 198
COLE, M. M., P. H. CLARK, and D. E. WEIDHAAS—Failure of Laboratory Colonies of Body Lice to Develop Resistance to Malathion 568
COLLINS, R. C., L. W. DEWHIRST, and L. A. CARRUTH—The Cattle Grub Problem in Arizona. I. Timing of Adult Activity of the Common Cattle Grub 652
COMBS, ROBERT L., JR., and CLIFFORD E. HOELSCHER — Hymenopterous Pupal Parasitoids Found Associated with the Horn Fly in Northeast Mississippi 1234
COMPLIN, J. O., see L. R. JEPPSON 975
CONAWAY, CARSON C., and CHARLES O. KNOWLES—Metabolism of Diazinon-C^{14} in Western Corn Rootworm Beetles 286
CONCIENNE, E. J., see AHMED A. NEGM 245
COPPEDGE, J. R., D. A. LINDQUIST, R. L. RIDGWAY, C. B. COWAN, and L. A. BARIOLA—Sidedress Applications of Union Carbide UC-21149 for Control of Overwintered Boll Weevils .. 558
COPPEL, H. C., see F. MATSUMURA 599
CORLEY, CALVIN, see J. A. HARDING 832
CORRADINI, V., see P. DE PIETRI-TONELLI 107
COTHRAN, WARREN R., see CHARLES G. SUMMERS 746
COVINGTON, B. M., see W. J. MISTRIC, JR. 35
COWAN, C. B., see J. R. COPPEDGE 558
CRABTREE, D. GLEN, see RICHARD K. TUCKER .. 1307
CRAVEN, B. R., see C. D. STEELMAN 1152
CROSS, W. H., D. D. HARDEE, F. NICHOLS, H. C. MITCHELL, E. B. MITCHELL, P. M. HUDDLESTON, and J. H. TUMLINSON—Attraction of Female Boll Weevils to Traps Baited with Males or Extracts of Males 154
CROSS, W. H., see D. D. HARDEE 161, 165
CROSS, WILLIAM H., WILLIAM L. MCGOVERN, and HENRY C. MITCHELL—Biology of *Bracon kirkpatricki* and Field Releases of the Parasite for Control of the Boll Weevil 448
CROSS, WILLIAM H., see HENRY C. MITCHELL ... 604
CROSS, WILLIAM H., see CURTIS H. ADAMS 889
CROWELL, H. H.—Hugh Engle Morrison (1905–1967) ..... (Obit.) 281
CRUMRINE, MARTIN H., see STANLEY R. HUSTED 1489
CRYSTAL, MAXWELL M.—Sexual Sterilization of Screw-Worm Flies: Reliability of the Chemosterilant Technique 136
CRYSTAL, MAXWELL M.—Changes in Susceptibility of Screw-Worm Flies to the Chemosterilant *N,N'*-tetramethylenebis(1-aziridinecarboxamide), with Time of Administration 275
CRYSTAL, MAXWELL M., see JOSEPH A. SETTEPANI 375
CUNNINGHAM, R. T., see S. NAKAGAWA 970
CUTHBERT, F. P. JR., see A. G. GENTILE 513
CWILICH, R., A. HADANI, and Y. RECHAV—Residual Activity of Benzene Hexachloride Formulations on the Bovine Coat 1

DAHM, P. A., see T. NAKATSUGAWA 408
DANIELS, CALVIN, see VICTOR E. ADLER 519
DANIELS, NORRIS E.—Alternate Hosts of the Greenbug 521
DAOUD, C., see D. W. MICKS 455
DARWAZEH, H. A., see M. S. MULLA 365
DAIERMAN, G. E.—Easy Recognition of Mated Females of the European Pine Shoot Moth .. 527
DAUGHERTY, D. M., see JOHN E. FOSTER 424
DAUM, R. J., R. T. GAST, and T. B. DAVICH—Marking Adult Boll Weevils with Dyes Fed in a Cottonseed Oil Bait 943
DAUM, R. J., and G. H. MCKIBBEN—A Vacuum Probe for Manipulating Insects 267
DAUM, R. J., G. H. MCKIBBEN, T. B. DAVICH, and R. MCLAUGHLIN—Development of the Bait Principle for Boll Weevil Control: Calco Oil Red N-1700® Dye for Measuring Ingestion 370
DAVICH, T. B., see D. D. HARDEE 161
DAVICH, T. B., ses R. J. DAUM 370, 943
DAVICH, T. B., see W. L. MCGOVERN 1144
DAVIS, D. G., see TIM T. Y. WONG 789
DAVIS, HARRY G., GAINES W. EDDY, T. P. MCGOVERN, and MORTON BEROZA—Heptyl Butyrate, a New Synthetic Attractant for Yellow Jackets 1245
DAVIS, LELAND, FRANCES BONNER, and S. D. HENSLEY—Residues on Sugarcane Tissues 24 Hours After Application of Different Formulations of Azinphosmethyl 505
DAVIS, L. B., see R. E. FURR 732
DAVIS, ROBERT, see GARY A. BROWN 767
DAWKNS, C. C., see B. G. HIGHTOWER 966
DAWSON, L. H., see D. GONZÁLEZ 1320
DAY, AUGUSTINE, and W. J. REID, JR.—Response of Adult Southern Potato Wireworms to Light Traps 314
DAY, KELLY M., see M. CURTIS WILSON 699
DAY, W. H.—Biological Notes on *Dibrachys cavus,* a Secondary Parasite Attacking Parasites (*Bathyplectes* spp.) of the Alfalfa Weevil in the Eastern United States 1225
DEAN, R. W.—Infestation of Peaches by *Rhagoletis suavis* 940
DEBOLT, J. W., see A. F. HOWLAND 117
DENEVE, R. T., see R. S. PATTERSON 1455
DENNIS, N. M., see ROY E. BRY 868
DEPEW, LESTER J.—Field Evaluation of Insecticides to Control Alfalfa Weevil in Kansas, 1967–68 1500
DE PIETRI-TONELLI, P., V. CORRADINI, N. CARACALLI, and G. SIDDI—Winter Control of the European Red Mite, *Panonychus ulmi,* and Certain Fruit Insects by M-2060 (2-fluoroethyl (4-biphenylyl) acetate) in Italy 107
DEWEY, JAMES E., see ZANE SMILOWITZ 502, 1347
DEWEY, JAMES E., see BRUCE L. PARKER 725

DEWHIRST, L. W., see R. C. COLLINS 652
DEWHIRST, LEONARD W., see ROGER S. BUCHANAN 675
DEWITT, J. R., E. J. ARMBRUST, S. J. ROBERTS, and C. E. WHITE—Preliminary Study of the Bionomics of the Alfalfa Weevil on Soybeans 1233
DEWITT, JERALD R., see EDWARD J. ARMBRUST .. 464
DEWITT, JERALD R., see CLARENCE E. WHITE .. 509
DICKSON, R. C., and E. F. LAIRD, JR.—Crop Host Preferences of Greenbug Biotype Attacking Sorghum 1240
DIETZ, ALFRED — Performance of Laboratory-Reared and Artificially Inseminated Honey Bee Queens 251
DISHBURGER, H. J., J. R. RICE, W. S. MCGREGOR, and JOAN PENNINGTON—Residues of Dursban® Insecticide in Tissues from Turkeys Confined on Soil Treated for Chigger Control 181
DITTRICH, VOLKER — Chlorphenamidine Negatively Correlated with OP Resistance in a Strain of Two-Spotted Spider Mite 44
DITTRICH, V., see A. GHOBRIAL 1262, 1304
DOBSON, R. C., see J. W. BREWER 815, 1353
DOBSON, R. C., see D. P. SANDERS 1362
DONOSO-LOPEZ, J. G., and A. A. GRIGARICK—An Evaluation of Carbofuran for Control of Several Stages of the Rice Water Weevil in Greenhouse Tests 1024
DOROUGH, H. W., and O. G. WIGGINS—Nature of the Water-Soluble Metabolites of Carbaryl in Bean Plants and Their Fate in Rats 49
DOROUGH, H. W., see N. M. RANDOLPH 462
DOTY, A. E., see W. KEITH WHITNEY 567
DREA, JOHN J., JR.—Fecundity, Hatch of Eggs, and Duration of Oviposition of Mated, Isolated Female Alfalfa Weevils 1523
DREA, JOHN J., JR., and THOMAS B. O'CONNELL—Insects and Mites Associated with *Halogeton sativus* in Morocco and Spain, 1959–1963 ... 1432
DRISCOLL, G. R., see D. G. R. MCLEOD 427
DRUMMOND, R. O., T. M. WHETSTONE, S. E. ERNST, and W. J. GLADNEY—Biology and Colonization of the Winter Tick in the Laboratory 235
DRUMMOND, R. O., and W. J. GLADNEY—Further Evaluation of Animal Systemic Insecticides, 1968 934
DULMAGE, H. T., see H. R. BULLOCK 994
DURANT, JOHN A.—Seasonal History of the European Corn Borer at Florence, South Carolina 1071

EADS, CLARK O., see LELAND R. BROWN 114, 667
ECONOMOPOULOS, A. P., and H. T. GORDON—Action of Certain Chemosterilants on Males of the Large Milkweed Bug 1326
EDDY, GAINES W., see HARRY G. DAVIS 1245
EIKENBARY, R. D., see JAY M. LAMDIN 640
EIKENBARY, R. D., see HARLEY G. RANEY ..722, 1239
EL-AZIZ, SHAWKY ABD, R. L. METCALF, and T. R. FUKUTO—Physiological Factors Influencing the Toxicity of Carbamate Insecticides to Insects 318
ELDEFRAWI, M. E., see A. TOPPOZADA 440
EL-MOURSY, A. A., see MAHMOUD HAFEZ 324
EL SAYED, E. I., and J. B. GRAVES—Effects of Gamma Radiation on the Tobacco Budworm. I. Irradiation of Pupae 289
EL SAYED, E. I., and J. B. GRAVES—Effects of Gamma Radiation on the Tobacco Budworm. II. Irradiation of Moths 293
EL SAYED, E. I., and J. B. GRAVES—Effects of Gamma Radiation on the Tobacco Budworm. III. Irradiation of Eggs and Larvae 296
ELY, D. G., and T. L. HARVEY—Relation of Ration to Short-Nosed Cattle Louse Infestation 341
ELY, D. G., see T. L. HARVEY 1386
EL-ZIADY, S., see MAHMOUD HAFEZ 324
ENNS, W. R.—Leonard Haseman (1884–1969) ..... (Obit.) 973
ENNS, W. R., see H. E. BROWN ..... (Obit.) 530
ERAKEY, M. A. S., see MAHMOUD HAFEZ 324
ERNST, S. E., see R. O. DRUMMOND 235
ESCHLE, J. L., see D. D. OEHLER 1481
ESTESEN, BETTY J., see G. W. WARE 840
EVERY, R. W., see J. A. KAMM 950
EVERY, R. W., see W. P. NAGEL 1098

FARIAS, G. J., see S. NAKAGAWA 970
FAY, RICHARD W., see RICHARD E. CLINE 981
FELLIG, J., see J. R. BARNES 86, 902
FERNANDEZ, A. T., H. M. GRAHAM, M. J. LUKEFAHR, H. R. BULLOCK, and N. S. HERNANDEZ, JR.—A Field Test Comparing Resistant Varieties Plus Applications of Polyhedral Virus with Insecticides for Control of *Heliothis* spp. and Other Pests of Cotton, 1967 173
FINLEY, LEE H., see U. EUGENE BRADY 1117
FIORI, B. J., V. A. PUGLISI, D. W. HAMILTON, and G. E. CAVIN—Insecticidal Dusts Against Japanese Beetles and European Chafers for Disinsectization of Transport Vehicles 8
FIORI, B. J., see H. TASHIRO 1179
FISHER, WILLIAM F., see DONALD W. BAKER 942
FLAKE, HAROLD W., JR., see PAUL E. BUFFAM ... 565
FLESSEL, J. K., see H. D. NIEMCZYK 1197
FLORA, NEWTON W., see HARLEY G. RANEY 1239
FLOYD, E. H., LEE MASON, and SHERMAN PHILLIPS—Survival of Overwintering Southwestern Corn Borers in Corn Stalks in Louisiana 1016
FOILES, L. L., see JEROME A. ONSAGER 1506
FOLTZ, VERNON D., see STANLEY R. HUSTED 1489
FORD, G. M., see R. E. WAGNER 575
FOSTER, JOHN E., and D. M. DAUGHERTY—Isolation of the Organism Causing Yeast-Spot Disease from the Salivary System of the Green Stink Bug 424
FOX, IRVING, ILEANA G. BAYONA, and JUAN L. ARMSTRONG—Cat Collars Impregnated with Dichlorvos Ineffective Against Ear Mites 1503
FOX, RICHARD C., see RICHARD F. NASH 660
FOX, IRVING, GISELA A. RIVERA, and ILEANA G. BAYONA—Controlling Cat Fleas with Dichlorvos-Impregnated Collars 1246
FRICK, KENNETH E.—Attempt to Establish the Ragwort Seed Fly in the United States 1135
FROST, K. R., see G. W. WARE 840, 844
FRYXELL, PAUL A., see M. J. LUKEFAHR 263
FUHREMANN, T. W., see E. P. LICHTENSTEIN ... 761
FUJIMOTO, M. S., see F. R. HOLBROOK 962
FUKUTO, T. R., see SHAWKY ABD EL-AZIZ 318
FUKUTO, T. R., see R. L. JONES 801
FULLERTON, D. G., see T. F. WATSON 682
FURMAN, DEANE P., and DWAYNE LEE—Experimental Control of the Northern Fowl Mite 1246

FURNISS, M. M., and J. A. SCHENK—Sustained Natural Infestation by the Mountain Pine Beetle in Seven New *Pinus* and *Picea* Hosts 518
FURR, R. E., and L. B. DAVIS—Acaricides for Control of the Two-Spotted Spider Mite on Cotton in the Field 732
FYE, R. E.—Longevity and Fecundity of the Boll Weevil Complex in Arizona 1408
FYE, R. E., and J. E. LEGGETT—Winter Survival in Arizona of Thurberia Weevils Released from Thurberia Bolls 467
FYE, RICHARD L, G. C. LABRECQUE, A. B. BOŘKOVEC, and J. MORGAN, JR.—Compounds Affecting Fertility of Adult House Flies 522
FYE, R. E., and C. D. BONHAM—Estimating Temperatures and Heat Flux in Insect Environments in Stubbed Cotton Fields in the Winter 823
FYE, R. E., and C. D. BONHAM—Temperatures at the Surface of Cotton Leaves 1519
FYE, R. E., C. D. BONHAM, and J. E. LEGGETT—Modification of Temperature by Four Types of Insect Cages 1019
FYE, R. E., and D. J. LARSEN—Preliminary Evaluation of *Trichogramma minutum* as a Released Regulator of Lepidopterous Pests of Cotton 1291
FYE, R. E., RAYMOND PATANA, W. C. MCADA—Developmental Periods for Boll Weevils Reared at Several Constant and Fluctuating Temperatures 1402
FYE, R. E., see J. E. LEGGETT 147
FYE, R. L., see A. B. BOŘKOVEC 1472

GALFORD, JIMMY R.—A Larval and Ovipositional Medium for the Smaller European Elm Bark Beetle 1166
GAMBRELL, F. L., see K. G. SWENSON 875
GARCIA, R. D., see M. T. OUYE 650
GARCIA, R. D., see A. A. GUERRA 741
GARRETT, WALLACE T., and GEORGE S. LANGFORD—Seasonal Life Cycle of *Fiorinia externa* in Maryland 1221
GARRETT, WALLACE T., and GEORGE S. LANGFORD—Control of *Fiorinia externa* on Hemlock in Maryland 1449
GAST, R. T., see R. J. DAUM 943
GAYDON, DOUGLAS M., and THEODORE R. ADKINS, JR.—Effect of Cultivation on Emergence of Eye Gnats (*Hippelates* spp.) in South Carolina 312
GEIB, A. F., see M. S. MULLA 365
GENTILE, A. G., and F. P. CUTHBERT, JR.—Laboratory Rearing of the Tobacco Flea Beetle 513
GENTILE, A. G., RALPH E. WEBB, and A. K. STONER—*Lycopersicon* and *Solanum* spp. Resistant to the Carmine and the Two-Spotted Spider Mite 834
GENTRY, C. R., W. W. THOMAS, and J. M. STANLEY—Integrated Control as an Improved Means of Reducing Populations of Tobacco Pests 1274
GENUNG, W. G., see G. L. GREENE 798
GEORGE, D. A., see L. M. MCDONOUGH 62, 243
GEORGE, D. A., see A. F. HOWLAND 939
GEORGHIOU, G. P., J. R. CALMAN, and M. S. MULLA—Aliphatic Amines Against Insecticide-Susceptible and Resistant Strains of *Culex pipiens quinquefasciatus* and *Anopheles albimanus* 171
GERHARDT, P. D., see G. W. WARE 840, 844
GERHOLD, JAMES F., see M. CURTIS WILSON 1517
GERMAIN, CHARLES J., see PAUL E. BUFFAM 565
GERSON, U., and D. BLUMBERG—Biological Notes on the *Saniosulus nudus* 729
GHOBRIAL, A., V. DITTRICH, M. HAFIZ, H. ATTIAH, and G. VOSS—Population Analyses of Resistance Patterns in Spider Mites of the *Tetranychus telarius* Complex (Red and Green Forms) Occurring in Egypt 1262
GHOBRIAL, A., H. ATTIAH, G. VOSS, and V. DITTRICH—The *Tetranychus telarius* Complex (Red and Green Forms) in Egyptian Cotton: Two Separate Species 1304
GIBSON, T., see A. F. HOWLAND 117
GIFFORD, J. R., and G. B. TRAHAN—Staining Technique for Eggs of Rice Water Weevils Oviposited Intracellularly in the Tissue of the Leaf Sheaths of Rice 740
GIFFORD, J. R., and G. B. TRAHAN—Apparatus for Removing Overwintering Adult Rice Water Weevils from Bunch Grass 752
GILBERT, I. H., see M. M. COLE 198
GLADNEY, W. J., see R. O. DRUMMOND 235, 934
GOJMERAC, W. L., see J. W. SLOMINSKI 507
GONZÁLEZ, D., and W. A. RAWLINS—Relation of Aphid Populations to Field Spread of Lettuce Mosaic Virus in New York 1109
GONZÁLEZ, D., R. VAN DEN BOSCH, and L. H. DAWSON—Establishment of *Dibrachoides druso* on the Egyptian Alfalfa Weevil in Southern California 1320
GONZÁLEZ, D., see R. VAN DEN BOSCH 1486
GOONEWARDENE, HILARY F., and DONALD B. ZEPP—Feeding Larvae of the Japanese Beetle in the Laboratory 514
GOONEWARDENE, HILARY F., and J. E. MCKAY—An Artificial Diet for the Adult Japanese Beetle 964
GORDON, H. T., see L. T. JAO 612
GORDON, H. T., see A. P. ECONOMOPOULOS 1326
GOTHILF, SHMUEL, see ROBERT E. WAITES 301
GRAHAM, H. M., see A. T. FERNANDEZ 173
GRAHAM, H. M., see C. A. RICHMOND 525
GRAHAM, HARRY M., see MICHAEL F. SCHUSTER 1126
GRAHAM, O. H., see SIDNEY E. KUNZ 872
GRANT, G. G.—Dioxane and Dioxaspiro Derivatives as Attractants for Male Yellow-Fever Mosquitoes 786
GRASSO, ALFONSO, and GIANCARLO MAJORI—Toxicity of Ouabain (G-strophanphin) to Adult House Flies 944
GRAVES, J. B., see E. I. EL SAYED 289, 293, 296
GREANY, P. D., see G. R. PLATNER 271
GREEN, N., see J. C. KELLER 1520
GREENE, G. L., W. G. GENUNG, R. B. WORKMAN, and E. G. KELSHEIMER—Cabbage Looper Control in Florida—A Cooperative Program 798
GREENE, G. L., see M. J. JANES 1031
GRIGARICK, A. A., see J. G. DONOSO-LOPEZ 1024
GROSS, H. R., JR., and W. T. SPINK—Responses of Striped Earwigs Following Applications of Heptachlor and Mirex, and Predator-Prey Relationships Between Imported Fire Ants and Striped Earwigs 686
GRUSSENDORF, O. W., see F. L. WATTERS 1101

GUERRA, A. A.—Catches of Male Pink Bollworms in Several Modifications of the Frick Trap Baited with Sex Attractant 1514
GUERRA, A. A., and T. N. SHAVER—Feeding Stimulants from Plants for Larvae of the Tobacco Budworm and Bollworm 98
GUERRA, A. A., R. D. GARCIA, and M. P. LEAL—Suppression of Populations of Pink Bollworms in Field Cages with Traps Baited with Sex Attractant 741
GUERRA, A. A., see M. T. OUYE 650
GUNTHER, F. A., see L. R. JEPPSON 531
GUSS, PAUL L., see TERRY F. BRANSON 1375
GUTHRIE, W. D., see M. T. KIRA 1366

HACKEROTT, H. L., see T. L. HARVEY 776, 1271
HADANI, A., see R. CWILICH 1
HAFEZ, MAHMOUD, A. E. ABOUL-NASR, and H. S. SALAMA—Studies on the Control of Mosquitoes in Egypt by Means of Chemosterilants. I. Chemosterilization of *Anopheles pharoensis* 233
HAFEZ, MAHMOUD, M. F. OSMAN, S. EL-ZIADY, A. A. EL-MOURSY, and M. A. S. ERAKEY—Studies on Control of House Flies in Egypt by Chemosterilants. I. Laboratory Studies on *Musca domestica vicina* 324
HAFIZ, M., see A. GHOBRIAL 1262
HAGEL, G. T., see B. J. LANDIS 273
HALFHILL, JOHN ERIC, see GEORGE TAMAKI 678
HAMILTON, A. G., see N. J. NERNEY 329
HAMILTON, DONALD W., see PAUL H. SCHWARTZ, JR. 516, 738
HAMILTON, D. W., see B. J. FIORI 8
HAMILTON, EUGENE W., and ROBERT W. KIECKHEFER—Toxicity of Malathion and Parathion to Predators of the English Grain Aphid 1190
HAMILTON, EUGENE W., and GERALD R. SUTTER—Chemosterilizing Southern Corn Rootworm Beetles with Apholate 1285
HAMPTON, R. B., see J. F. SHAW 1154
HANSENS, ELTON J., see RUBEN O. ABASA 334
HANSON, C. H., see D. K. BARNES 66
HARDEE, D. D., W. H. CROSS, E. B. MITCHELL, P. M. HUDDLESTON, H. C. MITCHELL, M. E. MERKL, and T. B. DAVICH—Biological Factors Influencing Responses of the Female Boll Weevil to the Male Sex Pheromone in Field and Large-Cage Tests 161
HARDEE, D. D., W. H. CROSS, and E. B. MITCHELL—Male Boll Weevils are More Attractive Than Cotton Plants to Boll Weevils 165
HARDEE, D. D., see W. H. CROSS 154
HARDEE, D. D., see W. L. MCGOVERN 1144
HARDING, J. A., CALVIN CORLEY, MORTON BEROZA, and W. G. LOVELY—Residues of Diazinon on Field Corn Treated with Granular, Capsular, and ULV Formulations for Control of the European Corn Borer 832
HARDY, J. L., see W. KEITH WHITNEY 567
HARE, W. W., E. A. HARRELL, and H. D. BOWEN — An Experimental Pesticide Dust-Metering Unit 969
HARE, W. W., see E. A. HARRELL 526
HARRELL, E. A., and W. W. HARE—Tifton Ultra-Low-Volume Nozzle Tip 526
HARRELL, E. A., see J. R. YOUNG 646
HARRELL, E. A., see W. W. HARE 969
HARRIS, C. R.—Laboratory Studies on the Persistence of Biological Activity of Some Insecticides in Soils 1437
HARRIS, C. R., and H. J. SVEC—Laboratory Studies of the Contact Toxicity of Some Insecticides to Cabbage Loopers 1013
HARRIS, C. R., H. J. SVEC, and W. W. SANS—Toxicological Studies on Cutworms. V. Field Studies on the Control of the Dark-Sided Cutworm by Treatment of the Rye Crop Grown in Rotation with Tobacco 1441
HARRIS, C. R.—Seed-Corn Maggot Resistance to Aldrin in Illinois 957
HARRIS, C. R., see D. G. R. MCLEOD 427
HARRIS, C. R., see J. R. W. MILES 1334
HARRIS, F. A., E. P. LLOYD, H. C. LANE, and E. C. BURT—Influence of Light on Diapause in the Boll Weevil. II. Dependence of Diapause Response on Narrow Bands of Visible Radiation and a Broad Band of Infrared Radiation Used to Extend the Photoperiod .. 854
HARRIS, R. L., and J. A. MILLER—A Technique for Studying the Feeding Habits of the Horn Fly 279
HARRISON, FLOYD P.—Reproductive Capacity of the Green Peach Aphid on Maryland Tobacco 593
HARTSELL, PRESTON L., see G. H. SPITLER 305
HARVEY, T. L., and H. L. HACKEROTT—Recognition of a Greenbug Biotype Injurious to Sorghum 776
HARVEY, T. L., and H. L. HACKEROTT—Plant Resistance to a Greenbug Biotype Injurious to Sorghum 1271
HARVEY, T. L., and D. G. ELY—Wax-Bar Applications of Ciodrin for Horn Fly Control 1386
HARVEY, T. L., see D. G. ELY 341
HARVEY, T. L., see R. W. LIVERS 1368
HASSAN, TASSAMOUH K., and CHARLES O. KNOWLES—Behavior of Three C^{14}-Labeled Benzilate Acaricides When Applied Topically to Soybean Leaves 618
HASSAN, TASSAMOUH K., see CHARLES O. KNOWLES 411, 1229
HAWS, L. DALE, and BRINTON L. SWIFT—Transplantation of Common Cattle Grub Larvae into Horses 503
HAYS, S. B., J. K. REED, and L. H. SENN—James Harvey Cochran (1913-1969) ..... (Obit.) 1252
HAYS, SIDNEY B., see JANE A. WILSON 690
HAYS, SIDNEY B., see ALBERT W. JOHNSON 438
HEINRICHS, E. A.—Lipid Content and Seasonal Activity of *Odontopus calceatus* (Coleoptera: Curculionidae) Adults 1360
HEINRICHS, E. A., and ELLIS L. MATHENY—Hatching of Sod Webworm Eggs in Relation to Low Temperatures 1344
HENSLEY, S. D., and W. H. LONG—Differential Yield Responses of Commercial Sugarcane Varieties to Sugarcane Borer Damage 620
HENSLEY, S. D., see AHMED A. NEGM ..245, 948, 1008
HENSLEY, S. D., see LELAND DAVIS 505
HERBERT, E. W., JR., see H. SHIMANUKI 813
HERNANDEZ, N. S., JR., see A. T. FERNANDEZ ... 173
HERNE, D. H. C., and A. W. A. BROWN—Inheritance and Biochemistry of OP-Resistance in a New York Strain of the Two-Spotted Spider Mite 205
HERRICK, R. B., see MARTIN SHERMAN 1494

HERTEL, G. D., see H. A. THOMAS 385
HICKEY, LOUISA A., see P. H. SCHWARTZ 738
HIGHTOWER, G. B., and A. L. ADAMS—Dispersal and Local Distribution of Laboratory-Reared Sterile Screw-Worm Flies Released in Winter 259
HIGHTOWER, B. G., and C. C. DAWKINS—Use of Genetically Marked Strain to Evaluate the Retention of Marking Dyes by Released Screw-Worm Flies 966
HILL, ROSCOE E.—Don Bion Whelan (1887–1969) ..... (Obit.) 1525
HIMEL, CHESTER M.—The Fluorescent Particle Spray Droplet Tracer Method 912
HIMEL, CHESTER M.—The Optimum Size for Insecticide Spray Droplets 919
HIMEL, CHESTER M., and ARTHUR D. MOORE—Spray Droplet Size in the Control of Spruce Budworm, Boll Weevil, Bollworm, and Cabbage Looper 916
HINTZ, THOMAS R., see M. CURTIS WILSON 1517
HIRST, J. M., see M. M. COLE 198
HITCHCOCK, J. D., see JOSEPH O. MOFFETT 886
HOAGE, TERRELL R., and DON C. PETERS—Selection for American Foulbrood Resistance in Larval Honey Bees 896
HOELSCHER, CLIFFORD E., see ROBERT L. COMBS, JR. 1234
HOFFMAN, R. A., see M. C. IVEY 1003
HOGAN, B. F., see M. C. IVEY 1003
HOLBROOK, F. R., and M. S. FUJIMOTO—Mediterranean Fruit Flies and Melon Flies Trapped at Various Heights with Synthetic Lures 962
HOOPER, G. H. S.,—Toxicology and Physiology of DDT Resistance in the German Cockroach 846
HOOPER, G. H. S., see H. A. ROSE 857
HOPKINS, A. R., H. M. TAFT, and W. JAMES—Life History of the Boll Weevil in Field Cages 964
HOPKINS, A. R., see H. M. TAFT 419, 570
HORSBURGH, R. L., and DEAN ASQUITH—Laboratory Rearing Cage Suitable for Studies of Predaceous Mirids and Anthocorids Collected on Apple 1242
HOUGHTALING, J. E., see M. J. LUKEFAHR 588
HOWELL, D. E., see R. G. PRICE 1164
HOWLAND, A. F., J. W. DEBOLT, W. W. WOLF, H. H. TOBA, T. GIBSON, and A. N. KISHABA—Field and Laboratory Studies of Attraction of the Synthetic Sex Pheromone to Male Cabbage Looper Moths 117
HOWLAND, A. F., J. WILCOX, L. I. BUTLER, and D. A. GEORGE—Organophosphorus Acaricides for Controlling the Two-Spotted Spider Mite on Strawberries 939
HOYT, S. C.—Integrated Chemical Control of Insects and Biological Control of Mites on Apple in Washington 74
HUBER, ROGER T., see M. CURTIS WILSON 1517
HUDDLESTON, P. M., see W. H. CROSS 154
HUDDLESTON, P. M., see D. D. HARDEE 161
HUDSPETH, WILLIAM N., JOHNIE N. JENKINS, and FOWDEN G. MAXWELL—Ascorbic Acid Impractical as a Character for Resistance in Cotton to the Boll Weevil 583
HUGGANS, J. L., see C. C. BLICKENSTAFF 556
HUGGANS, J. L., see M. T. KIRA 1366
HUGHES, R. D., and W. L. NICHOLAS—*Heterotylenchus* spp. Parasitising the Australian Bush Fly: Additional Information on the Origin of the Parasite of the Face Fly 520
HUNT, RICHARD H., see BOYD E. WICKMAN 1046
HUSTED, STANLEY R., ROBERT B. MILLS, VERNON D. FOLTZ, and MARTIN H. CRUMRINE—Transmission of *Salmonella montevideo* from Contaminated to Clean Wheat by the Rice Weevil 1489
HUSTON, FRANK, see R. P. JAQUES 850
HUTT, ROBERT B., see LELAND D. WHITE 795

IORDANOU, N. T., and F. L. WATTERS—Temperature Effects on the Toxicity of Five Insecticides Against Five Species of Stored-Product Insects 130
IRWIN, C. K., see G. W. WARE 721
IVEY, M. C., R. A. HOFFMAN, H. V. CLABORN, and B. F. HOGAN—Residues of Gardona® in the Body Tissues and Eggs of Laying Hens Exposed to Treated Litter and Dust Boxes for Control of External Arthropod Parasites ... 1003
IVEY, M. C., see D. D. OEHLER 1481

JACKLIN, S. W., and C. E. YONCE—Induced Shift of the Diurnal Emergence and Calling of the Peach Tree Borer 21
JACKLIN, STANLEY W., see HORATIO C. MASON .. 818
JACKLIN, S. W., see H. R. SMITH 961
JACKSON, C. G., G. D. BUTLER, JR., and D. E. BRYAN—Time Required for Development of *Voria ruralis* and Its Host, the Cabbage Looper, at Different Temperatures 69
JACKSON, C. G., D. E. BRYAN, and RAYMOND PATANA—Laboratory Studies of *Eucelatoria armigera*, a Tachinid Parasite of *Heliothis* spp. 907
JACKSON, C. G., see D. E. BRYAN 765, 1141
JACOBSON, L. A.—Biology of *Euxoa tristicula* in the Field and Laboratory 1053
JACOBSON, M., see J. C. KELLER 1520
JACOBSON, M., see L. M. MCDONOUGH 62
JALIL, M., and P. E. MORRISON—Chemosterilization of the Two-Spotted Spider Mite. I. Effect of Chemosterilants on the Biology of the Mite 393
JALIL, M., and P. E. MORRISON—Chemosterilization of the Two-Spotted Spider Mite. II. Histopathological Effect of Apholate and 5-Fluorouracil on the Reproductive Organs ... 400
JALIL, M., and P. E. MORRISON—Chemosterilization of the Two-Spotted Spider Mite. IV. Effect on Population 415
JALIL, M., and P. E. MORRISON—Chemosterilization of the Two-Spotted Spider Mite. III. Effect on Host Plant 506
JAMES, W., see A. R. HOPKINS 964
JANES, M. J., and G. L. GREENE—Control of Fall Armyworms and Corn Earworms on Sweet Corn Ears in Central and South Florida 1031
JAO, L. T., and H. T. GORDON—Toxicity of Certain Pyrethroids and Carbamates to the CS Strain of *Oncopeltus fasciatus* 612
JAQUES, R. P., W. T. A. NEILSON, and FRANK HUSTON—A Bloating Disease of Adults of the Apple Maggot 850
JARVIS, JAMES L.—Differential Reaction of Introductions of Crambe to the Turnip Aphid and the Green Peach Aphid 697
JENKINS, JOHNIE N., see JACK C. BAILEY 239
JENKINS, JOHNIE N., see JERRY M. COAKLEY 244

JENKINS, JOHNIE N., see WILLIAM N. HUDSPETH 583
JENSEN, D. D. — Comparative Transmission of Western X-Disease Virus by *Colladonus montanus, C. geminatus,* and a New Leafhopper Vector, *Euscelidius variegatus* 1147
JEPPSON, L. R., M. J. JESSER, and J. O. COMPLIN—Effective Residue Persistence—A Useful Criterion in Ascertaining Potential Control by Acaricides 975
JEPPSON, L. R., W. E. WESTLAKE, and F. A. GUNTHER—Toxicity, Control, and Residue Studies with DO-14 (2(*p-tert*-Butylphenoxy)cyclohexyl 2-Propynyl Sulfite) as an Acaricide Against the Citrus Red Mite 531
JERNIGAN, C. E., see H. M. TAFT 570
JESSER, M. J., see L. R. JEPPSON 975
JOHNSON, ALBERT W., and SIDNEY B. HAYS—Laboratory Mating Behavior of the Plum Curculio 438
JOHNSON, E. R., see YUN-PEI SUN 1130
JOHNSON, G. R., see L. M MCDONOUGH 62
JOHNSON, H. G., see J. A. MCMURTRY 1216
JONES, CALVIN M.—Biology of the Face Fly: Migration of Larvae 255
JONES, ROBERT HENRY, HARRY W. POTTER, JR., and STANLEY K. BAKER—An Improved Larval Medium for Colonized *Culicoides variipennis* 1483
JONES, R. L., R. L. METCALF, and T. R. FUKUTO —Use of the Multiple Regression Equation in the Prediction of the Insecticidal Activity of Anticholinesterase Insecticides 801
JONES, S. L., see R. L. RIDGWAY 177
JUDGE, F. D.—Preliminary Screening of Candidate Molluscicides 1393

KADOUM, AHMED M.—Effect of Radiofrequency Electric Field Treatment on Protein Metabolism in Yellow Mealworm Larvae 220
KADOUM, AHMED M.—Electrophoretic Studies of Serum Proteins Obtained from Radiofrequency-Treated Yellow Mealworm Larvae ... 745
KADOUM, A. M., and DELMON W. LAHUE—Effect of Hybrid, Moisture Content, Foreign Material, and Storage Temperature on the Degradation of Malathion Residue in Grain Sorghum 1161
KAHN, M. A. Q.—Some Biochemical Characteristics of the Microsomal Cyclodiene Expoxidase System and Its Inheritance in the House Fly 388
KAMASAKI, H., A. H. BAUMHOVER, K. OHINATA, and L. F. STEINER—An Expendable Carton for Shipment of Tephritid Pupae 730
KAMASAKI, H., see F. LÓPEZ-D. 1255
KAMM, JAMES A.—Biology of the Billbug *Sphenophorus venatus confluens,* a New Pest of Orchardgrass 808
KAMM, J. A., and R. W. EVERY—Insecticides for Control of *Sphenophorus venatus confluens, Rhopalosiphum padi,* and *Rhipidothrips brunneus* in Orchardgrass 950
KARDATZKE, MERL L., see PHILIP KASHIN 10
KASHIN, PHILIP, and MERL L. KARDATZKE—An Automated Repellency Assay System. I. Statistical Methods 10
KASHIN, PHILIP, and BLAYNE E. ARNESON—An Automated Repellency Assay System. II. A New Electronic "Bitometer-Timer" 200
KATS, G., see B. R. BARTLETT 524
KAUR, DHARM, and PETER C. STEVE—Induced Sterility in Face Fly-Initial and Sustained Effects of Hempa and Metepa 1462
KEARBY, W. H., and M. BLISS, JR.—Field Evaluation of Three Granular Systemic Insecticides for Control of the Aphids *Eulachnus agilis* and *Cinara pinea* on Scotch Pine 60
KEASTER, ARMON J.—Corn Earworm Control on Sweet Corn in Southeastern Missouri 1513
KEELEY, L. L., see JOHN J. MCFARLANE 925
KEISER, IRVING, and ESTHER L. SCHNEIDER—Need for Immediate Sugar and Ability to Withstand Thirst by Newly Emerged Oriental Fruit Flies, Melon Flies, and Mediterranean Fruit Flies Untreated or Sexually Sterilized with Gamma Radiation 539
KEISER, IRVING, and ESTHER L. SCHNEIDER—Longevity, Resistance to Deprivation of Food and Water, and Susceptibility to Malathion and DDT of Oriental Fruit Flies, Melon Flies, and Mediterranean Fruit Flies Sexually Sterilized with Tepa or Radiation 663
KELLER, J. C., L. W. SHEETS, N. GREEN, and M. JACOBSON—*Cis*-7-Hexadecen-1-ol-Acetate (Hexalure), A Synthetic Sex Attractant for Pink Bollworm Males 1520
KELSEY, LEWIS P., see JOHN C. RYDER, JR. 1150
KELSHEIMER, E. G., see G. L. GREEN 798
KENAGA, EUGENE E.—Some Hydroxynitrosamino Aliphatic Acid Derivatives as Insect Reproduction Inhibitors 1006
KENAGA, E. E., see W. KEITH WHITNEY 567
KERR, S. H., see L. D. OLINGER 403
KHAN, A. A., HOWARD I. MAIBACH, and WALTER G. STRAUSS—Gross Variations in the Response to Man Among Yellow-Fever Mosquito Populations in the Laboratory 96
KHAN, M. A. Q.—DDT-Dehydrochlorinase and Aldrin-Epoxidase Activity in Corn Earworm and Polyphemus Moth Larvae, and House Fly Adults 723
KHASAWINAH, A. M., see M. S. MULLA 37
KIECKHEFER, R. W., see G. R. SUTTER 254
KIECKHEFER, ROBERT W., see EUGENE W. HAMILTON 1190
KILLOUGH, RALPH A., and EDWARD SCOTT MCCLELLAN—Laboratory Studies of the Mating Habits of the Face Fly 551
KINARD, W. S., see NORMAN ALLEN 1068
KINDLER, S. DEAN, and ROBERT STAPLES—Behavior of the Spotted Alfalfa Aphid on Resistant and Susceptible Alfalfas 474
KINDLER, S. D., see J. M. SCHALK 1000
KINZER, H. G.—Aerial Application of Ultra-Low-Volume Insecticides to Control the Horn Fly on Unrestrained Range Cattle 1515
KIRA, M. T. W. D. GUTHRIE, and J. L. HUGGANS—Effect of Drinking Water on Production of Eggs by the European Corn Borer 1366
KIRK, I. W., and D. G. BOTTRELL—A Mechanical Sampler for Estimating Boll Weevil Populations 1250
KIRK, V. M., see C. O. CALKINS 541
KISHABA, A. N., see A. F. HOWLAND 117
KISHABA, A. N., see H. H. TOBA 257, 517
KLASSEN, W., J. F. NORLAND, and R. W. BRIGGS—Sterilization of Boll Weevils with Combinations of Chemosterilants and X-Rays, Gamma Rays, Thermal Neutrons, or Fast Neutrons... 1204

KLASSEN, WALDEMAR, see GARY R. ANDERSON ... 274
KLUN, JEROME A., and JOHN F. ROBINSON—Concentration of Two 1,4-Benzoxazinones in Dent Corn at Various Stages of Development of the Plant and Its Relation to Resistance of the Host Plant to the European Corn Borer 214
KNEE, W. J., see J. W. APPLE 1033
KNOWLES, CHARLES O., and ANIL K. SEN GUPTA—Photodecomposition of the Acaricide *N'*-(4-Chloro-*o*-tolyl) -*N,N*-Dimethylformamidine. 344
KNOWLES, CHARLES O., ANIL K. SEN GUPTA, and TASSAMOUH K. HASSAN—Formation of Symmetrical Azo Derivatives of Monochlorotoluidines by Peroxidatic Catalysis 411
KNOWLES, CHARLES O., ANIL K. SEN GUPTA, and TASSAMOUH K. HASSAN—Formation of Symmetrical Azo Derivative of 4-Chloro-*o*-toluidine in a Ferrous Iron-Hydrogen Peroxide System 1229
KNOWLES, CHARLES O., see CARSON C. CONAWAY. 286
KNOWLES, CHARLES O., see TASSAMOUH K. HASSAN 618
KNOX, D. A., see H. SHIMANUKI 813
KNUTSON, HERBERT—Reginald Henry Painter (1901-1968) ..... (Obit.) 759
KOHLS, GLEN M.—Robert Allen Cooley (1873-1968) ..... (Obit.) 972
KRING, JAMES B.—Mortality of the Earthworm *Lumbricus terrestris* L. Following Soil Applications of Insecticides to a Tobacco Field ... 963
KRING, JAMES B.—Behavioral Responses of Winged Bean Aphids to Colored Fluorescent Lamps 1450
KRISHNA, S. S., see A. K. SINHA 512
KUMAR, K.—A Technique for Maintenance and Rearing of *Odoiporus longicollis* 528
KUNZ, SIDNEY E., MANNING A. PRICE, and O. H. GRAHAM—Biology and Economic Importance of the Chigger *Neoschongastia americana* on Turkeys 872
KURTZ, EDWARD A., see IRWYN A. RAMMER .356, 498
KYRIAKOPOULOU, PANAYOTA E., and EDWARD S. SYLVESTER—Vector Age and the Length of the Acquisition and Inoculation Access Periods as Factors in the Transmission of Pea Enation Mosaic Virus by the Pea Aphid 1423

LABRECQUE, G. C., see RICHARD L. FYE 522
LABRECQUE, G. C., see B. J. SMITTLE 1242
LABRECQUE, G. C., see A. B. BOŘKOVEC 1472
LACKETT, JAMES J., see JOSEPH O. MOFFETT 886
LADD, T. L., JR., see P. H. SCHWARTZ 738
LAHUE, DELMON W., see A M. KADOUM 1161
LAIRD, E. F., JR., see R. C. DICKSON 1240
LAKOCY, ANTONI, see WILLIAM D. MCENROE ... 283
LAM, J. J., JR., and P. A. STEWART—Modified Traps Using Blacklight Lamps to Capture Nocturnal Tobacco Insects 1378
LAM, JESSE J., JR., see PAUL A. STEWART . 58, 100, 259
LAMDIN, JAY M., R. D. EIKENBARY, and EDWARD E. STURGEON—Biology and Feeding Habits of the Smaller European Elm Bark Beetle on American Elm Trees Treated with Bidrin® .. 640
LANCASTER, J. L., JR., and N. P. TUGWELL—Mosquito Control from Applications Made for Control of Rice Water Weevil 1511
LANDIS, B. J., and G. T. HAGEL—Aphids and Leafhoppers Found on Red Clover in Eastern Washington 273
LANE, H. C., see F. A. HARRIS 854
LANG, JOE H., see ROY E. BRY 868
LANGFORD, GEORGE S., see WALLACE T. GARRETT 1221, 1449
LARSEN, D. J., see R. E. FYE 1291
LAVALLEE, ARTHUR G., and FRANK R. SHAW—Preferences of Golden-Eye Lacewing Larvae for Pea Aphids, Leafhopper and Plant Bug Nymphs, and Alfalfa Weevil Larvae 1228
LEAL, M. P., see A. A. GUERRA 741
LEE, DWAYNE, see DEANE P. FURMAN 1246
LEELING, N. C., see W. E. WALLNER 1039
LEGGETT, J. E., and R. E. FYE—The Role of Moisture in the Winter Survival of the Boll Weevil Complex in Arizona 147
LEGGETT, J. E., see R. E. FYE 467, 1019
LEHNERT, T., see H. SHIMANUKI 813
LEIGH, T. F., see R. VAN DEN BOSCH 1486
LEUCK, D. B., and M. C. BOWMAN—Persistence of *O,O*-Dimethyl *O*-4-nitro-*m*-tolyl phosphorothioate, Its Oxygen Analogue, and Its Cresol in Corn and Grass Forage 1282
LEUCK, D. B., M. C. BOWMAN, L. W. MORGAN, and W. C. MCCORMICK—Residues of Velsicol VCS-506: Their Persistence and Degradation in Forage Corn 1458
LEWIS, WILLIAM G., see HARRY O. YATES, III .. 246
LIANG, T. T. see E. P. LICHTENSTEIN 761
LICHTENSTEIN, E. P., K. R. SCHULZ, T. W. FUHREMANN and T. T. LIANG—Biological Interaction Between Plasticizers and Insecticides 761
LINDGREN, DAVID L., see M. TASKEEN ALINIAZEE 904
LINDQUIST, D. A., see J. R. COPPEDGE 558
LINGREN, P. D., see J. R. RAULSTON 959
LIPPOLD, P. C., J. S. CLEERE, L. M. MASSEY, JR., J. B. BOURKE, and A. W. AVENS—Degradation of Insecticides by Cobalt-60 Gamma Radiation 1509
LIVERS, R. W., and T. L. HARVEY—Greenbug Resistance in Rye 1368
LLOYD, E. P., see F. C. TINGLE 596
LLOYD, E. P., see F. A. HARRIS 854
LLOYD, E. P., see EDDIE C. BURT 862
LOFGREN, C. S., see B. J. SMITTLE 851
LONG, W. H., see S. D. HENSLEY 620
LOGAN, D. M., see M. D. PROVERBS 1331
LONGONI, ANGELO, and GIANNANTONIO MICHIELI—Initial and Residual Activity of Cidial (Phenthoate) Compared with that of Malathion and Lindane on Insects Affecting Stored Products 1258
LÓPEZ D., F., and J. F. MURCIO VELASCO—Reduction of Sorption in Ethylene Dibromide Fumigation Chambers 742
LÓPEZ-D. F., D. L. CHAMBERS, M. SANCHEZ-R, and H. KAMASAKI—Control of the Mexican Fruit Fly by Bait Sprays Concentrated at Discrete Locations 1255
LÓPEZ D., FERNANDO, see J. W. BALOCK 53
LÓPEZ D., F., see M. MCPHAIL 1238
LOSCHIAVO, S. R.—Effects of the Antifeeding Compound AC-24055 (4'- (3,3-Dimethyl-1-triazeno) acetanilide) on the Survival, Development, and Reproduction of Some Stored-Products Insects 102

LOSCHIAVO, S. R., and B. SALAMON—Laboratory Tests of Bayer 77488 and Bayer 78182 in Different Formulations as Contact Insecticides Against Three Stored-Product Insects 112
LOVELY, W. G., see J. A. HARDING 832
LOWRY, W. L., see DAN A. WOLFENBARGER 432
LUKEFAHR, M. J., and PAUL A. FRYXELL—The Role of *Hampea* sp. in the Migration of the Cotton Leafworm to the United States 263
LUKEFAHR, M. J., and J. E. HOUGHTALING—Resistance of Cotton Strains with High Gossypol Content to *Heliothis* spp. 588
LUKEFAHR, M. J., see A. T. FERNANDEZ 173
LUKEFAHR, M. J., see T. N. SHAVER 643
LUKEFAHR, M. J., see M. T. OUYE 650

MACIAS, W., and G. I. MINK—Preference of Green Peach Aphids for Virus-Infected Sugarbeet Leaves 28
MACKENSEN, OTTO—Effect of Diluents and Temperature on Instrumental Insemination of Queen Honey Bees 1370
MACKENSEN, OTTO—A Large Syringe for Instrumental Insemination of Queen Honey Bees 1504
MADDOX, D. M., and M. E. RESNIK—Determination of Host Specificity of the Alligatorweed Flea Beetle, *Agasicles* n. sp., with Radioisotopes 996
MADI, S. M., see A. TOPPOZADA 440
MADSEN, HAROLD F.—Integrated Control of the Fruit-Tree Leaf Roller and the White Apple Leafhopper in British Columbia 1351
MAHANY, PATRICK G., see ROBERT R. COGBURN 829
MAIBACH, HOWARD I., see A. A. KHAN 96
MAITLEN, J. C., see H. TASHIRO 443
MAITLEN, JAY C., see GEORGE TAMAKI 678
MAJORI, GIANCARLO, see ALFONSO GRASSO 944
MALTBY, H. L., T. L. BURGER, G. E. MOOREHEAD, and V. E. MONTGOMERY—A New Record of a *Trichogramma* Species Parasitizing the Cereal Leaf Beetle 1157
MANGLITZ, G. R., and J. M. SCHALK 946, 1000
MANGLITZ, G. R., see W. R. AKESON 1169
MANGUM, C. L., W. O. RIDGWAY, and M. T. OUYE—Production of Fourth-Instar Pink Bollworm Larvae from Sodium Hypochlorite-Treated and Untreated Eggs 515
MARTIN, R. D., see C. C. CALVERT 938
MASON, HORATIO C., MARY C. PAPAGEORGIOU, and STANLEY W. JACKLIN—Effect of Irradiation on Mating Preference and Reproduction Suppression of *Drosophila melanogaster* 818
MASON, LEE, see E. H. FLOYD 1016
MASSEY, L. M., JR., see P. C. LIPPOLD 1509
MATHENY, ELLIS L., see E. A. HEINRICHS 1344
MATHIS, WILLIS, H. F. SCHOFF, and THOMAS L. MULLENIX—Fly Production in Relation to Refuse Disposal in Recreational Areas 1288
MATSUMURA, F., AKIRA TAI, and H. C. COPPEL—Termite Trial-Following Substance, Isolation and Purification from *Reticulitermes virginicus* and Fungus-Infected Wood 599
MATSUMURA, F., see K. C. PATIL 1502
MAXWELL, C. W.—Observations on Bird Tanglefoot Traps as a Direct Method of Apple Maggot Control 945
MAXWELL, C. W., and E. C. PARSONS—Relationships Between Hour-Degree F Soil Temperature Summations and Apple Maggot Adult Emergence 1310
MAXWELL, FOWDEN G., see Jack C. BAILEY 239
MAXWELL, FOWDEN G., see JERRY M. COAKLEY . 244
MAXWELL, FOWDEN G., see WILLIAM N. HUDSPETH 583
MCADA, W. C., see R. E. FYE 1402
MCCLELLAN, EDWARD SCOTT, see RALPH A. KILLOUGH 551
MCCLUSKEY, R., C. G. WRIGHT, and R. T. YAMAMOTO—Effect of Starvation on the Responses of Male American Cockroaches to Sex and Food Stimuli 1465
MCCORMICK, W. C., see D. B. LEUCK 1458
MCCOY, C. W., see A. G. SELHIME 954
MCDANIEL, H. C., see C. G. WRIGHT 277
MCDONALD, S.—Laboratory Evaluation of Several New Insecticides for Control of the Pale Western Cutworm 30
MCDONOUGH, L. M., D. A. GEORGE, B. A. BUTT, M. JACOBSON, and G. R. JOHNSON—Isolation of a Sex Phermone of the Codling Moth ... 62
MCDONOUGH, L. M., D. A. GEORGE, and B. A. BUTT—Artificial Sex Pheromones for the Codling Moth 243
MCENROE, WILLIAM D., and ANTONI LAKOCY—The Development of Pentac® Resistance in an Outcrossing Swarm of the Two-Spotted Spider Mite 283
MCFADDEN, M. W.—Transfer of Chemosterilant by Tepa-Sterilized Mexican Fruit Flies 511
MCFARLANE, JOHN J., and L. L. KEELEY—Heat Effects on the Infectivity of the Nuclear Polyhedrosis Virus of *Heliothis* spp. 925
MCGARR, R. L., and D. A. WOLFENBARGER—Methyl Parathion, Toxaphene, and DDT Used Alone and in Combination for Control of Several Cotton Insects 1249
MCGOVERN, W. L., D. D. HARDEE, and T. B. DAVICH—Chemosterilants Applied as Sprays Against Populations of Boll Weevils on Cotton in Field Cages 1144
MCGOVERN, WILLIAM L., see WILLIAM H. CROSS 448
MCGOVERN, T. P., see HARRY G. DAVIS 1245
MCGREGOR, W. S., see H. J. DISHBURGER 181
MCKAY, J. E., see HILARY F. GOONEWARDENE .. 964
MCKIBBEN, G. H., see R. J. DAUM 267, 370
MCKNIGHT, M. E.—Distribution of Hibernating Larvae of the Western Budworm, *Choristoneura occidentalis,* on Douglas-Fir in Colorado 139
MCLAUGHLIN, R., see R. J. DAUM 370
MCLEOD, D. G. R., C. R. HARRIS, and G. R. DRISCOLL—Genetics of Cyclodiene-Insecticide Resistance in the Seed-Corn Maggot 427
MCMILLIAN, W. W., M. C. BOWMAN, R. L. BURTON, K. J. STARKS, and B. R. WISEMAN—Extract of Chinaberry Leaf as a Feeding Deterrent and Growth Retardant for Larvae of the Corn Earworm and Fall Armyworm 708
MCMILLIAN, W. W., see B. R. WISEMAN 734
MCMURTRY, J. A., H. G. JOHNSON, and G. T. SCRIVEN—Experiments to Determine Effects of Mass Releases of *Stethorus picipes* on the Level of Infestation of the Avocado Brown Mite 1216

McPHAIL, M., C. A. BENSCHOTER, and F. LÓPEZ D.—Fumigation with Ethylene Dibromide and Ethylene Chlorobromide to Reduce the Development of Rot in Grapefruit Infested with Mexican Fruit Fly Larvae 1238
McWILLIAMS, J. C., see M. M. COLE 198
MELANSON, HAROLD G., see GARY R. ANDERSON . 274
MERKL, M. E., see D. D. HARDEE 161
MERRITT, DENNIS L., and JAMES W. APPLE—Yield Reduction of Oats Caused by the Cereal Leaf Beetle 298
METCALF, R. L., see SHAWKY ABD EL-AZIZ 318
METCALF, R. L., see R. L. JONES 801
METTRICK, D. F., see J. R. PARNELL 585
MEYER, RONALD H.—Viscosities and Early-Season Schedules of Plant Spray Oils Against European Red Mite on Apple 1405
MICHIELI, GIANNANTONIO, see ANGELO LONGONI. 1258
MICKS, D. W., G. V. CHAMBERS, S. MONTALBANO, and C. DAOUD—Mosquito Control Agents Derived from Petroleum Hydrocarbons. III. The Effect of FLIT®MLO on First and Second Larval Instars 455
MILES, J. R. W., C. M. TU, and C. R. HARRIS—Metabolism of Heptachlor and Its Degradation Products by Soil Microorganisms 1334
MILLER, D. E., F. R. SHAW, and C. T. SMITH—The Comparative Residual Life of Two Formulations of Imidan® on Alfalfa 720
MILLER, D. E., see F. R. SHAW 952, 953
MILLER, J. A., see R. L. HARRIS 279
MILLER, J. A., see D. D. OEHLER 1481
MILLER, M. C., see F. R. SHAW 952, 953
MILLER, W. V., see C. B. NELSON 47
MILLS, ROBERT B., see STANLEY R. HUSTED .. 1489
MINK, G. I., see W. MACIAS 28
MISEROCCHI, ARTURO F., see CARLISLE B. RATHBURN 149
MISTRIC, W. J., JR.—Damage by the Strawberry Spider Mite to Cotton When Infestations Commenced at the Beginning, Middle, and End of the Flowering Period 192
MISTRIC, W. J., JR., and F. D. SMITH—Behavior of Tobacco Budworm Larvae on Flue-Cured Tobacco and Possibilities of Improving the Effectiveness of Insecticidal Treatments Applied Mechanically for Control 16
MISTRIC, W. J., JR., and B. M. COVINGTON—End of Squaring as an Economic Indicator of Approximate Time to End Insecticidal Treatments for Boll Weevil Control 35
MISTRIC, W. J., JR., and F. D. SMITH—Chemical Control of Tobacco and Southern Potato Wireworms on Flue-Cured Tobacco During 1964-68 712
MISTRIC, W. J., JR., and F. D. SMITH—Effect of Formulation, Treatment-Transplant Interval, and Disking on Performance of Diazinon and Parathion Against the Tobacco Wireworm on Flue-Cured Tobacco 728
MITCHELL, E. B., see W. H. CROSS 154
MITCHELL, E. B., see D. D. HARDEE 161, 165
MITCHELL, H. C., see W. H. CROSS 154
MITCHELL, H. C., see CURTIS H. ADAMS 889
MITCHELL, HENRY C., and WILLIAM H. CROSS—Oviposition by the Boll Weevil in the Field . 604
MITCHELL, HENRY C., see WILLIAM H. CROSS .. 448
MITCHELL, W. G., and E. C. TURNER, JR.—Arthropod Parasites on the Starling, *Sturnus vulgaris* L., in Southwest Virginia 195
MITROVIC, M., see J. R. BARNES 902
MOFFETT, JOSEPH O., JAMES J. LACKETT, and J. D. HITCHCOCK—Compounds Tested for Control of Nosema in Honey Bees 886
MONTALBANO, S., see D. W. MICKS 455
MONTGOMERY, V. E., see H. L. MALTBY 1157
MOORE, ARTHUR D., see CHESTER M. HIMEL ... 916
MOORE, R. F., JR., and H. M. TAFT—Lipid Fractions of Early- and Late-Instar Larvae and Pupae of the Bollworm and the Tobacco Budworm 1397
MOORE, RICHARD C.—Attractiveness of Baited and Unbaited Lures to Apple Maggot and Beneficial Flies 1076
MOOREHEAD, G. E., see H. L. MALTBY 1157
MORENO, D. S., see R. E. RICE 958
MORGAN, J., JR., see RICHARD L. FYE 522
MORGAN, L. W., see D. B. LEUCK 1458
MORGAN, N. O., see L. G. PICKENS 536
MORGAN, N. O., see C. C. CALVERT 938
MORRISON, F. O., see S. J. YU 1296
MORRISON, P. E., see M. JALIL 393, 400, 415, 506
MULLA, M. S., and A. M. KHASAWINAH—Laboratory and Field Evaluation of Larvicides Against Chironomid Midges 37
MULLA, M. S., H. A. DARWAZEH, A. F. GEIB, and W. E. WESTLAKE—Control of Pasture *Aedes* Mosquitoes by Dripping Larvicides into Flowing Water, with Notes on Residues in a Pasture Habitat 365
MULLA, M. S., see G. P. GEORGHIOU 171
MULLENIX, THOMAS L., see WILLIS MATHIS ... 1288
MULLINS, J. A., see W. G. RUSSELL 1122
MUMA, M. H., see A. G. SELHIME 954
MYSER, WILLARD C., and WALTER E. CAREY—X-Ray Radiation Effects on Survival and Sterility of Adults of the Cereal Leaf Beetle ... 543

NAGASAWA, SUMIO—Chukichi Harukawa (1887-1968) ..... (Obit.) 760
NAGEL, W. P., R. W. EVERY, and J. CAPIZZI—Insecticide Tests for Control of Needle Midges, *Contarinia* spp., on Douglas-Fir in Western Oregon 1098
NAKAGAWA, S., R. T. CUNNINGHAM, and G. J. FARIAS—Differentiation of Parasitized and Unparasitized Pupae of the Melon Fly and Oriental and Mediterranean Fruit Flies 970
NAKATSUGAWA, T., N. M. TOLMAN, and P. A. DAHM—Metabolism of S^{35}-Parathion in the House Fly 408
NASH, RICHARD F., and RICHARD C. FOX—Field Control of the Nantucket Pine Tip Moth by the Nematode DD-136 660
NAULT, L. R.—Laboratory Rearing of Aphids .. 261
NEEL, W. W.—Comparison of Systemic Insecticides by Dip Treatments for Control of the Cottonwood Leaf Beetle 265
NEGM, AHMED A., S. D. HENSLEY, and E. J. CONCIENNE—Insecticidal Control of the Sugarcane Borer in Corn 245
NEGM, AHMED A., and S. D. HENSLEY—Effect of Insecticides on Ant and Spider Populations in Louisiana Sugarcane Fields 948

NEGM, AHMED A., and S. D. HENSLEY—Evaluation of Certain Biological Control Agents of the Sugarcane Borer in Louisiana 1008
NEILSON, W. T. A.—Rearing Larvae of the Apple Maggot on an Artificial Medium 1028
NEILSON, W. T. A., see R. P. JAQUES 850
NELSON, C. B., E. L. BRAMHALL, W. V. MILLER, and H. G. SIMKOVER—Control of the Northern Fowl Mite on Laying Hens with Shell SD-8447 47
NELSON, D. R., T. S. ADAMS, and J. G. POMONIS—Initial Studies on the Extraction of the Active Substance Inducing Monocoitic Behavior in House Flies, Black Blow Flies, and Screw-Worm Flies 634
NELSON, J. W., see J. W. BREWER 815
NELSON, VERNON A.—Human Parasitism by the Brown Dog Tick 710
NELSON, VERNON A.—Dursban® for Control of the Brown Dog Tick 719
NEMEC, STANLEY J., and PERRY L. ADKISSON—Effects of Simulated Rain and Dew on the Toxicity of Certain Ultra-Low-Volume Insecticidal Spray Formulations 71
NEMEC, STANLEY J.—Use of Artificial Lighting to Reduce *Heliothis* spp. Populations in Cotton Fields 1138
NERNEY, N. J., and A. G. HAMILTON—Effects of Rainfall on Range Forage and Populations of Grasshoppers, San Carlos Apache Indian Reservation, Arizona 329
NEWTON, J. R., see M. D. PROVERBS 1331
NICHOLAS, W. L., see R. D. HUGHES 520
NICHOLS, F., see W. H. CROSS 154
NIEMCZYK, HARRY D., see EDWARD J. ARMBRUST 250
NIEMCZYK, H. D., and J. K. FLESSEL—Development and Testing of a Preventive Program for Control of the Alfalfa Weevil in Ohio .. 1197
NOBLE, LLOYD W., and ANDREW J. CHAPMAN—Oris Trigue Robertson (1905-1969) .. (Obit.) 974
NORDIN, G. L., and J. E. APPLEBY—Chemical Control of the Juniper Webworm on Irish Juniper 23
NORLAND, J. F., see W. KLASSEN 1204
NORMAN, PAUL A., and R. A. SUTTON—Efficiency of Three Colonies of Melon Aphids as Transmitters of Tristeza Virus 968
NORMAN, P. A., and R. A. SUTTON—Efficiency of Mature and Immature Melon Aphids in Transmitting Tristeza Virus 1237
NORMAN, P. A., see R. A. SUTTON 1230
NORWOOD, B. L., see D. K. BARNES 66

OATMAN, EARL R.—Corn Earworm Infestation in Ripe Strawberries 947
OATMAN, E. R., see G. R. PLATNER 271
O'CONNELL, THOMAS B., see JOHN J. DREA, JR. . 1432
OEHLER, D. D., J. L. ESCHLE, J. A. MILLER, H. V. CLABORN, and M. C. IVEY—Residues in Milk Resulting from Ultra-Low-Volume Sprays of Malathion, Methoxychlor, Coumaphos, Ronnel or Gardona® for Control of the Horn Fly 1481
OHINATA, K., see H. KAMASAKI 730
OHINATA, K., see N. TANAKA 967
OKAMOTO, R., see N. TANAKA 967
OLINGER, L. D., and S. H. KERR—Effects of Dimethyl Sulfoxide on the Biological Activity of Selected Miticides and Insecticides 403
OLIVER, A. D., JR., see EVERARDO VOGEL 142
OLIVER, A. D., see N. L. WILSON 1268, 1400
OLSON, W. P.—Control of Oriental Rat Flea in Vietnam with Diazinon Dust 656
ONSAGER, JEROME A.—Sampling to Detect Economic Infestations of *Limonius* spp. 183
ONSAGER, JEROME A.—Nonpersistent Insecticides for Control of Pacific Coast Wireworm 1065
ONSAGER, JEROME A., and L. L. FOILES—Chemical Control of the Great Basin Wireworm on Potatoes 1506
ONSAGER, JEROME A., and H. W. RUSK—Potency of the Residues of Some Nonpersistent Insecticides in Soil Against Wireworms..... 1060
ORTMAN, ELDON E., and TERRY F. BRANSON ... 1375
OSMAN, M. F., see MAHMOUD HAFEZ 324
OTA, ASHER K.—Control of *Platynota stultana*, a Tortricid Leaf Roller, in Greenhouses 1279
OUYE, M. T., R. D. GARCIA, A. A. GUERRA, and M. J. LUKEFAHR—Metepa as a Chemosterilant for Adult Female Pink Bollworms 650
OUYE, M. T., see C. L. MANGUM 515

PADULA, A. L., see L. W. BOULANGER 748
PAINTER, R. H., see PAUL VANDERSCHAAF 352
PANGALDAN, R., see H. H. TOBA 257
PAPAGEORGIOU, MARY C., see HORATIO C. MASON 818
PAPPAS, J. L., see J. F. SHAW 1154
PARKER, BRUCE L., and JAMES E. DEWEY—Further Improvements on the Mass Rearing of *Daphnia magna* 725
PARNELL, J. R., and D. F. METTRICK—The Action of Thiotepa on the Fertility of the Confused Flour Beetle 585
PARSONS, E. C., see C. W. MAXWELL 1310
PARTIDA, G. J., T. L. ARCHER, and R. G. STRONG—A Method of Sexing *Trogoderma* (Coleoptera: Dermestidae) Pupae 1186
PARTIDA, G. J., see R. G. STRONG 470
PASS, B. C., see EDWARD J. ARMBRUST 250
PASS, B. C., see ALICE G. WARD 510
PASS, B. C., see M. CURTIS WILSON 1421
PATANA, RAYMOND, see D. E. BRYAN 765, 1141
PATANA, RAYMOND, see C. G. JACKSON 907
PATANA, RAYMOND, see R. E. FYE 1402
PATHAK, M. D., see SANG HEE BAE 772
PATIL, K. C., F. MATSUMURA, and T. A. BRATKOWSKI—Brain ATPases of the Resistant and the Susceptible German Cockroach 1502
PATTERSON, R. S., B. J. SMITTLE, and R. T. DENEVE—Feeding Habits of Male Southern House Mosquitoes on ^{32}P-Labeled and Unlabeled Plants 1455
PATTERSON, R. S., see B. J. SMITTLE 851
PAUSCH, ROBERT D.—A Laboratory Evaluation of Baits and Chemosterilants on the Little House Fly 25
PEACH, M. J., III, G. E. ALLEN, and J. R. BRAZZEL—A Technique for Confining Insects to Leaf Surfaces and Its Importance in the Bioassay of Pathogens 1227

PEAY, WALTER E., GEORGE W. BEARDS, and ARTHUR A. SWENSON—Field Evaluations of Soil and Foliar Insecticides for Control of the Sugarbeet Root Maggot 1083
PEAY, WALTER E., see ARTHUR A. SWENSON ... 910
PEIFER, F. W., see R. W. ZWICK 951
PENCE, ROY J., and MANUEL S. VIRAY—Atrophy and Developmental Abnormality in Insects Exposed to Dodecyl Alcohol 622
PENNINGTON, JOAN, see H. J. DISHBURGER 181
PETERS, DON C., and H. E. BARTON—*Systena frontalis* Larvae in Corn Roots 1232
PETERS, DON C., see TERRELL R. HOAGE 896
PHILLIPS, J. H. H., see M. E. TZANAKAKIS 879
PHILLIPS, SHERMAN, see E. H. FLOYD 1016
PICKENS, L. G., N. O. MORGAN, and R. W. THIMIJAN—House Fly Response to Fluorescent Lamps: Influenced by Fly Age and Nutrition, Air Temperature, and Position of Lamps 536
PIMENTEL, DAVID, and LOWELL UHLER—Ants and the Control of House Flies in the Philippines 248
PIMENTEL, D., see R. D. BROWN 1521
PITRE, H. N., see F. J. BOYD 126
PLAPP, FREDERICK W., JR., and JOHN E. CASIDA—Genetic Control of House Fly NADPH-Dependent Oxidases: Relation to Insecticide Chemical Metabolism and Resistance 1174
PITTS, C. W., see D. E. BAY 41
PLATNER, G. R., R. D. GREANY, and E. R. OATMAN—Heat-Extraction Technique for Recovery of Potato Tuberworm Larvae from Potato Tubers 271
PLESS, CHARLES D., see EDWARD T. CHERRY 1313
PO-CHEDLEY, DONALD S.—Radio-Sensitivity and Water Content for Yellow Mealworm Embryos 1505
POLLES, S. G., and S. BRADLEIGH VINSON—Effect of Droplet Size on Persistence of ULV Malathion and Comparison of Toxicity of ULV and EC Malathion to Tobacco Budworm Larvae 89
POMONIS, J. G., see D. R. NELSON 634
POONAWALLA, ZAINAB T., see M. SAYEED QUARISHI 988
POTTER, HARRY W., JR., see ROBERT HENRY JONES 1483
POWERS, WILLIAM J.—A Light-Trap Bag for Collecting Live Insects 735
PRICE, MANNING A., see SIDNEY E. KUNZ 872
PRICE, R. G., and D. E. HOWELL—Population Changes in Four Species of Cockroaches Maintained Together in Small Containers .. 1164
PRIMER, PAUL E., see IRWYN A. RAMMER 498
PROVERBS, M. D., J. R. NEWTON, and D. M. LOGAN—Codling Moth Control by Release of Radiation-Sterilized Moths in a Commercial Apple Orchard 1331
PUGLISI, V. A., see B. J. FIORI 8

QUARISHI, M. SAYEED, and ZAINAB T. POONAWALLA—Radioautographic Study of the Diffusion of Topically Applied DDT-C^{14} into the House Fly and Its Distribution in Internal Organs 988

RAMMER, IRWYN A., and EDWARD A. KURTZ—Codling Moth Control with Carbofuran ... 356
RAMMER, IRWYN A., EDWARD A. KURTZ, and PAUL E. PRIMER—Control of Four Species of Aphids on Deciduous Fruit and Nut Trees with Carbofuran 498
RANDOLPH, N. M., H. W. DOROUGH, and G. L. TEETES—Malathion, Methyl Parathion, Diazinon, and Endosulfan Residues in Sunflower Seeds 462
RANDOLPH, N. M., see GEORGE L. TEETES 264, 1235, 1444
RANEY, HARLEY G., and R. D. EIKENBARY—A Simplified Trap for Collecting Adult Pecan Weevils 722
RANEY, HARLEY G., R. D. EIKENBARY, and NEWTON W. FLORA—Investigations on Dispersal of the Pecan Weevil 1239
RASMUSSEN, DALLAS, see H. C. CHIANG 578
RASMUSSEN, LYNN A., see GENE D. AMMAN ... 631
RATCLIFFE, R. H., see D. K. BARNES 66
RATHBURN, CARLISLE B., JR., and ARTURO F. MISEROCCHI—A Portable Instrumented Tower for Use in Meterologically Related Research. 149
RAULSTON, J. R., and P. D. LINGREN—A Technique for Rearing Larvae of the Bollworm and Tobacco Budworm in Large Numbers .. 959
RAWLINS, W. A., see D. GONZÁLEZ 1109
READ, D. C.—Persistence of Some Newer Insecticides in Mineral Soils Measured by Bioassay 1338
RECHAV, Y., see R. CWILICH 1
REED, CHARLES B., see FRANK E. TODD 865
REED, J. K., see S. B. HAYS ..... (Obit.) 1252
REID, W. J., JR., see AUGUSTINE DAY 314
REIERSON, D. A., see ROBERT E. WAGNER 1192
RESNIK, M. E., see D. M. MADDOX 996
RICE, J. R., see H. J. DISHBURGER 181
RICE, R. E., and D. S. MORENO—Comparative Production of Pheromone by the California Red Scale Reared on Lemons and Potatoes .. 958
RICHARDSON, E. G., see H. R. SMITH 961
RICHMOND, C. A., and H. M. GRAHAM—Two Methods of Operating a Vacuum Sampler to Sample Populations of the Cotton Fleahopper on Wild Hosts 525
RICHMOND, CLYDE A., see MICHAEL F. SCHUSTER 1126
RIDGWAY, R. L., and S. L. JONES—Inundative Releases of *Chrysopa carnea* for Control of *Heliothis* on Cotton 177
RIDGWAY, R. L., see MOULOOD K. ABID 13
RIDGWAY, R. L., see J. R. COPPEDGE 558
RIDGWAY, W. O., see C. L. MANGUM 515
RIEMANN, JOHN G.—Competitive Mating Tests Between Normal and Aspermic Male House Flies 276
RIGGS, S., see H. H. TOBA 257
RINGS, ROY W.—Contributions to the Bionomics of the Green Fruitworms; The Life History of *Lithophane laticinerea* 1388
RIVERA, GISELA A., see IRVING FOX 1246
ROBERTS, STEPHEN J., see CLARENCE E. WHITE .. 509
ROBERTS, S. J., see J. R. DEWITT 1233
ROBINSON, JOHN F., see JEROME A. KLUN 214
ROCK, G. C.—European Red Mite Control in North Carolina Apple Orchards with Early-Season Applications of Acaricides 1119

ROOT, RICHARD B., and JAMES J. SKELSEY—Biotic Factors Involved in Crucifer Aphid Outbreaks Following Insecticide Application .. 223
ROSE, H. A., and G. H. S. HOOPER—Absorption of DDT and Metabolism of DDT and Related Compounds by DDT-Resistant Codling Moths 857
ROSEN, DAVID, see YAIR BEN-DOV 1057
ROSENSTIEL, R. G.—Systemic Effect of Carbofuran on Western Spotted Cucumber Beetles. 1231
ROTH, A. R.—Table for Rapid Determination of Doses of Chemicals Required to Treat Laboratory Animals at Specified Rates and Concentrations for Determination of Systemic Activity Against Insects 1522
ROUT, G., H. M. TRIPATHY, and L. BISWAL—Results of Application of Aluminum Phosphide Pellets to Rice Weevils in an Open Bin and to Angoumois Grain Moths Under Air-Tight Conditions 715
RUPPEL, ROBERT F.—Influence of the Quantity of Insecticide per Seed and per Hectare on Seed Treatments for Cereal Leaf Beetle Larvae Control on Oats 508
RUSH, ROBERT E., and GEORGE W. WARE—Toxicity of DDT, Carbaryl, and Azinphosmethyl to Gamma-Radiated Pink Bollworm Moths .. 1124
RUSK, H. W., see JEROME A. ONSAGER 1060
RUSSELL, W. G., and J. A. MULLINS—A New Technique for Determining Direct Impingement of Insecticide on Boll Weevils 1122
RUTKOWSKI, EDWARD W., see J. STALLARD WATERHOUSE 338
RYDER, JOHN C., JR., PAUL P. BURBUTIS, and LEWIS P. KELSEY—Systemic Insecticides for Control of European Corn Borer and Green Peach Aphid on Peppers 1150

SALAMA, H. S., see MAHMOUD HAFEZ 233
SALAMON, B., see S. F. LOSCHIAVO 112
SANCHEZ-R, M., see F. LÓPEZ-D. 1255
SANDERS, D. P., and R. C. DOBSON—Contributions to the Biology of the Horn Fly 1362
SANS, W. W., see C. R. HARRIS 1441
SARAI, DARSHAN S.—Seasonal History of the Plum Curculio in the Missouri Ozarks 1222
SARAI, DARSHAN S.—Effect of Burial of Grape Root Borer Pupae on Adult Emergence 1507
SAUNDERS, JOSEPH L.—Occurrence and Control of the Balsam Twig Aphid on *Abies grandis* and *A. concolor* 1106
SCHALK, J. M., S. D. KINDLER, and G. R. MANGLITZ—Temperature and the Preference of the Spotted Alfalfa Aphid for Resistant and Susceptible Alfalfa Plants 1000
SCHALK, J. M., and G. R. MANGLITZ—Migration of an Anholocyclic Strain of the Spotted Alfalfa Aphid into Nebraska 946
SCHENK, J. A., see M. M. FURNISS 518
SCHILLINGER, J. A.—Three Laboratory Techniques for Screening Small Grains for Resistance to the Cereal Leaf Beetle 360
SCHNEIDER, ESTHER L., see IRVING KEISER 539, 663
SCHOOF, H. F., see WILLIS MATHIS 1288
SCHROEDER, W. J.—Stimulation of Mating and Oviposition of Hickory Shuckworm Moths by Pecan Nuts 1244
SCHULZ, K. R., see E. P. LICHTENSTEIN 761
SCHUSTER, MICHAEL F., CLYDE A. RICHMOND, J. C. BOLING, and HARRY M. GRAHAM—Host Plants of the Cotton Fleahopper in the Rio Grande Valley: Phenology and Hibernating Quarters 1126
SCHUSTER, MICHAEL, and J. C. BOLING—Side-dress, Furrow, and Stem Application of Phosphate and Carbamate Insecticides for Control of Cotton Pests 1316
SCHUSTER, MICHAEL F., and J. C. BOLING—Insect Sterilant Experiments with Apholate and Five Bifunctional Aziridine Chemicals in Outdoor Cages Against the Boll Weevil 1372
SCHWARTZ, PAUL H., JR., and DONALD W. HAMILTON—Attractants for the Japanese Beetle .. 516
SCHWARTZ, P. H., LOUISA A. HICKEY, D. W. HAMILTON, and T. L. LADD, JR.—Combinations of Insecticides and Baits for the Japanese Beetle 738
SCOTT, D. R.—Lygus-Bug Feeding on Developing Carrot Seed: Effect on Plants Grown from That Seed 504
SCRIVEN, G. T., see J. A. MCMURTRY 1216
SELHIME, A. G., M. H. MUMA, W. A. SIMANTON, and C. W. MCCOY—Control of Florida Red Scale in Florida with the Parasite *Aphytis holoxanthus* 954
SEN GUPTA, ANIL K., see CHARLES O. KNOWLES 344, 411, 1229
SENN, L. H., see S. B. HAYS ..... (Obit.) 1252
SETTEPANI, JOSEPH A., MAXWELL M. CRYSTAL, and ALEXEJ B. BOŘKOVEC—Boron Chemosterilants Against Screw-Worm Flies: Structure-Activity Relationship 375
SETTEPANI, J. A., see A. B. BOŘKOVEC 1472
SEYMOUR, RONALD, see J. STALLARD WATERHOUSE 338
SHADE, RICHARD E., see M. CURTIS WILSON 699
SHAVER, T. N., and M. J. LUKEFAHR—Effect of Flavonoid Pigments and Gossypol on Growth and Development of the Bollworm, Tobacco Budworm, and Pink Bollworm 643
SHAVER, T. N., see A. A. GUERRA 98
SHAW, F. R., D. E. MILLER, M. C. MILLER, and C. P. S. YADAVA—Residues of Thimet on Green and on Field-Dried Alfalfa 952
SHAW, F. R., D. MILLER, M. C. MILLER, and C. P. S. YADAVA—Persistence of Carbofuran and of 3-Hydroxycarbofuran on Alfalfa 953
SHAW, J. G., J. B. BEAVERS, J. L. PAPPAS, and R. B. HAMPTON—Suppression of Citrus Red Mites in Greenhouses with a Noninclusion Virus 1154
SHAW, J. G., see H. TASHIRO 443
SHAW, F. R., see D. E. MILLER 720
SHAW, FRANK R., see ARTHUR G. LAVALLEE 1228
SHEETS, L. W., see J. C. KELLER 1520
SHERMAN, MARTIN, M. T. Y CHANG, and R. B. HERRICK—Fly Control, Chronic Toxicity, and Residues from Feeding Propyl Thiopyrophosphate to Laying Hens 1494
SHIMANUKI, H., T. LEHNERT, D. A. KNOX, and E. W. HERBERT, JR.—Control of European Foulbrood Disease of the Honey Bee 813
SHRIVASTAVA, SURENDRA P., MASUHISA TSUKAMOTO, and JOHN E. CASIDA—Oxidative Metabolism of C^{14}-Labeled Baygon by Living House Flies and by House Fly Enzyme Preparations 483

SHOREY, H. H., see J. W. CAMERON 986
SIDDI, G., see P. de PIETRI-TONELLI 107
SIMANTON, W. A., see A. G. SELHIME 954
SIMKOVER, H. G., see C. B. NELSON 47
SIMONS, JOHN N.—Differential Transmission of Closely Related Strains of Potato Virus Y by the Green Peach Aphid and the Potato Aphid 1088
SMILOWITZ, ZANE, and JAMES E. DEWEY—A Technique for Mass Rearing the Southern Armyworm in the Laboratory 502
SMILOWITZ, ZANE, and JAMES E. DEWEY—Adjuvants Prolonging the Residual Activity of Dichlorvos and Mevinphos in the Laboratory 1347
SINHA, A. K., and S. S. KRISHNA—Feeding of *Aulacophora foveicollis* on Cucurbitacin 512
SINHA, R. C., see L. N. CHIYKOWSKI 883
SINHA, R. N., and R. D. WHITNEY—Feeding and Reproduction of the Grain and the Mushroom Mite on Wood-Inhabiting Hymenomycetes 837
SISSON, VERN, see H. C. CHIANG 578
SKELSEY, JAMES J., see RICHARD B. ROOT 223
SLOMINSKI, J. W., W. L. GOJMERAC, and W. E. BURKHOLDER—Oils: Their Effect on Black Carpet Beetle Larvae When Applied to Different Types of Surfaces 507
SMITH, C. T., see D. E. MILLER 720
SMITH, D. B., see EDDIE C. BURT 862
SMITH, F. D., see W. J. MISTRIC, JR. 16, 712, 728
SMITH, FLOYD F., see RALPH E. WEBB 458
SMITH, H. R., E. G. RICHARDSON, C. E. YONCE, and S. W. JACKLIN—A Method of Rearing the Peach Tree Borer on Artificial Diet 961
SMITTLE, B. J., R. S. PATTERSON, and C. S. LOFGREN—P^{32}-Labeling of Common Malaria Mosquitoes: Assimilation by Larvae and Retention and Transfer During Mating 851
SMITTLE, B. J., and G. C. LABRECQUE—Comparison of Photographic Films for Insect Audioradiography 1242
SMITTLE, B. J., see G. S. BURDEN 262
SMITTLE, B. J., see R. S. PATTERSON 1455
SNOW, J. WENDELL, W. W. CANTELO, and M. C. BOWMAN—Distribution of the Corn Earworm on St. Croix, U. S. Virgin Islands, and Its Relation to Suppression Programs 606
SORENSEN, K. A., and HUGH E. THOMPSON—Distribution of *Surattha indentella* Kearfott on Buffalograss 750
SPANGLER, HAYWARD G.—Photoelectrical Counting of Outgoing and Incoming Honey Bees . 1183
SPANGLER, HAYWARD G.—Suppression of Honey Bee Flight Activity with Substrate Vibration 1185
SPINK, W. T., see H. R. GROSS, JR. 686
SPITLER, G. H.—Laboratory Evaluation of Malathion as a Storage Protectant for Figs 754
SPITLER, G. H., and PRESTON L. HARTSELL—Laboratory Evaluation of Malathion as a Protectant for Stored Walnuts 305
SPRENKEL, RICHARD K., and WILLIAM G. YENDOL—Effects of Apholate on the Alfalfa Weevil 122
STADELBACHER, E. A.—Chambers for Incubating Individual Insect Eggs and Egg Parasites .. 253
STANLEY, J. M., see C. R. GENTRY 1274
STANTON, G. E., see L. W. BOULANGER 748
STAPLES, ROBERT, see S. DEAN KINDLER 474
STARKS, K. J., see W. W. MCMILLIAN 708
STEELMAN, C. D., B. R. CRAVEN, and E. J. VILLAVASO—Control of Southern House Mosquito Larvae in Louisiana Papermill Log Ponds .. 1152
STEINER, L. F.—A Method of Estimating the Size of Native Populations of Oriental, Melon, and Mediterranean Fruit Flies, to Establish the Overflooding Ratios Required for Sterile-Male Releases 4
STEINER, L. F., see H. KAMASAKI 730
STEINER, L. F., see N. TANAKA 967
STENERSEN, JØRGEN—Demethylation of the Insecticide Bromophos by a Glutathione-Dependent Liver Enzyme and by Alkaline Bufers 1043
STEVE, PETER C., see DHARM KAUR 1462
STEWART, PAUL A.—House Sparrows and a Field Infestation of Tobacco Hornworm Larvae .. 956
STEWART, PAUL A., JESSE J. LAM, JR., and JOHN L. BLYTHE—Influence of Distance on Attraction of Tobacco Hornworm and Corn Earworm Moths to Radiations of a Blacklight Lamp 58
STEWART, PAUL A., and JESSE J. LAM, JR.—Hourly and Seasonal Collections of Six Harmful Insects in Traps Equipped with Blacklight Lamps 100
STEWART, PAUL A., and JESSE J. LAM, JR.—Measuring Newly Hatched Phytophagous Larvae in the Field or Greenhouse 259
STEWART, P. A., see L. G. BURK 1115
STEWART, P. A., see J. J. LAM, JR. 1378
STIMMANN, M. W., and C. M. TALIAFERRO—Resistance of Selected Accessions of Bermudagrass to Phytotoxemia Caused by Adult Two-Lined Spittlebugs 1189
STINNER, R. E., see R. VAN DEN BOSCH 1486
STIVERS, RUSSELL K., see M. CURTIS WILSON 699
STOFFOLANO, JOHN G., JR.—Nematode Parasites of the Face Fly and the Onion Maggot in France and Denmark 792
STONE, B. F.—Metabolism of Fenthion by the Southern House Mosquito 977
STONER, ADAIR, and DELBERT E. SURBER—Notes on the Biology and Rearing of *Anaphes ovijentatus*, a New Parasite of *Lygus hesperus* in Arizona 501
STONER, A. K., see A. G. GENTILE 834
STRAUSS, WALTER G., see A. A. KHAN 96
STRONG, R. G.—Relative Susceptibility of Five Stored-Product Moths to Some Organophosphorus Insecticides 1036
STRONG, R. G., G. J. PARTIDA, and T. L. ARCHER—Genetic Plasticity of Stored-Product Insects in Relation to Insecticides: Comparative Susceptibility of Confused and Red Flour Beetles from Various Areas of California to Malathion 470
STRONG, R. G., see G. J. PARTIDA 1186
STURGEON, EDWARD E., see JAY M. LAMDIN 640
SUMMERS, CHARLES G., and WARREN R. COTHRAN—Field Evaluation of Selected Insecticides for Control of the Alfalfa Weevil in New York .. 746
SUN, YUN-PEI, and E. R. JOHNSON—Relationship Between Structure of Several Azodrin® Insecticide Homologues and Their Toxicities to House Flies, Tested by Injection, Infusion, Topical Application, and Spray Methods with and without Synergist 1130

SURBER, DELBERT E., see ADAIR STONER 501
SUTTER, GERALD R.—Treatment of Corn Rootworm Larvae and Adults with *Bacillus thuringiensis* and *B. popilliae* 756
SUTTER, G. R., and R. W. KIECKHEFER—Performance of the English Grain Aphid on Sterilized and Unsterilized Artificial Diet ... 254
SUTTER, GERALD R., see EUGENE W. HAMILTON .. 1285
SUTTON, R. A., P. A. NORMAN, and A. K. BURDITT, JR.—Dichlorvos Strips, a Nonresidual Fumigant for Insects and Mites in the Greenhouse and Laboratory 1230
SUTTON, R. A., see P. A. NORMAN 1237
SUTTON, R. A., see PAUL A. NORMAN 968
SVEC, H. J., see C. R. HARRIS 1013, 1441
SWENSON, K. G., H. TASHIRO, F. L. GAMBRELL, and H. BREITFELD—Ovicidal Efficiency of Parathion and Diazinon for Quarantine Treatment of the Western Tent Caterpillar . 875
SWENSON, ARTHUR A., and WALTER E. PEAY—Color and Natural Products Attracting the Adult Sugarbeet Root Maggot in Southcentral Idaho 910
SWENSON, ARTHUR A., see WALTER E. PEAY 1083
SWIFT, BRINTON L., see L. DALE HAWS 503
SYLVESTER, EDWARD S., See PANAYOTA E. KYRIAKOPOULOU 1423

TAFT, H. M., A. R. HOPKINS, and H. R. AGEE—Response of Overwintered Boll Weevils to Reflected Light, Odor, and Electromagnetic Radiation 419
TAFT, H. M., A. R. HOPKINS, C. E. JERNIGAN, and J. C. WEBB—A New 8-Row Ground Sprayer with Auxiliary Air for ULV Application of Pesticides to Cotton 570
TAFT, H. M., see A. R. HOPKINS 964
TAFT, H. M., see R. F. MOORE, JR. 1397
TAI, AKIRA, see F. MATSUMURA 599
TALIAFERRO, C. M., see M. W. STIMMANN 1189
TAMAKI, GEORGE, JOHN ERIC HALFHILL, and JAY C. MAITLEN—The Influence of UC-21149 and the Aphidiid Parasite *Aphidius smithi* on Populations of the Pea Aphid 678
TANAKA, N., L. F. STEINER, K. OHINATA, and R. OKAMOTO—Low-Cost Larval Rearing Medium for Mass Production of Oriental and Mediterranean Fruit Flies 967
TANTAWY, A. O., see A. A. ABDEL-MALEK 348
TASHIRO, H., D. L. CHAMBERS, J. G. SHAW, J. B. BEAVERS, and J. C. MAITLEN—Systemic Activity of UC-21149 Against the Citrus Red Mite, Citrus Thrips, California Red Scale, and Spirea Aphid on Nonbearing Orange Trees .. 443
TASHIRO, H., and B. J. FIORI—Susceptibilites of European Chafer and Japanese Beetle Grubs to Chlordane and Dieldrin: Suggesting Reductions in Application Rates 1179
TASHIRO, H., see K. G. SWENSON 875
TAYLOR, T. AJIBOLA—Preliminary Studies on the Integrated Control of the Pest Complex on Cowpea, *Vigna unuguiculata* Walp., in Nigeria 900
TEETES, GEORGE L., and N. M. RANDOLPH—Some New Host Plants of the Sunflower Moth in Texas 264
TEETES, GEORGE L., and N. M. RANDOLPH—A Ventilated Laboratory Cage for Emergence of Sunflower Moth and Other Insects from Field-Collected Samples 1235
TEETES, GEORGE L., and N. M. RANDOLPH—Chemical and Cultural Control of the Sunflower Moth in Texas 1444
TEETES, G. L., see N. M. RANDOLPH 462
TELFORD, H. S.—David Homer Brannon (1903-1969) ..... (Obit.) 1253
TERRANOVA, ANDREW C.—The Residual Fate of *N,N,N',N'*-Tetramethyl-*p*-piperidinophosphonic Diamide After Injection, Tarsal Contact, and Topical Application to the Boll Weevil . 821
THIMIJAN, R. W., see L. G. PICKENS 536
THOMAS, H. A.—A Meridic Diet and Rearing Technique for the Pales Weevil Larva 1491
THOMAS, H. A., and G. D. HERTEL—Responses of the Pales Weevil to Natural and Synthetic Host Attractants 383
THOMAS, W. W., see C. R. GENTRY 1274
THOMPSON, HUGH E., see K. A. SORENSEN 750
THURSTON, RICHARD, see CHARLES O. ABERNATHY 1356
TIERNAN, CHARLES F., see CARROLL B. WILLIAMS, JR. 310
TINGLE, F. C., and E. P. LLOYD—Influence of Temperature and Diet on Attainment of Firm Diapause in the Boll Weevil 596
TOBA, H. H., A. N. KISHABA, R. PANGALDAN, and S. RIGGS—Laboratory Rearing of Pepper Weevils on Artificial Diets 257
TOBA, H. H., A. N. KISHABA, and W. W. WOLF—A Polyethylene Bag for Dispensing the Synthetic Sex Pheromone of the Cabbage Looper 517
TOBA, H. H., see A. F. HOWLAND 117
TODD, FRANK E., and CHARLES B. REED—Pollen Gathering of Honey Bees Reduced by Pesticide Sprays 865
TOLMAN, N. M., see T. NAKATSUGAWA 408
TOPPOZADA, A., S. M. MADI, and M. E. ELDEFRAWI—Resistance to Chlorinated Hydrocarbons in *Culex pipiens quinquefasciatus* in Egypt 440
TRAHAN, G. B., see J. R. GIFFORD 740, 752
TREECE, ROBERT E., see M. CURTIS WILSON 699
TRIPATHY, H. M., see G. ROUT 715
TSUKAMOTO, MASUHISA, see SURENDRA P. SHRIVASTAVA 483
TU, C. M., see J. R. W. MILES 1334
TUCKER, RICHARD K., and D. GLEN CRABTREE—Toxicity of Zectran® Insecticide to Several Wildlife Species 1307
TUGWELL, N. P., see J. L. LANCASTER, JR. 1511
TUGWELL, PHILIP, E. C. BURNS, and J. W. TURNER—Brahman Breeding as a Factor Affecting the Attractiveness or Repellency of Cattle to the Horn Fly 56
TUMLINSON, J. H., see W. H. CROSS 154
TUNG, SIK-CHUNG, TIEN-HSI CHENG, and WILLIAM G. YENDOL—A Method of Clearing Face Fly Puparia for Sex Determination without Affecting Survival and Development 1412
TURNER, E. C., JR., see W. G. MITCHELL 195
TURNER, J. E., see R. L. WALLIS 307
TURNER, J. W., see PHILIP TUGWELL 56

TZANAKAKIS, M. E., and J. H. H. PHILLIPS—Artificial Diets for Larvae of the Oriental Fruit Moth 879

UHLER, LOWELL, see DAVID PIMENTEL 248

VAN DEN BOSCH, R., see D. GONZÁLEZ 1320
VAN DEN BOSCH, R., T. F. LEIGH, D. GONZÁLEZ, and R. E. STINNER—Cage Studies on Predators of the Bollworm in Cotton 1486
VANDERSCHAAF, PAUL, D. A. WILBUR, and R. H. PAINTER—Resistance of Corn to Laboratory Infestation of the Larger Rice Weevil, *Sitophilus zeamais* 352
VANDERZANT, E. S.—An Artificial Diet for Larvae and Adults of *Chrysopa carnea*, an Insect Predator of Crop Pests 256
VELASCO, J. F. MURCIO, see F. LOPEZ D. 742
VEREECKE, A.—The Reproducing Capacity of *Gamma*-Irradiated Adult Males of the Confused Flour Beetle 357
VILLAVASO, E. J., see C. D. STEELMAN 1152
VINSON, S. BRADLEIGH, see S. G. POLLES 89
VIRAY, MANUEL S., see ROY J. PENCE 622
VOGEL, EVERARDO, and A. D. OLIVER, JR.—Evaluation of *Arzama densa* as an Aid in the Control of Water Hyacinth in Louisiana .. 142
VOSS, G., see A. GHOBRIAL 1262, 1304

WAGNER, R. E., M. M. BARNES, and G. M. FORD—A Battery-Operated Timer and Power Supply for Insect Light Traps 575
WAGNER, ROBERT E., and D. A. REIERSON—Yellow Jacket Control by Baiting. 1. Influence of Toxicants and Attractants on Bait Acceptance 1192
WAGNER, R. E., see M. M. BARNES 733
WAITES, ROBERT E., and SHMUEL GOTHILF—Nutrition of the Almond Moth. I. Analysis and Improvements of the Experimental Diet. 301
WAKID, A. M., see A. A. ABDEL-MALEK 348
WALGENBACH, E. T., see J. W. APPLE 1033
WALLER, GORDON D.—Susceptibility of an Alfalfa Leafcutting Bee to Residues of Insecticides on Foliage 189
WALLIS, R. L., and J. E. TURNER—Burning Weeds in Drainage Ditches to Suppress Populations of Green Peach Aphids and Incidence of Beet Western Yellows Disease in Sugarbeets 307
WALLNER, W. E., N. C. LEELING, and M. J. ZABIK—The Fate of Methoxychlor Applied by Helicopter for Smaller European Elm Bark Beetle Control 1039
WALTON, GERALD S., see CARROLL B. WILLIAMS, JR. 310
WARD, ALICE G., and B. C. PASS—Rearing Sod Webworms on Artificial Diets 510
WARD, GEORGE, see D. E. BAY 41
WARE, G. W., and C. K. IRWIN—Conversion of a Therapy X-Ray Unit for Insect Irradiations . 721
WARE, G. W., BETTY J. ESTESEN, W. P. CAHILL, P. D. GERHARDT, and K. R. FROST—Pesticide Drift. I. High-Clearance vs. Aerial Application of Sprays 840
WARE, G. W., E. J. APPLE, W. P. CAHILL, P. D. GERHARDT, and K. R. FROST—Pesticide Drift. II. Mist Blower vs. Aerial Application of Sprays 844
WARE, GEORGE W., see ROGER S. BUCHANAN .. 675
WARE, GEORGE W., see ROBERT E. RUSH 1124
WARGO, M. J., see M. M. BARNES 733
WATERHOUSE, J. STALLARD, RONALD SEYMOUR, and EDWARD W. RUTKOWSKI—Biological Effects of Starvation on the Garden Symphylan 338
WATSON, T. F., and D. G. FULLERTON—Timing of Insecticidal Applications for Control of the Pink Bollworm 682
WATTERS, F. L., and O. W. GRUSSENDORF—Toxicity and Persistence of Lindane and Methoxychlor on Building Surfaces for Stored-Grain-Insect Control 1101
WATTERS, F. L., see N. T. IORDANOU 130
WEBB, J. C., see H. M. TAFT 570
WEBB, J. C., see H. R. AGEE 1322
WEBB, RALPH E., and FLOYD F. SMITH—Effect of Temperature on Resistance in Lima Bean, Tomato, and Chrysanthemum to *Liriomyza munda* 458
WEBB, RALPH E., see A. G. GENTILE 834
WEIDHAAS, D. E., see M. M. COLE 568
WENE, GEORGE P.—Control of *Brachyrhinus cribricollis* Injuring Ornamentals 941
WERNER, RICHARD A.—Development of the Black-Headed Budworm in the Laboratory .. 1050
WERNER, RICHARD A., and EDGAR W. CLARK—Absorption, Translocation, and Distribution of Phorate in Loblolly Pine Seedlings 436
WESTIGARD, P. H.—Timing and Evaluation of Pesticides for Control of the Pear Rust Mite 1158
WESTLAKE, W. E., see L. R. JEPPSON 531
WESTLAKE, W. E., see M. S. MULLA 365
WHETSTONE, T. M., see R. O. DRUMMOND 235
WHITE, CLARENCE E., EDWARD J. ARMBRUST, JERALD R. DEWITT, and STEPHEN J. ROBERTS—Evidence of a Second Generation of the Alfalfa Weevil in Southern Illinois 509
WHITE, CLARENCE E., see EDWARD J. ARMBRUST . 464
WHITE, C. E., see J. R. DEWITT 1233
WHITE, LELAND D., ROBERT B. HUTT, and B. A. BUTT—Releases of Unsexed Gamma-Irradiated Codling Moths for Population Suppression .. 795
WHITNEY, R. D., see R. N. SINHA 837
WHITNEY, W. KEITH, E. E. KENAGA, J. L. HARDY, and A. E. DOTY—Rapid Knockdown Activity of Dowco® 217, A New Insecticide .. 567
WHITTEN, M. J.—Automated Sexing of Pupae and Its Usefulness in Control by Sterile Insects 272
WICKMAN, BOYD E., and RICHARD H. HUNT—Biology of the Phantom Hemlock Looper on Douglas-Fir in California 1046
WIGGINS, O. G., see H. W. DOROUGH 49
WILBUR, D. A., see PAUL VANDERSCHAAF 352
WILBUR, DONALD A., see JOHN H. WILLIAMS .. 693
WILCOX, J., see A. F. HOWLAND 939
WILDE, GERALD E.—Photoperiodism in Relation to Development and Reproduction in the Green Stink Bug 629
WILLCOX, HENRY H., III,—An Inexpensive House Fly Pupae Separator 949

WILLIAMS, CARROLL B., JR., GERALD S. WALTON, and CHARLES F. TIERNAN—Zectran and Naled Affect Incidence of Parasitism of the Budworm *Choristoneura occidentalis* in Montana 310
WILLIAMS, JOHN H., and DONALD A. WILBUR—Respiratory Environments of Grain-Infesting Weevils. II. Comparison of Respiratory Atmospheres Produced by Laboratory Populations of Three Species of Grain Weevils .. 693
WILLIAMS, L. H., and H. E. BROWN—Some Biological Investigations of Smaller European Elm Bark Beetle in Missouri with Reference to Systemic Insecticidal Control 1381
WILSON, JANE A., and SIDNEY B. HAYS—Histological Changes in the Gonads and Reproductive Behavior of House Flies Following Treatment with Chemosterilants *p,p*-Bis (1-aziridinyl) -*N*-methylphosphinic Amide and *p,p*-Bis (1-aziridinyl) -*N*- (3-methoxypropyl) phosphinothioic Amide 690
WILSON, M. CURTIS, ROGER T. HUBER, JAMES F. GERHOLD, and THOMAS R. HINTZ—Buildup of the Alfalfa Weevil Parasite *Bathyplectes curculionis* in Indiana 1517
WILSON, M. CURTIS, ROBERT E. TREECE, RICHARD E. SHADE, KELLY M. DAY, and RUSSELL K. STIVERS—Impact of Cereal Leaf Beetle Larvae on Yields of Oats 699
WILSON, M. CURTIS, B. C. PASS, and STELMON E. BENNETT—Influence of Annual Spring Seeding of Alfalfa on Alfalfa Weevil Populations 1421
WILSON, M. CURTIS, see EDWARD J. ARMBRUST .. 250
WILSON, N. L., and A. D. OLIVER—Food Habits of the Imported Fire Ant in Pasture and Pine Forest Areas in Southeastern Louisiana . 1268
WILSON, N. L., and A. D. OLIVER—Evaluation of Some Acaricides for Control of Spider Mites on Three Woody Ornamentals in Louisiana 1400
WILTON, DONALD P., see RICHARD E. CLINE 981
WINGO, C. W., see H. E. BROWN ..... (Obit.) 530
WISEMAN, B. R., and W. W. MCMILLIAN—Competition and Survival Among the Corn Earworm, the Tobacco Budworm, and the Fall Armyworm 734
WISEMAN, B. R., see W. W. MCMILLIAN 708
WOJCIK, DANIEL P.—Monitoring for Audible and Ultrasonic Sound Production by Stored-Product Insects During Mating 937
WOLF, W. W., see A. F. HOWLAND 117
WOLF, W. W., see H. H. TOBA 517
WOLFENBARGER, DAN A., and W. L. LOWRY—Toxicity of DDT and Related Compounds to Certain Lepidopteran Cotton Insects 432
WOLFENBARGER, D. A., see R. L. MCGARR 1249
WONG, TIM T. Y., M. L. CLEVELAND, and D. G. DAVIS—Sex Attraction and Mating of Lesser Peach Tree Borer Moths 789
WORKMAN, R. B., see G. L. GREENE 798
WRIGHT, C. G., and H. C. MCDANIEL—Abundance and Habitat of Five Species of Cockroaches on a Permanent Military Base 277
WRIGHT, C. G., see R. MCCLUSKEY 1465

YADAVA, C. P. S., see F. R. SHAW 952, 953
YAMAMOTO, R. T.—Mass Rearing of the Tobacco Hornworm. II. Larval Rearing and Pupation 1427
YAMAMOTO, R. T., see R. MCCLUSKEY 1465
YATES, HARRY O., III, and WILLIAM G. LEWIS—An Accurate and Safe Hand-Operated, Vehicle-Mounted Applicator for Granular Insecticides in Seed Orchards 246
YENDOL, WILLIAM G., see RICHARD K. SPRENKEL 122
YENDOL, WILLIAM G., see SIK-CHUNG TUNG 1412
YONCE, C. E., see S. W. JACKLIN 21
YONCE, C. E., see H. R. SMITH 961
YOUNG, JERRY H., see R. H. ADAMS 616
YOUNG, J. R., E. A. HARRELL, and M. C. BOWMAN—A Chemosterilant Feeder for Insects .. 646
YOUNG, J. R., see M. C. BOWMAN 1468
YOUNG, S. Y., III, and R. S. BERGER—Absorption and Metabolism of Fenthion in Blood-Sucking Arthopods 727
YOUNG, S. Y., III, and R. S. BERGER—The Metabolism of Bayer 9017 in Calves 929
YOUNG, W. R., see S. M. AHMED 478
YU, S. J., and F. O. MORRISON—Mevinphos and Phosphamidon: Influence of Plant Nutrition on Uptake and Effectiveness 1296

ZABIK, M. J., see W. E. WALLNER 1039
ZEPP, DONALD B., see HILARY F. GOONEWARDENE 514
ZWICK, R. W., and F. W. PEIFER—Field Evaluations in Spray Programs for Control of the Fruit-Tree Leaf Roller on Sweet Cherry 951